



Infor Briggs & Stratton (BS)

AutoMap

Copyright © 2018 Infor

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor Briggs & Stratton

Publication date: April 2018

Contents

| | |
|---|----------|
| Contents..... | 3 |
| Table of Changes | 4 |
| General Information | 5 |
| Transaction Sets and Versions | 5 |
| Security | 6 |
| Implementation..... | 7 |
| Identification Code File | 7 |
| Briggs & Stratton Dock Codes | 7 |
| Model Year..... | 8 |
| CUM Required Prior..... | 8 |
| Requirement Master - Clear Flags..... | 8 |
| Requirement Master - Engineering Revision Level | 9 |
| Print Method..... | 9 |
| How to Use This Document | 10 |
| General Information | 10 |
| Security | 10 |
| Implementation..... | 10 |
| VLO Menu..... | 10 |
| ASNs | 11 |
| Electronic Invoice Menu | 11 |

Table of Changes

| Changed By | Date | Reason | Update# | Section Changed |
|------------|------|--------|---------|-----------------|
| | | | | |

General Information

Transaction Sets and Versions

The Briggs & Stratton module supports the following transaction set:

830 Material Release Version 3050

The 830 (Material Release) contains the daily release schedule.

Security

Communication Method

Briggs & Stratton communicates through the ACM (Advanced Communications Module) component.

For more information on ACM, see Chapter 17 of the AutoRelease Main Manual. Enter security requirements (identification codes, passwords, etc.) before attempting to receive or transmit. Network security is entered one time, but may be accessed by multiple trading partners.

Note: When establishing communication set up either with a VAN or direct, the following must exist:

Wrap Data? YES - 80

Start New Record on New Interchange? YES

File Archiving / Auto Print and Process

(Option 3 on the AZ10 Menu - ACM)

| | |
|--|-----------------------|
| AZD2008 | PROCESS PROFILE SETUP |
| OEM Company | |
| Auto Print Auto Process..... Auto 997..... Days To Archive..... | |
| F4=Prompt F12=Cancel | |

- Auto Print (Y/N) - Enter "Y" if using AutoReceive and Breakdown (scheduled through ACM), to perform an automatic Print after the Breakdown. Enter "N" if not using AutoReceive, or, if using AutoReceive and Breakdown, if the Print option is not to be run automatically after the Breakdown.
- Auto Process (Y/N) - Enter "Y" if using AutoReceive and Breakdown (scheduled through ACM) and if also using Auto Print, to perform an automatic Process after the Receive, Breakdown and Print. Enter "N" if not using AutoReceive, or, if using AutoReceive, Breakdown, and Auto Print, if the Process option is not to be run automatically after the Print.
- Auto 997 (Y/N) – Enter "Y" and a 997 will automatically be sent back to the OEM acknowledging receipt of inbound EDI data.
- Days to Archive - Enter the number of days to archive files received from the OEM. Files must be saved for at least one day. Archived files, are files that are stored for a given number of days so that they can be reactivated. The number of days is not based on calendar days. Only the number of days when a communication session takes place is counted. Then the archived files are removed during the next shift.

Note: Only error free requirements are processed. Errors must be corrected and the "Print" and "Process" options must be taken manually to process the remaining data.

Implementation

Identification Code File

The Identification Code File is used when taking the options to "Split" and "Breakdown" a file received from Briggs & Stratton. The Identification Code File is used differently by different manufacturers.

```
Company Number - xx
OEM Code - BS
Plant ID - Your DUNS number
OEM ID - Briggs & Stratton's DUNS number (006082531)

Corporate ID - Not used by Briggs & Stratton
Remit to Duns Number - Not used by Briggs & Stratton
VAT Code - Tax ID
Transmission Mode - T or P
Smart Labels - N
Pallet Staging - N
Bar Code File Transfer - N
Variable Unwrap Print - Y or N
Automatic Print of 997 - N
AutoMap - Y
```

Errors that occur during the "Split" that indicate a code is missing from the Identification Code File are referring to OEM ID.

Errors that occur during the "Breakdown" that indicate a code is missing from the Identification Code File are referring to Plant ID.

Briggs & Stratton Dock Codes

The new dock codes were defined in November 1999. Valid codes are the following:

AA - Auburn Plant BK - Burleigh Plant
AB - Auburn Plant BL - Burleigh Plant - Drop Shipment
AC - Auburn Plant BM - Florida Test Facility
AD - Auburn Plant BN - Burleigh Plant
AE - Auburn Plant BO - Burleigh Plant
AF - Auburn Plant RL - Rolla Plant
BA - Burleigh Plant MA - Murray Plant
BB - Burleigh Plant MS - Service Distribution
BC - Burleigh Plant PA - Poplar Bluff Plant
BD - Burleigh Plant RA - Ravenna Plant
BE - Burleigh Plant SA - Statesboro Plant
BF - Burleigh Plant SB - Statesboro Plant

BG - Burleigh Plant SC - Statesboro Plant

BH - Burleigh Plant SD - Statesboro Plant

BI - Burleigh Plant WA - West Allis Plant

BJ - Burleigh Plant

Model Year

Briggs & Stratton does not send model year. Therefore, the Requirement and Price Files must be entered leaving the Model Year field blank.

CUM Required Prior

Briggs & Stratton does not send CUM required prior. They send CUM received, which is placed in the CUM required prior field. Therefore, it is not necessary to enter a CUM required figure manually before going live. The CUM received that is transmitted overlays what was entered manually.

The figure in the CUM Required Prior field is used to calculate ahead or behind figures and to round to package quantity. Therefore, it may be necessary to enter the CUM required prior (or CUM received) if entering a Briggs & Stratton manual requirement or while testing. The CUM required prior is entered using the option Enter Manual Requirements. CUM required prior can be entered using F5 from the entry screen or it may be entered directly on the header screen.

Requirement Master - Clear Flags

Infor suggests that clear flags (found in the Requirement Master) be marked for transaction sets received:

| | | | |
|-----|-----|-----|-----|
| 866 | 862 | 830 | 850 |
| — | — | X | — |

This is subject to change based on the files Briggs & Stratton transmits to your company.

Note: Do not select clear flags with "X" if requirements are transmitted only once for any given transaction set.

Requirement Master - Engineering Revision Level

The Briggs & Stratton engineering revision level must be entered manually in the Default Eng Lvl field in the Requirement C record of the Requirement File. The Requirement C record is accessed using F9 from the requirement header record.

| JTDMAINT5 | | REQUIREMENT MASTER ENTRY - DETAIL REQUIREMENTS | | CHANGE | |
|----------------------|-----------------|--|--------------------|--------|--|
| Company KB | Customer BLCUST | Part 6793016-01 | Destination BLDEST | MY | |
| Requirement Date ... | 9/05/XX | Pri Mtl Rel # | | | |
| Requirement Time ... | 0 | Release # | | | |
| Transaction Type ... | 830 | Release Date | 0/00/00 | | |
| Purchase Order # ... | 6956732 | Order Quantity | | | |
| Engineering Rev | 123 | Order Price | | .0000 | |
| RAN # | | P.O. Line..... | | | |
| Type/Frequency | C / D | Change Seq # | | | |
| | | Fitting Code | | | |
| Qty Required | | Dock | | | |
| VIN # | | Label | | | |
| Beg Kanban # | | Data: | | | |
| End Kanban # | | | | | |
| Line Feed | | | | | |
| Reserve Line Feed .. | | | | | |
| Honda Route Code ... | | | | | |
| Zone | | | | | |
| F1=Help | | | | | |
| F12=Return | | | | | |

If the engineering revision level is not entered in the Requirement C record, the Edit List prints error messages to indicate it is not entered. Briggs & Stratton sends written notification when the engineering level changes and the effective date of the change. The Requirement File must be changed on the effective date, to avoid error messages on the edit print.

Many options are identical from trading partner to trading partner. Those options are explained in the AutoRelease Manual. Only options unique to this trading partner, exceptions, or unique business practices are explained in this document.

See the How to Use this Document section for organizational details about AutoRelease and trading partner documents.

Print Method

Print Method: Mandatory

Briggs & Stratton is coded to use the mandatory "Print" method, which affects the Breakdown, Print, and Process options.

How to Use This Document

This document provides information regarding unique instructions required to implement this trading partner's unique business practices. Check the chapters in AutoRelease that describe the common functions and procedures performed by all trading partners, such as the daily procedures, security, ASN options, etc.

General Information

The general information section of this document describes transaction sets and versions, how they apply to this trading partner and other miscellaneous information.

Security

The security section of the document explains the communication method used by this trading partner and network profile, when applicable.

Implementation

The trading partner documents provide information that may be pertinent only to this trading partner. The implementation section covers master file entry that is unique to this trading partner. However, all required master files must be entered according to the instructions in the "AutoRelease User's Manual."

Files and fields that are unique for all trading partners include the Identification Code File, Trading Partnership File, model year, Requirement Master clear flags and CUM required prior.

VL0 Menu

Traditionally coded trading partners use a VL0xx menu (where xx is the OEM code) to perform daily procedures (from the "Receive" through the "Process"). Many of the options on the VL0 menus are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease manual.

| | |
|------------------|---|
| Daily Procedures | Describes the Receive, Split, Breakdown, Print, Process, and Transmit 997 |
| Security | Describes all security selection and maintenance options and VAN menus |

The VL0 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- The Print method (mandatory or optional) is identified.
- Special processing for a common option for this specific OEM is identified.
- Fields that print on the edit list but are not processed are identified.
- Options that are not commonly used by other trading partners are described in detail.

A complete description of the common options can be found in the Daily Procedures chapter of AutoRelease.

ASNs

Traditionally coded trading partners use a VL8xx menu (where “xx” is the OEM code) to transmit ASNs to the trading partner. Many of the options on the VL8 menus are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease manual.

| | |
|---------------------------|---|
| ASN (VL8) Options | Describes the standard procedures for transmitting ASNs without bar code. |
| ASN with Bar Code Options | Describes the standard procedures for transmitting ASNs with bar code. |

The VL8 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- Valid action codes are identified.
- The ASN Maintenance screen displays with valid field descriptions.
- ASN extract exceptions and special processing relating to ASNs for this specific trading partner are identified.
- Options that are not commonly used by other trading partners are described in detail.

A complete description of the routine options can be found in the ASN (VL8) Options chapter of AutoRelease.

Electronic Invoice Menu

Some traditionally coded trading partners use a VL75xx menu (where xx is the OEM code) to transmit Electronic Invoices to the trading partner. Many of the options are identical from trading partner to trading partner. Those options are explained one time in the AutoRelease Manual.

| | |
|---------------------|--|
| Electronic Invoices | Describes invoice maintenance, print invoice register, create and transmit, purge, and reactivate transmitted invoices menu options. |
|---------------------|--|

The VL75 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- Invoice header screen and valid field descriptions
- Invoice line item screen
- Invoice line item information screen and valid field descriptions
- Miscellaneous charge screen and valid field descriptions
- Options that are not commonly used by other trading partners are described in detail

A complete description of the common options can be found in the Electronic Invoices chapter of AutoRelease.