



**Infor Denso Long Beach California
(NQ)**

Traditional

Copyright © 2018 Infor

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor Denso Long Beach, California

Publication date: May 2018

Contents

Table of Changes	4
How to Use This Document	15
General Information	15
Security	15
Implementation.....	15
VL0 Menu	15
ASNs	16
Electronic Invoice Menu.....	16

Table of Changes

Changed By	Date	Reason	Update#	Section Changed

General Information

Transaction Sets

The Denso Long Beach California trading partner module supports the following transaction sets:

▪ 830	Material Release	Version 4010
▪ 856	Advanced Shipping Notice	Version 4010
▪ 862	Shipping Schedule	Version 4010

The **830 (Material Release)** contains forecast and firm ship requirements.

The **856 (ASN)** is required to be transmitted for each shipment when the truck leaves the plant. Bar code information is not required for Denso.

The **862 (Shipping Schedule)** contains firm ship requirements.

Security

Communication Method

Denso Long Beach, CA communicates through the ACM (Advanced Communications Module) component.

For more information on ACM, see Chapter 17 of the AutoRelease main manual. Enter security requirements (identification codes, passwords, etc.) before attempting to receive or transmit. Network security is entered one time, but may be accessed by multiple trading partners.

Note: When establishing communication set up either with a VAN or direct, the following must exist:

Wrap Data?	YES - 80
Start New Record on New Interchange?	YES

File Archiving / Auto Print and Process

(Option 3 on the AZ10 Menu - ACM)

AZD2008	PROCESS PROFILE SETUP
OEM	
Company	
Auto Print	
Auto Process.....	
Auto 997.....	
Days To Archive.....	
F4=Prompt F12=Cancel	

Auto Print (Y/N) - Enter "Y" if using AutoReceive and Breakdown (scheduled through ACM), to perform an automatic Print after the Breakdown. Enter "N" if not using AutoReceive, or, if using AutoReceive and Breakdown, if the Print option is not to be run automatically after the Breakdown.

Auto Process (Y/N) - Enter "Y" if using AutoReceive and Breakdown (scheduled through ACM) and if also using Auto Print, to perform an automatic Process after the Receive, Breakdown and Print. Enter "N" if not using AutoReceive, or, if using AutoReceive, Breakdown, and Auto Print, if the Process option is not to be run automatically after the Print.

Auto 997 (Y/N) – Enter "Y" and a 997 will automatically be sent back to the OEM acknowledging receipt of inbound EDI data.

Days to Archive - Enter the number of days to archive files received from the OEM. Files must be saved for at least one day. Archived files, are files that are stored for a given number of days so that they can be reactivated. The number of days is not based on calendar days. Only the number of days when a communication session takes place is counted. Then the archived files are removed during the next shift.

Note: Only error free requirements are processed. Errors must be corrected and the "Print" and "Process" options must be taken manually to process the remaining data.

Implementation

ARS Setup Steps

1. ACM Communication for trading partner
2. Define Identification Code File
3. Trading Partnership File
4. Machine Readable
 - a. Customer
 - b. Destination
5. Parts Cross Reference for new parts
6. Customer Master
7. Destination Master
8. Enter Requirement Master for each part
9. Setup Users with Security File authority to Denso Long Beach CA Menu and options

Identification Code File

The Identification Code File is used when taking the options to "Split" and "Breakdown" a file received from Denso Long Beach California and when transmitting ASNs. The Identification Code File is used differently by different manufacturers.

Company Number	- xx
OEM Code	- NQ
Plant ID	- Supplier ID defined by Denso Long Beach CA
OEM ID	- OEM DUNS Number
Corporate ID	- Supplier's DUNS Number
Remit to Duns #	- Not used
Transmission Mode	- T/P T- Test, P-Production
Smart Labels	- Y or N
Pallet Staging	- Y or N
Bar Code File Transfer	- N
Variable Unwrap Print	- Y or N
Automatic print of 997	- Y or N
AutoMap	- N

Errors that occur during the "Split" that indicate a code is missing from the Identification Code File are referring to OEM ID.

Errors that occur during the "Breakdown" that indicate a code is missing from the Identification Code File are referring to Plant ID or Corporate ID

Trading Partnership File

The Trading Partnership File is used to enter data to be used in the “enveloping” of the electronic file being transmitted instead of using the Identification Code File and the hard-coding within the programs. When a trading partner changes their enveloping, the change may be made, by the user, in the Trading Partnership File, instead of waiting for a program change.

Press F14 (Trading Partnership File (X.12)) after entering the appropriate data in the Identification Code File.

Follow the steps below to complete the Trading Partnership File setup.

1. Press F6 (ADD) from the Trading Partnership Review screen.
2. Abbreviations may be entered. Press Enter.
3. Enter the code representing data format (A for ISA). Press Enter. The Maintain Trading Partnership File Detail screen is displayed.
4. Press F7 (Infor defaults).
Modifications may be needed to the 856 ISA record. Verify the default records are created with the correct values.

VLD9702A	Maintain Trading Partnership File	
Company Number.....	CO	(A) ISA / (C) ICS / (E) Edifact: A
OEM Code.....	NQ	
Supplier ID.....	SUPPLIERID	
Customer Abbrv(O)		
Destination Abbrv(O)		
User Define Description: PRODUCTION ASN RECORD		
Qualifier/Information		
Authorization:	00	Active (Y) / (N): Y
Security:	00	
Sender:	XX SENDERID	
Receiver:	XX RECEIVERID	
Hexadecimal Code		
Control Standards ID:	U	Sub Element Separator: B0
Version Identifier:	04010	Data Element Separator: 5C
		Segment Terminator: A1
Computer Generated ISA Control Number: Y		
F7=Update Infor Defaults F10=GS Level F12=Return		

5. Press F10 (GS Level). Modifications may be needed to the 856 GS record. Verify the default records are created with the correct values.

GS Detail Screen

VLD9702E	Maintain Functional Identifier	
Company Number.....	CO	
OEM Code.....	NQ	
Supplier ID.....	SUPPLIERID	
Customer Abbrv(O)		
Destination Abbrv(O)		
Transaction Type.....	856	
Functional Identifier:	SH	Non Repeating Transaction
Application Sender:	SENDERID	Control Number: Y
Application Receiver:	RECEIVERID	ST Control#:
Responsible Agency Code:	X	
Version/Release/Industry:	004010	
(T)est/(P)roduction:	P	
Acknowledge Requested:	N	
Last Date Used:	0/00/00	
Last Time Used:		
Number Times Used:		Processing Option: P
Computer Generated Group Control Number:	Y	P=Print Before Sending
F12=Return		

6. Press Enter. Functional Identifier Review screen is displayed.
7. Press F12. Maintain Trading Partnership File Review screen is displayed.
8. Press Enter. Trading Partnership File Review screen is displayed.
9. Press F12. Identification Code File screen is displayed.

Setup is complete.

Requirement Master

JTDMAINT2	REQUIREMENT MASTER ENTRY			CHANGE
Company KB	Customer NQCUST Part 123456			Destination NQDEST MY
Customer Part #	123456			OEM Code BL
Supplier Code	12345			OEM Division ...
Customer #	100			Destination #
100				
Commodity Code	100			Unit of Measure EA
Controlling Source .				Price Code A
Dock Code				Trailer Capacity ...
Container Part # ...	100			Package Quantity ... 1
MRP	Reports			Clear
866 862 830 X 850	866	862	830 X 850	866 862 830 X 850
	Process P.O.s			
Planner #	0000			Product Code .
Weekly Ship Code .	Balance Out Code ...			Analyst #
Rack ID	Final Release Code .			
User #1 ..				User #2 ..
User #3 ..	.00000			
Remarks ..				
F1=Help	F7=OEM Info	F8=REQB	F9=REQC	F10=Delete
F11=File Maint	F12=Return	F19=Fab/Mtl	F20=Special Process	

It is suggested that clear flags (found in the requirement master) be marked as follows:

866 862 830 850
- - X -

This is subject to change based on the files Denso Long Beach CA transmits to your company. DO NOT select clear flags with X if requirements are transmitted only once for any given transaction set.

Model Year

Denso does not send model year. Therefore, the requirement and price files must be entered leaving the model year field blank.

CUM Required Prior

Denso does not send a CUM Received not a CUM Required Prior. All values transmitted are actual quantities required.

VL0 Menu

VLD0000NQ1	4/30/XX	MENU: VL0NQ	13:34:59
12.0	-----		
DENSO LONG BEACH CALIFORNIA			
VARIABLE LENGTH TELECOMMUNICATIONS			

<ul style="list-style-type: none">1. Receive Data2. Split Network Data Into OEM Files3. Breakdown Data4. Acknowledge Received Data5. Print Requirements (830, 862)6. Process Requirement (830, 862)			
 <ul style="list-style-type: none">23. Return to V/L Telecommunications24. Return to Main Menu			
 <p style="text-align: center;">Option</p>			

Many options are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease Manual. Only options unique to this trading partner, exceptions or unique business practices are explained in this document.

Setting up Menu Option Security within ARS Program Name = VLC0000NQ and Record Format = VL0NQ

See the How to Use this Document section for organizational details about AutoRelease and trading partner documents.

ASNs

VLD8000NQ1	9/08/XX	MENU: VL8NQ	8:32:59
12.0			

DENSO LONG BEACH CA			
ADVANCE SHIPMENT NOTIFICATIONS			

1. Maintain ASNs			
2. List ASNs			
3. Create and Transmit ASNs			
4. Purge Transmitted ASNs/Bar Code			
5. Reactivate Transmitted ASNs/Bar Code			
23. Return to V/L Communications Menu			
24. Return to Main Menu			
Option			

Traditionally coded trading partners use a VL8xx menu (where xx is the OEM code) to transmit ASNs to the trading partner. Many options are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease Manual. Only options unique to this trading partner, exceptions or unique business practices are explained in this document.

Setting up Menu Option Security within ARS Program Name = VLC8000NQ and Record Format = VL8NQ

See the How to Use this Document section for organizational details about AutoRelease and trading partner documents.

Bar Code

Note - bar code serial numbers are not required on the ASN.

How to Use This Document

This document provides information regarding unique instructions required to implement this trading partner's unique business practices. Check the chapters in AutoRelease that describe the common functions and procedures performed by all trading partners, such as the daily procedures, security, ASN options, etc.

General Information

The general information section of this document describes transaction sets and versions, how they apply to this trading partner and other miscellaneous information.

Security

The security section of the document explains the communication method used by this trading partner and network profile, when applicable.

Implementation

The trading partner documents provide information that may be pertinent only to this trading partner. The implementation section covers master file entry that is unique to this trading partner. However, all required master files must be entered according to the instructions in the "AutoRelease User's Manual."

Files and fields that are unique for all trading partners include the Identification Code File, Trading Partnership File, model year, Requirement Master clear flags and CUM required prior.

VL0 Menu

Traditionally coded trading partners use a VL0xx menu (where xx is the OEM code) to perform daily procedures (from the "Receive" through the "Process"). Many of the options on the VL0 menus are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease manual.

Daily Procedures	Describes the receive, Split, Breakdown, Print, Process, and transmit 997
Security	Describes all security selection and maintenance options and VAN menus

The VL0 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- The print method (mandatory or optional) is identified.
- Special processing for a common option for this specific OEM is identified.
- Fields that print on the edit list but are not processed are identified.
- Options that are not commonly used by other trading partners are described in detail.

A complete description of the common options can be found in the Daily Procedures chapter of AutoRelease.

ASNs

Traditionally coded trading partners use a VL8xx menu (where "xx" is the OEM code) to transmit ASNs to the trading partner. Many of the options on the VL8 menus are identical from trading partner to trading partner. Those options are explained one time only in the AutoRelease manual.

ASN (VL8) Options Describes the standard procedures for transmitting ASNs without bar code.

ASN with Bar Code Options Describes the standard procedures for transmitting ASNs with bar code.

The VL8 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- Valid action codes are identified.
- The ASN Maintenance screen displays with valid field descriptions.
- ASN extract exceptions and special processing relating to ASNs for this specific trading partner are identified.
- Options that are not commonly used by other trading partners are described in detail.

A complete description of the routine options can be found in the ASN (VL8) Options chapter of AutoRelease.

Electronic Invoice Menu

Some traditionally coded trading partners use a VL75xx menu (where xx is the OEM code) to transmit electronic invoices to the trading partner. Many of the options are identical from trading partner to trading partner. Those options are explained one time in the AutoRelease manual.

Electronic Invoices Describes invoice maintenance, print invoice register, create and transmit, purge, and reactivate transmitted invoices menu options.

The VL75 section of each trading partner document illustrates the menu for this specific trading partner, but describes ONLY exceptions and unique business practices such as:

- Invoice header screen and valid field descriptions
- Invoice line item screen
- Invoice line item information screen and valid field descriptions
- Miscellaneous charge screen and valid field descriptions
- Options that are not commonly used by other trading partners are described in detail

A complete description of the common options can be found in the Electronic Invoices chapter of AutoRelease.