



Infor LN Financials SEPA Master Data Setup

Copyright © 2019 Infor

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Document code	tfsepaug (U9574)
Release	10.3 (10.3)
Publication date	January 28, 2020

Table of Contents

About this document

Chapter 1 Introduction	7
Introduction.....	7
SEPA.....	7
Common data format.....	7
ISO 20022 XML message standards.....	8
SEPA Credit Transfer Scheme.....	8
Chapter 2 Master Data Setup	11
Master Data Setup.....	11
Entering additional settings in Common and Financials.....	11
Creating an XML layout.....	12
XML layout version status.....	13
Maintaining XML tags.....	14
Maintaining mapping elements.....	17
Modifying payment method.....	19
Payment/Receipt Methods (tfcmg0540m000).....	19
Data by Bank/Payment Methods (tfcmg0545m000).....	19
Creating direct debit mandates.....	20
Mandate fields.....	21
Mandate Status.....	21
Creditor Details.....	22
Debtor Details.....	22
Mandate Details.....	22
Sequence Type.....	24
Amendment Details.....	24
Print Direct Debit Mandate (tfcmg0427m000).....	25
Chapter 3 Payment Procedure	27
Payment Procedure.....	27

Chapter 4 Direct Debit Procedure	33
Direct Debit Procedure.....	33
Select Invoices for Direct Debit (tfcmg4220m000).....	33
Direct Debit Advice (tfcmg4120s000).....	33
Audit Direct Debit Batch (tfcmg4255m000).....	34
Transfer Direct Debits (tfcmg4260s000).....	34
Appendix A Glossary	35
Index	

About this document

This document describes the process to set up master data for handling SEPA transactions.

How to read this document

Comments?

We continually review and improve our documentation. Any remarks/requests for information concerning this document or topic are appreciated. Please e-mail your comments to documentation@infor.com.

In your e-mail, refer to the document number and title. More specific information will enable us to process feedback efficiently.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

If we update this document after the product release, we will post the new version on the Infor Support Portal. To access documentation, select **Search Browse Documentation**. We recommend that you check this portal periodically for updated documentation.

If you have comments about Infor documentation, contact documentation@infor.com.

Introduction

SEPA

The Single Euro Payments Area (SEPA) is the area where citizens, companies, and other economic participants can make and receive payments in euros, within Europe, whether between or within national boundaries under the same basic conditions, rights and obligations, regardless of their location. The geographical scope of SEPA encompasses the 27 EU member states, Iceland, Liechtenstein, Norway, and Switzerland.

SEPA is an EU-wide policy-maker-driven integration initiative in the area of payments, which is designed to achieve the completion of the EU internal market and monetary union. After the introduction of euro notes and coins in 2002, the political drivers of the SEPA initiative – EU governments, the European Commission, and the European Central Bank – focused on harmonizing the euro payments market. Integrating the multitude of national payment systems that exist today is a natural step towards making the euro a truly single and fully functioning currency.

SEPA will become a reality when a critical mass of euro payments has migrated from legacy payment instruments to the new SEPA payment instruments.

Common data format

A common data format that is used by all parties in a payment transaction is essential for cost-efficient handling of billions of payments.

Today, dozens of different data formats are in place to process payments across different national and European clearing systems in the EU. Therefore, the realization of SEPA requires agreement on a common set of data to be exchanged through a common syntax.

The SEPA Data Formats, as specified by the EPC for the exchange of SEPA payments such as direct debits and credit transfers, represent such common data sets.

ISO 20022 XML message standards

The SEPA Data Formats do not constitute an exclusive European standard. Rather, the SEPA Data Formats are based on the global ISO 20022 XML message standards. These formats are binding for the exchange of SEPA payments between banks. Business customers are recommended to use the SEPA Data Formats to initiate payments. However, banks can continue to accept other formats from customers for SEPA payments.

The International Organization for Standardization (ISO) is the world's developer of global standards. ISO combines the expertise of representatives from all sectors. ISO provides any stakeholder group the opportunity to participate in the process of standard setting. ISO has worked on modeling financial messages, which is set out in ISO Standard 20022 (www.iso20022.org). This standard provides a methodology to define business processes and the related data elements.

In the ISO process, business requirements are defined for all global markets. Different markets have different data needs. Therefore, each community may need to define its own version within the global standard, specific to its own situation. In this respect, the ISO messages have been adjusted to meet the SEPA requirements. The role of EPC in defining the SEPA Data Formats consists of identifying, within the global standard, all the necessary data elements for making SEPA payments as defined in the SEPA rulebooks.

These "core" data elements are indicated by yellow shading in the SEPA Implementation Guidelines that are released by the European Payments Council (EPC) with respect to the SEPA Credit Transfer Scheme and the SEPA Direct Debit Schemes. To allow communities of banks that participate in the SEPA Schemes to provide additional optional services (AOS) based on the schemes, the EPC has identified data elements within the global standard that can be used for this purpose.

These data elements are indicated by white shading in the Implementation Guidelines. The SEPA Data Formats are a valid subset of the global ISO Standard 20022.

SEPA Credit Transfer Scheme

In LN, two SEPA solutions have been implemented for the SEPA credit transfer scheme. Based on the ISO 20022 XML message standards and a user-defined layout with a mapping to LN data, the system generates an XML file to be stored and subsequently sent to the bank.

With regard to credit transfers in general, the originator (payer) completes a credit transfer instruction and forwards it to the originator's (payer's) bank by any agreed means. The originator's bank receives and checks the credit transfer, and rejects erroneous instructions. Next, the originator's account is debited and the credit transfer is sent to the clearing and settlement mechanism (CSM).

The CSM forwards the credit transfer message to the beneficiary bank and settles the amount of the transfer. The beneficiary's bank receives the credit transfer message, checks the credit transfer message, and credits the account of the beneficiary.

The SEPA Credit Transfer Scheme allows payments services providers to offer a core credit transfer service throughout SEPA, whether for single payments or bulk payments. The scheme's standards facilitate payment initiation, processing, and reconciliation based on straight-through-processing (STP). The scope is limited to payments in euros within SEPA countries. The credit institutions that perform

the credit transfer must be scheme participants, that is, both must have formally adhered to the SEPA Credit Transfer Scheme. There is no limit on the amount of the payment that is carried under the scheme.

Master Data Setup

To set up SEPA functionality in LN, complete the following steps:

- Enter additional settings in Common and Finance/Logistics (direct debit only)
- Create an XML layout
- Maintain mapping elements
- Modify payment method
- Create direct debit mandates (optional)

Entering additional settings in Common and Financials

The first step in setting up master data for SEPA direct debits is to enter additional settings in the following sessions:

- General Company Data (tccom0502m000)
- Business Partners (tccom4500m000) (optional)
- CMG Parameters (tfcmg0500m000)
- In the General Company Data (tccom0102s000) details session, under Registration, enter a creditor identifier and, optionally, a business entity identifier.

Field	Description
Creditor Identifier	The creditor identifier is required in the SEPA direct debit file. The identifier entered here will be default-

ed to the **Direct Debit Mandate Required** session, where it can be overwritten.

Business Entity Identifier

The business entity identifier can optionally be used as an identifier for the direct debit company in the direct debit file.

-
- In the Business Partners (tcom4100s000) details session, on the Detailed tab, enter the business entity identifier (optional).
 - In the CMG Parameters (tcmg0100s000) details session, on the Direct Debits tab, enter a number group and series to be used for direct debit mandates.

Creating an XML layout

The first step in setting up master data for SEPA credit transfers is to define an XML layout, using the following sessions:

- XML Payment/Receipt Layouts (tcmg0524m000)
- XML Payment/Receipt Layout (tcmg0624m000)
- In the XML Payment/Receipt Layouts (tcmg0524m000) session, enter a new layout code.

Note

XML layouts are version controlled.

The status can be **Initial**, **Active**, or **Expired**.

Field	Description
Layout	The XML layout code.
Version	The version number, generated automatically.
Receipts/Payments	Indicates whether the payment method refers to payments or receipts.
Separator	The character used for concatenation of mapping elements when multiple LN data is mapped to an XML tag.
Group Payment Information	If this check box is selected, payment / direct debit files payment information tags are grouped together. As a result, the payment information tag (PmtInf)

is specified only once for the combination of bank, payment method, and planned debit date. If this check box is cleared, the payment information is specified for every composed payment line for the direct debit batch.

Status	XML version status, see below.
---------------	--------------------------------

Command	Description
Initialize Layout	An empty layout can be initialized. All tags in the ISO 20022 format will be initialized. Initialization can be repeated if the status of the layout is Initial. Initialization can be performed with an overwrite option which is the same as reinitialization, or without overwrite, in which cases modifications are not lost.
Activate Layout	Sets the status of the XML layout to Active.
Expire Layout	Sets the status of the XML layout to Expired.
Generate XML	Starts the Select Payment / Direct debit Batch for XML File Generation (tfcmg0224m000) session.

XML layout version status

Status	Description
Initial	If the status is Initial, you can change layout details.
Active	<ul style="list-style-type: none"> ■ A layout with status Active cannot be changed. <p>To make changes, copy the current layout to a new version number.</p> <p>To use the layout with the new version number, complete the following steps:</p>

- Set the status of the active layout to **Expired**.
- Set the status of the layout with the new version number to **Active**.

Expired

The layout can no longer be used.

-
- Define the layout header fields.
 - Click **Save Function**
 - On the appropriate menu, click **Initialize Layout**

LN generates default XML tags and their mappings to payment/ receipt elements. These default values XML tags and their mappings are based on the recommendations as laid down in the EPC (European Payments Council) rulebooks.

Maintaining XML tags

The EPC rulebooks and guidelines allow for bank or country-specific requirements in the XML file to be sent to the bank. These local or specific requirements can be fulfilled using optional XML tags. Therefore, you can add, delete, or edit XML tags in the initialized default layout.

To delete an XML tag, select the appropriate XML-tag line and use the Delete command in the session menu. If the XML tag type is mandatory because it has been specified as a minimum requirement in the EPC Rulebook, the layout line cannot be deleted.

To **Edit** an XML tag (layout status: Initial), double-click the required XML-tag line to start the XML Payment/Receipt Layout Lines (tfcmg0125m000) details session.

Field	Description
XML Tag Identifier	The XML tag number.
XML Tag	The XML tag name.
XML Tag Description	The XML tag description.
XML Tag Type	Defines a set of values and the allowable operations on those values. This field indicates what sort of value is expected for this tag. This is compared with the element type of mapping elements. If a mismatch occurs, the user is informed.

For mapping XML elements to LN records, the following data types exist:

- **Attribute**
For example, currency code, quantity
- **Boolean**
Yes/No
- **Date**
Absolute date
- **Decimal Number**
- **Node**
Only for parents
- **String**
Alphanumeric code
- **UTC Date**
Time-zone-independent date

Parent XML Tag Identifier	The number in this field indicates the parent of the current XML tag, which is used to construct the XML tree structure.
Sequence in Parent	A parent tag can have multiple child tags. This field indicates the sequence in which the current tag occurs for the parent.
Mandatory	If this check box is selected, the layout line cannot be deleted.
Select	If this check box is selected, the XML tag will be included in the file generation.
Map to Payment Element	If this check box is selected, the tag value for this layout line will be set based on one or more LN table fields or variables. Fixed text means the value entered by the user will be used as a (static) tag value. Map to Payment Element and Fixed Text are mutually exclusive.
Fixed Text	See the Map to Payment Element field
Maximum Text Characters	The maximum number of text characters allowed.
Choice	If this check box is selected, the tag is a mutually exclusive choice element. If two child elements are

marked as Choice, the user is informed about this when both tags are selected.

Transactional

If this check box is selected, the data for this line is based on the actual transaction. The transactional tags are repeated as many times as there are transactions.

Sort Sequence

The sequence of the XML tag in the file. Sort sequence is a system-generated sequence of the XML file. After activation, all selected lines should have a non-zero value here. This field is for technical reasons only and disabled for user input.

Guidelines for editing

- If the **Selected** check box is selected, almost all fields are editable. However, if the tag is generated as, for example, the payment identifier, it only makes sense to change the following fields:
 - **XML Tag Description**
 - **Mandatory**
 - **Map to Payment Element**
 - **Fixed Text**
 - **Maximum Text Characters**
 - **Choice**
- The value of the **Sort Sequence** field is generated and cannot be changed.
- Only when you create a new tag can you change the following fields:
 - **XML Tag**
 - **XML Tag Type**
 - **Parent XML Tag Identifier**
 - **Sequence in Parent**
 - **Choice**
 - **Transactional** Except tags that belong to the group header, all tags must have this check box selected.
- For a particular local requirement, you can define that a tag is mandatory. If the **Map to Payment Element** check box is selected, this means that the tag must be mapped, or is already mapped in case of a default generated tag, to data in LN. If this check box is cleared, the tag is entered at runtime and/or a fixed text can be added. The **Fixed Text** field and the **Map to Payment Element** check box are mutually exclusive.

To add an XML tag, on the XML Payment/Receipt Layout Lines (tfcmg0125m000) tab, click the New Layout Details button.

Maintaining mapping elements

Use the Payment/Receipt Elements (tfcmg0123m000) session to maintain mapping elements that are used to derive the values of XML elements when the SEPA XML file is generated.

After the layout has been initialized, all the data elements that are defined in the minimum dataset that is mandatory according to the EPC rulebooks are included in the default XML tags. By default, many of these tags have been mapped to predefined data elements; other tags are generated.

To view or maintain mapping details, in the XML Payment/Receipt Layouts (tfcmg0524m000) session, select the XML tag line and use the appropriate menu to start the Payment/Receipt Elements (tfcmg0123m000) details session.

If, in the details session, **Map to Payment Element** is selected, you can start the Payment/Receipt Elements (tfcmg0123m000) session through the appropriate menu to check the list of available payment/receipt elements.

A payment element refers to the information that is available in LN that can be attributed to a payment, for example, payment batch, pay-to business partner, or the IBAN of the business partner's bank account. In LN this could be either of the following:

1. Table field, such as **Payment Batch** (tfcmg103.btno)
2. Variable, such as the **Suffix (Norma 68 or 34-1)** field in the Process Payments (tfcmg1240m000) session

Payment element descriptions are generated at runtime in the user language, if available; otherwise they are generated in English.

The syntax of the description is: Table Name / field1 name / field 2 name ...

Example

Composed Payments/Pay-to Business Partner/Address Code/Name

- On the XML Payment/Receipt Layout Lines (tfcmg0125m000) tab, select the XML tag and, on the appropriate menu, click **Payment/Receipt Elements**.
- The Payment/Receipt Elements (tfcmg0123m000) session is displayed. In this case, only the used elements are shown.
- For example, IBAN is mapped to payment element 011003000000 – Composed Payments/Pay-from Bank/IBAN.

Field	Description
Element	The element code

Description	Description of the payment element in the user language, if available; otherwise it is in English. The descriptions are based on the field descriptions from which the elements are derived. The syntax is <code>Table/Field1/Field2...</code>
Receipt/ Payment	Indicates whether the payment method refers to a payment or a receipt.
Data Type	<ul style="list-style-type: none"> ■ Attribute ■ Boolean ■ Date ■ Decimal Number ■ Node ■ String ■ UTC Date
Map to Payment Element	<p>If this check box is selected, the element is used for mapping, but only if the Process... command in the Payment/Receipt Elements (tfcmg0123m000)) has been executed.</p> <p>By default, only mapped elements are shown. To change the mapping, select or clear the Map to Payment Element check box.</p>

The payment/receipt mapping elements are in turn mapped to tables in LN, which is predefined and cannot be changed.

Mapping to a payment/receipt element is shown as a path separated by the separator defined in the layout header. Therefore, in this example, the IBAN code is retrieved first through the composed payments, then the bank, and finally through the **IBAN** number (table tfcmg001.iban).

To view all available mapping elements for the selected layout line, on the appropriate menu, click **Only Used Elements**.

- To define other mappings, select or clear the **Map to Payment Element** check box.
- After you change a mapping, on the appropriate menu, click **Process...** to actualize the mapping.
- After you have completed the changes in the layout and the mappings, in the XML Payment/Receipt Layouts (tfcmg0524m000) session, on the appropriate menu, click **Activate Layout**.
- If an error occurs, a report is printed and the activation stops.

In addition to checking the correctness of the layout lines, the activation process generates an internal (system) sequence called Sort Sequence. This sequence determines the order in which the final payment file is generated.

Modifying payment method

To use the SEPA functionality, some additional changes are required in the data setup for payments methods. To apply these changes, access the following sessions:

- Payment/Receipt Methods (tfcmg0540m000)
- Data by Bank/Payment Methods (tfcmg0545m000)

Payment/Receipt Methods (tfcmg0540m000)

In the payment methods to be used for SEPA credit transfer/direct debit, ensure that the **XML File** check box is selected. Therefore, the **Payment Report** field will be unavailable.

Field	Description
Direct Debit Mandate Required	If this check box is selected, a valid direct debit mandate must be linked to a direct debit advice. Refer to "Creating direct debit mandates."

Data by Bank/Payment Methods (tfcmg0545m000)

- In the Data by Bank/Payment Methods (tfcmg0545m000) session, double-click the appropriate bank/payment method.
- In the Data by Bank/Payment Methods (tfcmg0545m000) details session, enter the layout and the path for the generated XML file, to link these to the bank/ payment method.

The path for the XML file must end with ~, which represents the file name.

Example

Date: March 21st 2013

Path	Creates a file with	File name
/home/username/~~~~	The name derived from the current day and month.	0321
/home/username/~~~~~~	The name derived from the current day, month, and two-digit year.	130321
/home/username/~~~~~~	The name derived from the current day, month, and four-digit year.	201303021

You can create several files with the current date as the file name. A serial number is added at the end of the file name. The path includes #, which represents the serial number for the files that are created in a single day.

Example

Date: March 21st 2013

Path	Creates up to	File name
/home/username/~~~~~~.#	Nine files with the current date and a serial number as the file name.	20130321.1 to 20130321.9
/home/username/~~~~~~.##	99 files with the current date and a serial number as the file name.	20130321.1 to 20130321.99
/home/username/~~~~~~.###	999 files with the current date and a serial number as the file name.	20130321.1 to 20130321.999

Creating direct debit mandates

Use the Direct Debit Mandate (tfcmg0127m000) session to create valid direct debit mandates that must be linked to direct debit advice. The direct debit mandate information is required in the SEPA direct debit file. By default, the mandate-related tags are activated in the XML Payment/Receipt layout.

In this session, you can activate a mandate only if the following fields have been entered:

- **Payment Company**
- **Pay-by Business Partners**
- **Receive from Bank**

After you have activated the direct debit mandate, it can be used in the direct debit advice.

Mandate fields

Field	Description
Direct Debit Mandate	The mandate's sequence number. By default, the last mandate number is incremented when you add a new mandate.
Mandate Version	A sequence indicating the version of the direct debit mandate. This number is used when a mandate is amended.
Mandate Status	See below.

Mandate Status

Status	Description
Not Active	The mandate can be changed, but cannot be used in the direct debit advice.
Active	The mandate cannot be changed except for the First Collection Date and the Final Collection Date fields. The mandate can be used in the direct debit advice.
Canceled	The mandate can no longer be used.
Expired	The mandate can no longer be used.
Amended	The mandate has been changed and a new mandate with a reference to this one has been activated. The amendment date and amendment reason can be changed. When the amendment data is referenced in a direct debit file, the mandate can no longer be changed.

Creditor Details

Field	Description
Payment Company	The company that initiates the direct debit. Used in the mandate selection process in the direct debit advice.
Creditor Identifier	The creditor identifier of the company that performs the direct debit. The default creditor identifier can be overwritten per mandate, if required.
I Invoice Company	The invoice company from which the direct debit process is initiated. For information purposes only.

Debtor Details

Field	Description
Pay-by Business Partners	The customer whose bank account will be debited. Used in the mandate selection process of the direct debit advice.
Receive from Bank	The bank account of the customer that will be debited.
Invoice-to Business Partners	The invoice customer. For information purposes only.

Mandate Details

Field	Description
External Reference	The mandate reference or identifier if they are generated by an external system.
Date of Signature	The date of the signature of the mandate.

Recurring Collection	<p>If this check box is selected, the collection is recurring. Otherwise, the collection is a one-off.</p> <ul style="list-style-type: none">■ This information is used to determine the sequence type.■ In case of a one-off collection, this check box is selected when it is included in the direct debit advice if the one-off collection is already used.
Pay-by Business Partner Bank Reference	<p>For an electronic mandate, the validation reference of the customer bank. Used in the electronic signature tag in the direct debit mandate.</p>
Sequence Type	<p>One of the following:</p> <ul style="list-style-type: none">■ First■ Recurring■ One-off <p>For more information, refer to "Sequence Type" below.</p>
First Collection Date	<ul style="list-style-type: none">■ The date from which collections can be carried out.■ The planned debit date of the direct debit advice cannot be before the first collection date.■ If you leave this field empty, no check is performed on the first collection date.
Final Collection Date	<ul style="list-style-type: none">■ The date until which collections can be carried out.■ The planned debit date of the direct debit advice cannot be after the final collection date. If you leave this field empty, no check is performed on the final collection date.
Cancellation Date	<p>The date of cancellation, if applicable. For information purposes only.</p>
Date of Last Bank File	<p>When a direct debit file is created which references a mandate, the date of the last bank file of the mandate will be updated. This field and the Recur-</p>

ring Collection field are used to determine the sequence type.

Text for Electronic Signature

If this check box is selected, additional text information exists for the mandate. For example, to include the electronic signature.

Sequence Type

The value of this field is determined by the value of the **Recurring Collection** and **Date of Last Bank File** fields, as shown in the following table:

Recurring Collection	Date of Last Bank File	Sequence Type	Code
Selected	Empty	First	FRST
Selected	Entered	Recurring	RCUR
Cleared	N/A	One-off	OOFF

Amendment Details

Field	Description
Original Mandate and Mandate Version	<ul style="list-style-type: none"> ■ A reference to the original mandate after an amendment. Used to enable publication of the original mandate information in the direct debit file. ■ The original mandate version referenced here must be an active version. ■ When the amended mandate is activated, the original mandate's status changes to Amended.
Amendment Date	The date of the amendment.
Amendment Published	If this check box is selected, a direct debit file was created for the first time using an amended man-

date. Therefore, you can no longer change this mandate.

Amendment Reason

The reason for the amendment.

Print Direct Debit Mandate (tfcmg0427m000)

To print direct debit mandates, specify a range of mandates, versions, and statuses.

Payment Procedure

For SEPA credit transfers, the normal anticipated payment procedure can be followed, assuming that the correct bank and payment method are used.

Payment process

Depending on the parameter settings in the CMG Parameters (tfcmg0100s000) session, only authorized users can select invoices for payment and process a payment batch in Cash Management.

For details, refer to Payment authorization in Cash Management – setup.

In the CMG Parameters (tfcmg0100s000) session, you can indicate whether authorized users must approve a payment batch for processing. If you select the **Payment Batch Approval** and the **Direct Debit Batch Approval** check boxes, only authorized users can process a payment batch. In the Payment Authorizations (tfcmg1100m000) session, you can define authorized users.

You can use the following automatic payment processes:

- **The automatic payment procedure**
After selection of the invoices, you can verify the results and make adjustments. For example, you can review and change the selected invoices, and you can assign advance payments, unallocated payments, or credit notes to the open entries before you make the payments.
- **The uninterrupted payment process**
After selection of the invoices, LN carries out the payment process as an uninterrupted payment run. This enables you to run the payment process as a batch job at night. This process does not search for advance and unallocated payments, or credit notes. For details, refer to Automatic or uninterrupted payment process.

Search for advance and unallocated payments and credit notes

If you select open entries for payment, LN searches for advance and unallocated payments or credit notes, that you can apply to the open entry. LN displays a warning or generates a report of the business

partners for which such documents exist. You can display the available advance payments, unallocated payments, or credit notes for the business partner and assign them to the open entries.

Multi financial company payment

In a multi financial company structure, LN searches all the financial companies of the group company.

In the CMG Parameters (tfcmg0100s000) session, you must set these parameters:

- **Payments by Company Group**
If this check box is selected, the group company will make all the payments on behalf of the individual company.
Example
 - Company A, B, and C belong to a group company D.
 - If this check box is cleared, payments can be created, either separately for company A, B, and C, or for company D.
 - If this check box is selected, payments can be made only by the group company D on behalf of company A, B, and C.
 - Group companies are defined in the Company Parameters (tfgld0503m000) session.
- **Multi-Company Selection of Invoices for Payment**
If this parameter is set to **Select Invoices** or **Both**, you can select invoices from other companies for payment, provided for the other company the following parameters are set as below:
 - The **Payments by Company Group** check box is cleared.
 - The **Multi-Company Selection of Invoices for Payment** parameter is set to **Own Invoices Selectable** or **Both**.

The automatic payment procedure

To run the automatic payment procedure, use this sequence of sessions:

- **Standing Orders (tfcmg1510m000)**
For payments for which no purchase invoice is available, you can create standing orders. For details, refer to Standing orders
- **Select Invoices for Payment (tfcmg1220m000)**
Use this session to select the invoices which are due for payment in the open entries of the Accounts Payable module, as well as standing orders
LN selects the purchase invoices and cost invoices for which these conditions are fulfilled:
 - The invoice is approved.
 - The **Approved for Payment** status is **Yes** or **Not Applicable**.
 - No hold reason is linked to the invoice.If you select the **Select Non Approved Invoices for Payment** check box in the CMG Parameters (tfcmg0100s000) session, unapproved invoices can also be selected. Other parameters selected in the CMG Parameters (tfcmg0100s000) can also have an effect on the invoice selection.

LN searches for unassigned advance and unallocated payments and credit notes for the business partners, and automatically generates a report of the business partners for which such documents exist. Before you continue the payment process, you can assign the payments and credit notes to the open entries.

Based on several selection criteria, a pro-forma payment batch is created which is processed for payment. You can settle sales invoices and credit notes with purchase invoices.

- **Payment Advice (tfcmg1609m000)**

Review the selection of purchase invoices and standing orders, and make the necessary adjustments.

For example, you can make these changes:

- Change the bank details, or the payment method.
- Add a payment to the batch.
- Delete individual payments.
- Delete the complete payment batch.

If unassigned advance and unallocated payments or credit notes exist for the business partner of the invoice, LN displays a warning. On the appropriate menu, you can click **BP Open Entries** to display the available documents.

- **Apply Payment Agreement (tfcmg1230m000)**

If you use payment agreements, you must apply the payment agreements before you can process the payment batch. For details, refer to Using payment agreements.

- **Process Payments (tfcmg1240m000)**

Use this session to combine payments into a batch according to the values set up in the CMG Parameters (tfcmg0100s000) session. LN searches for a bank relation for each transaction as described in Assigning bank relations.

Related sessions

Depending on the values of the relevant parameters in the CMG Parameters (tfcmg0100s000) session, after you click **Compose** in the Process Payments (tfcmg1240m000) session, LN can start these sessions:

- **Batch Numbers for Payment Procedure (tfcmg1521m000) > Assign Banks to Payments (Manually) (tfcmg1251m000)**

If LN cannot automatically assign bank relations to the transactions, the Assign Banks to Payments (Manually) (tfcmg1251m000) or the Assign Banks to Direct Debits Manually (tfcmg4251s000) session starts automatically, and you must select a bank relation for the transaction.

- **Audit Payments (tfcmg1255m000)**

This session validates the payment batch. LN checks and validates this data:

- Whether the payable amount exceeds the maximum amounts per pay-to business partner and for free payments for which you are authorized in the Payment Authorizations (tfcmg1100m000) session.
- Whether all invoices have a valid payment method assigned
- Whether invoices from subcontractor business partners are paid from a blocked account

- The business partners bank account and address details
- The financial business partner groups
- The posting data of the intermediate steps defined for the payment methods
- The posting data for stand-alone, and cost standing orders payments
- The bank relation details

LN prints a report of the detected errors. After you solve the problems, run the Process Payments (tfcmg1240m000) session.

If the payable amount exceeds the maximum amounts for which you are authorized, you can make adjustments in the Payment Advice (tfcmg1609m000) session.

- **Print Remittance Letters (tfcmg1270m000)**

If remittance letters are required for the payment method, the Print Remittance Letters (tfcmg1270m000) session starts automatically. The remittance letter contains details about the invoices and the individual payments.

Use this session to combine payments into a batch.

If the **Payment Batch Approval** check box is selected in the CMG Parameters (tfcmg0100s000) session, you can only compose a batch after an authorized user approves the batch.

Payments to a business partner can be added to a batch if the payments have the same:

- Currency
- Pay-to business partner
- Bank relation
- Payment method
- Payment date
- Reason for payment

The number of payments to be combined depends on:

- The composing option
- The composing limit

If you use payment agreements, you must apply the payment agreements before you can process the payment batch.

When the transfer payment process is complete, a file is created in the location that is specified in the Data by Data by Bank/Payment Method (tfcmg0145s000) session. From there the file can be sent to the bank.

Use this session to maintain bank data that is linked to a selected payment method.

The data includes the transactions of receipts and payments with the bank relation.

Example

The generated XML file can look like this:

```
<?xml version="1.0" encoding="UTF-8" ?>
<Document
  xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.02"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

```
<pain.001.001.02>
<GrpHdr>
  <MsgId>2990/ELM/SCT</MsgId>
  <CreDtTm>2011-08-10T14:06:37</CreDtTm>
  <BtchBookg>>false</BtchBookg>
  <NbOfTxs>1</NbOfTxs>
  <Grpg>MIXD</Grpg>
  <InitgPty>
    <Nm>Standard.COM295 - NEW Infor</Nm>
    <Id>
      <OrgId>
        <TaxIdNb>NL006116668B01 - TAX NUMBER</TaxIdNb>
      </OrgId>
    </Id>
  </InitgPty>
</GrpHdr>
<PmtInf>
  <PmtInfId>295/ANP/780</PmtInfId>
  <PmtMtd>TRF</PmtMtd>
  <PmtTpInf>
    <InstrPrty>NORM</InstrPrty>
    <SvcLvl>
      <Cd>SEPA</Cd>
    </SvcLvl>
  </PmtTpInf>
  <ReqdExctnDt>2009-02-04</ReqdExctnDt>
  <Dbtr>
    <Nm>Standard.COM295 - NEW Infor</Nm>
    <PstlAdr>
      <AdrLine>Baron van Nagellstraat</AdrLine>
      <AdrLine> </AdrLine>
      <Ctry>NL</Ctry>
    </PstlAdr>
    <Id>
      <OrgId>
        <TaxIdNb>NL006116668B01 - TAX NUMBER</TaxIdNb>
      </OrgId>
    </Id>
  </Dbtr>
  <DbtrAcct>
    <Id>
      <IBAN>NL91ABNA0417164300</IBAN>
    </Id>
    <Ccy>EUR</Ccy>
  </DbtrAcct>
  <DbtrAgt>
    <FinInstnId>
      <BIC>123456</BIC>
    </FinInstnId>
  </DbtrAgt>
  <CdtTrfTxInf>
    <PmtId>
      <InstrId>295/ANP/780</InstrId>
      <EndToEndId>ACP 20053589/ACP 20053589</EndToEndId>
    </PmtId>
    <Amt>
      <InstdAmt>
        Ccy="EUR">198.00</InstdAmt>
      </Amt>
    <ChrgBr>SLEV</ChrgBr>
    <CdtrAgt>
      <FinInstnId>
        <BIC>INGBNL2A</BIC>
      </FinInstnId>
    </CdtrAgt>
  </CdtTrfTxInf>
</PmtInf>
</PmtInf>
```

```
</FinInstnId>
</CdtrAgt>
<Cdtr>
  <Nm>ELMO BV</Nm>
  <PstlAdr>
    <AdrLine>Mainstreet</AdrLine>
    <AdrLine> </AdrLine>
    <Ctry>NL</Ctry>
  </PstlAdr>
  <Id>
    <OrgId>
      <TaxIdNb> </TaxIdNb>
    </OrgId>
  </Id>
</Cdtr>
<CdtrAcct>
  <Id>
    <IBAN> </IBAN>
  </Id>
</CdtrAcct>
<RmtInf>
  <Ustrd>ACP 20053589/ACP 20053589</Ustrd>
</RmtInf>
</CdtTrfTxInf>
</PmtInf>
</pain.001.001.02>
</Document>
```

Direct Debit Procedure

To process direct debits, the following sessions are used:

1. Select Invoices for Direct Debit (tfcmg4220m000)
2. Direct Debit Advice (tfcmg4120s000)
3. Audit Direct Debit Batch (tfcmg4255m000)
4. Transfer Direct Debits (tfcmg4260s000)

Select Invoices for Direct Debit (tfcmg4220m000)

When you select invoices for direct debits and the **XML File** check box is selected for the payment method, a mandate is defaulted that is based on the customer for the direct debit document, customer's bank, and the planned debit date.

Direct Debit Advice (tfcmg4120s000)

When the **XML File** check box of a receipt method is selected, the direct debit mandate is defaulted based on the customer's bank and the customer for the direct debit document. If there is more than one mandate, the mandate with the latest signature date is defaulted. The user can override the defaulted mandate with a valid mandate.

The mandate specified must satisfy the following criteria:

- The customer for direct debit in the direct debit advice and the mandate must match.
- The customer bank in the direct debit advice and the mandate must match.
- The direct debit advice company, that is, the company in which the direct debit advice is created, and the payment company of the mandate must match.
- The planned debit date must be after the mandate's date of signature.

- The planned debit date must be after the mandate's first collection date, if entered.
- The planned debit must not be after the mandate's final collection date, if entered.
- For a one-off collection, in which the **Recurring Collection** check box is cleared, the mandate is already used and cannot be reused.

Audit Direct Debit Batch (tfcmg4255m000)

If, for a direct debit batch with a receipt method that has the **Direct Debit Mandate Required** check box selected, the mandate is not entered, the audit process stops with an error message.

Transfer Direct Debits (tfcmg4260s000)

If, in the Transfer Direct Debits (tfcmg4260s000) session, you select the **Create Readable XML Output** check box, the generated XML will be formatted for easy readability by adding extra spaces and tabs. This allows you to check for errors manually. We recommend that you clear this check box if the generated files are directly processed by another system.

When you transfer direct debits with a receipt method that has the **XML File** check box selected, an XML file is created on the server.

Appendix A

Glossary



appropriate menu

Commands are distributed across the **Views**, **References**, and **Actions** menus, or displayed as buttons. In previous LN and Web UI releases, these commands are located in the *Specific* menu.

bank relation

A bank account of your company. The bank relation definition includes details such as your bank account number, account type, the international bank account number, the bank's currency and whether other currencies are allowed, and whether the account is a blocked account.

batch

A group of financial transactions processed together. If you finalize a batch, all the transactions are processed, or if an error occurs, no transactions are processed.

hold reason

A code attached to a purchase invoice to block the payment of that invoice.

payment agreement

A way to define how invoice amounts must be paid. This includes the payment methods that apply to various parts of the invoice amount, and the payment currency.

For example, you can define a payment agreement to pay the first part of the invoice amount through the bank according to payment method PM1, 40 percent of the remaining amount, according to payment method PM2, and the other 60 percent according to payment method PM3, which can be a trade note payable.

payment method

The method used to create a payment (purchase invoice) or a receipt (sales invoice).

The payment method defines details such as:

- The maximum amount
- The due date
- Allowance of foreign currencies and other details which must be printed on the report

These are default values that you can change on the order or on the invoice.

pay-to business partner

The business partner to which you pay invoices. This usually represents a supplier's accounts receivable department. The definition includes the default currency and exchange rate, the supplier's bank relation, the number of days within which you must pay the invoices, and if the business partner uses a factoring company.

standing order

An order to which no invoices are linked, for example, recurring payments.

Index

appropriate menu, 35
bank relation, 35
batch, 35
Create
 direct debit mandates, 20
Direct debit mandates
 create, 20
hold reason, 35
Maintaining
 mapping elements, 17
Mapping elements
 maintaining, 17
Master data setup
 SEPA, 7, 11, 33
Modify
 payment method, 19
payment agreement, 35
payment method, 36
Payment method
 modify, 19
Payment
 Procedure, 27
Payment process, 27
pay-to business partner, 36
Procedure
 Payment, 27
SEPA
 master data setup, 7, 11, 33
standing order, 36
