



# Printing Run Instructions from an iSeries Environment

### **Important Notices**

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

### **Trademark Acknowledgements**

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

### **Publication Information**

Release: Printing Run Instructions V8.x

Publication date: September 18, 2018

---

# Contents

<b>Printing Run Instructions from an iSeries LX Environment .....</b>	<b>4</b>
Printing Run Instructions to a Spooled File .....	4

## Printing Run Instructions from an iSeries LX Environment

Infor LX help text for iSeries users is accessible from program screens with the F1 function key. The run instructions for each application include this help text and additional information. The run instructions include an overview of the application, a description of the programs in the application, and instructions to navigate through the screens.

The LX object library includes the run instructions, which are delivered in an ASCII text file. You can use the instructions below to print run instructions to spooled files. You can then print the run instructions as you do other iSeries spooled files.

### Printing Run Instructions to a Spooled File

Follow the steps below to print run instructions to a spooled file.

- 1 Start an LX session.
- 2 Navigate to the LX Main Menu. Type DOC in the *Enter Menu Name, Program Name, or Option Number* field.

```

SYS500-06          ** SSA ERP LX V8.3.00 Environment **   USER02      8/04/05
ERPLX   SSA ERP LX Main Menu                               13:49:38

Enter Menu Name, Program Name, or Option Number  DOC_____
Select action and press Enter.  1=Select

          SSA ERP LX Application Group
-         2      Configurable Enterprise Financials      CEF
-         3      Multi-Mode Manufacturing                MMM
-         4      Supply Chain Management                 SCM
-         5      Cross-Product Application                XPA

F1=Help  F3=Exit  F7=Bwd  F8=Fwd  F12=Cancel  F13=Functions  F21=Command Line
    
```

Figure 1: LX Main Menu

3 Press **Enter**. LX displays the documentation menu.

```

SYS500-06          ** SSA ERP LX V8.3.00 Environment **   USER02      8/04/05
DOC      Documentation                                   13:52:35

Enter Menu Name, Program Name, or Option Number  _____
Select action and press Enter.  1=Select

          Maintenance
-         2      Add a Document                           DOC120C
-         3      Change a Document                       DOC130C
-         4      Delete a Document                       DOC140C
-         6      Create Panel Groups                     DOC500C
-         8      Print Document as Entered                DOC220C
-         9      Print Final Document                    DOC230C
-        10      Rebuild Document Index                  DOC507C
-        11      Print Document Index                    DOC110B1

F1=Help  F3=Exit  F7=Bwd  F8=Fwd  F12=Cancel  F13=Functions  F21=Command Line
    
```

Figure 2: LX Documentation Menu

4 Select the Print Final Document program (DOC230C).

5 Press **Enter** to display the Print Document screen.




Figure 3: LX Print Document Screen (DOC100)

6 Make entries in the following fields:

**Author**

Type *ssa*.

**Subject**

Type *Run*.

**Document**

Type the document number. For example, type *01* for Shop Floor Control. If you do not know the ID number, retain the default value (?) in the **Document** field to generate a list of available run instructions.

7 Press Enter.

8 If you specified a run instructions ID number in the *Document* field on the previous panel, LX displays the Text Processor Entry screen shown below.




Figure 4: LX Text Processor Entry Panel

If you did not specify an ID number on the previous screen, LX displays the Document Selection screen shown below, which lists all available documents from which you can select one or more to print.




Figure 5: LX Document Selection (DOC300-01)

- 9 Type **1** next to the documents to print.
- 10 Press **Enter** to confirm your selection. The print job goes directly to a batch queue and you return to the DOC menu.

- 11 When the print job completes, press F21 to access a command line and type the command **wrksp1f** to display your spooled files.

```

SYS500-06      ** SSA ERP TS V8.3.00 Development Env **   USER02      8/04/05
DOC      Documentation                               13:59:24

Enter Menu Name, Program Name, or Option Number _____
Select action and press Enter.  1=Select

      Maintenance
-      2      Add a Document                               DOC120C
-      3      Change a Document                           DOC130C
-      4      Delete a Document                           DOC140C
      Processing
-      6      Create Panel Groups                           DOC500C
      Report and Inquiries
-      8      Print Document as Entered                     DOC220C
-      9      Print Final Document                         DOC230C
-     10      Rebuild Document Index                       DOC507C
-     11      Print Document Index                         DOC110B1

.....
:                                     COMMAND              :
:                                                                 :
:  ==> wrksp1f _____ :
:  F4=PROMPT  F9=RETRIEVE  F12=CANCEL                     :
:                                                                 :
:.....

```

Figure 6: Command Line Showing the wrksp1f Command

- 12 Press **Enter**. LX displays all available spooled files.

```

                                WORK WITH ALL SPOOLED FILES

TYPE OPTIONS, PRESS ENTER.
  1=SEND  2=CHANGE  3=HOLD  4=DELETE  5=DISPLAY  6=RELEASE  7=MESSAGES
  8=ATTRIBUTES  9=WORK WITH PRINTING STATUS

OPT  FILE      USER      DEVICE OR   USER DATA  STS  TOTAL  CUR
-    -         -         -           -           -    -      -
-    PRO130B   USER02.   PRT01      PRO130      RDY   1      1
-    PRO130A   USER02     PRT01      PRO130      RDY   1      1
-    CEA2000   USER02     PRT01      CEA200B     RDY   1      1
-    PRO130B   USER02     PRT01      PRO130      RDY   1      1
-    PRO130A   USER02     PRT01      PRO130      RDY   1      1
-    CEA2000   USER02     PRT01      CEA200B     RDY   1      1
-    PRO130B   USER02     PRT01      PRO130      RDY   1      1
-    PRO130A   USER02     PRT01      PRO130      RDY   1      1
-    CEA2000   USER02     PRT01      CEA200B     RDY   1      1
                                     MORE...

PARAMETERS FOR OPTIONS 1, 2, 3 OR COMMAND
==> _____
F3=EXIT  F10=VIEW 4  F11=VIEW 2  F12=CANCEL  F22=PRINTERS  F24=MORE KEYS

```

Figure 7: Work with All Spooled Files

- 13 The document is ready to view or print. To print the document, follow the standard procedures for your environment to send a spooled file to a printer.