



Infor LX and BPCS Instructions for Applying License keys.

Copyright © 2023 Infor

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor LX

Publication date: April 21, 2023

Contents

About this guide	4
Intended audience	4
Related documents.....	4
Contacting Infor.....	4
Chapter 1 Installing Product License Key	6
Applying Product License Key	6
Chapter 2 Installing User License Key	9
Applying User License Key.....	9

About this guide

The Applying Infor LX and BPCS License Keys guide describes the process for installing both Product and User License keys for LX and BPCS.

Intended audience

This guide is intended for system administrators who install and configure LX and add-on software.

Related documents

You can find the documents in the product documentation section of the Infor Support portal, as described in "Contacting Infor"..

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

The latest documentation is available from the Infor Support Portal.

If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1 Installing Product License Key

Infor LX and most recent versions of BPCS (V4.05D and above) require both a Product License Key and a User License Key. The Product License Key controls access to the modules/programs and the User License Key controls user access to the LX/BPCS environment.

This chapter discusses the process for installing your Product License key.

Applying Product License Key

1. If applying a Temporary or Variable license key you will need to change your job date to the date the license key was created (note that this date should be on the license key email received from Infor). CHGJOB DATE(XXXXXX)
2. Set up your library list. Add your BPCS/LX Object library and your BPCS/LX PTF library.
3. CALL SYS660C
4. Enter the BPCS/LX product key (also referred to as CPU Key in some versions of BPCS). Press Enter to validate.

Note: The product license key and the user license key cannot be entered at the same time.

```

SYS660                               Infor                               4/30/12
                                          16:33:30

This screen allows you to enter temporary or permanent keys for
BPCS products and/or number of concurrent or named users.

System Serial Number . . . . . 10B58F2
System Model Number . . . . . M25
For a new installation, or to load a different selection of products to a
secondary environment:
Enter BPCS Product Key . . . . . _____

- OR -

New installations comes with a license default of three users.
To apply License information for number of users:
Enter Licensing Model . . . . . _ (0=Old Concurrent, 1=Concurrent, 2=Named)
Enter Number of Users . . . . . _____
Expiration date for temporary key 0/00/00 (mddy)
Enter License Key . . . . . _____

If you do not already have keys, contact your BPCS representative.

F3=Exit

```

5. CALL SYS670 to ensure the license key is correct.

```

Program: SYS670                               Infor                               3/22/23
Ver: 08.04 Rel: 00 Security Installation Information                       15:07:57

Key Type (Temp/Perm) : Permanent
System Serial Number : 02188395
Model Number         : 421

* System *
DOC SYS
Y Y
Source Options
RPG Repository
N N

ERP LX Products

Prod  Prod  Prod  Prod  Prod  Prod  Prod  Prod
Code  Code  Code  Code  Code  Code  Code  Code
ACP Y  BIL Y  CCT Y  CST Y  ESG Y  INT Y  MLT Y  PRF Y
ACR Y  BOM Y  CDM Y  DRP Y  FIM Y  INV Y  MPS Y  PRO Y
ACX Y  CAP Y  CLD Y  ECM Y  FOR Y  JIT Y  MRP Y  PUR Y
API Y  CAR Y  CMS Y  EEN Y  FXA Y  LMP Y  OLM Y  QMS Y
ARP Y  CBA Y  CSH Y  ENT Y  ILM Y  LMS Y  ORD Y  REI Y  +

F3, F12 or Enter=Exit

MA A                                          01/001

```


Chapter 2 Installing User License Key

This chapter discusses the process for installing your User License key.

Applying User License Key

1. Verify the type of User License which is installed with the DSPSFWRSC command. Position to the 1BPCSXX product where XX is your version of BPCS/LX.
2. If the 1BPCSXX product has a Feature Code of 5001, old user license programs are installed. If the 1BPCSXX product has a Feature Code > 5001, determine the type of license which is installed (Concurrent or Named--if 8.3 or above also System based or Partitioned based). Make sure the user license you received from Infor matches the licensing which is installed.

Applying User License Key using SYS660 (V8.0 and above):

1. Set up your library list. Add your BPCS/LX Object library and PTF library to your library list.
2. CALL SYS660C
3. Enter the Licensing Model, Number of Users, and License Key. (Note: Depending upon your version of SYS660, you may not have the option to enter the License Model. If this is the case and you have a Concurrent or Named user license, please use the WRKLICINF command to enter the license key).

```

SYS660                               Infor                               4/30/12
                                                                     16:33:30

This screen allows you to enter temporary or permanent keys for
BPCS products and/or number of concurrent or named users.

System Serial Number . . . . . 10B58F2
System Model Number . . . . . M25
For a new installation, or to load a different selection of products to a
secondary environment:
Enter BPCS Product Key . . . . . _____

- OR -

New installations comes with a license default of three users.
To apply License information for number of users:
Enter Licensing Model . . . . . _ (0=Old Concurrent, 1=Concurrent, 2=Named)
Enter Number of Users . . . . . _____
Expiration date for temporary key 0/00/00 (mmddy)
Enter License Key . . . . . _____

If you do not already have keys, contact your BPCS representative.

F3=Exit
    
```

Applying User License key using WRKLICINF command--*SECADM required--(BPCD and V6.X):

1. User license keys may be applied for all versions of BPCS/LX using the WRKLICINF command.
2. Enter WRKLICINF on the command line.
3. Locate your 1BPCSXX product (make sure to select the correct product for the license model you have installed (Named or Concurrent—and also System or Partition based if 8.3 and above)).
4. Select '1' to ADD the License key and enter the License Key, Usage Limit, and Expiration Date (*NONE for a permanent key).

```

Add License Key Information (ADDLICKEY)

Type choices, press Enter.

License key input . . . . . > *PROMPT          *PROMPT, *LICKEYFILE, *TAPE
Product identifier . . . . . > 1BPCS83        Identifier
License term . . . . . > V8                  Vx, VxRy, VxRyMz
Feature . . . . . > 8303                     5001-9999
System serial number . . . . . > 06906FP      Number, *LOCAL, *REMOTE, *ALL
Processor group . . . . . > *ANY              Character value, *ANY

License key:
  Characters 1 - 6 . . . . . _____        Character value
  Characters 7 - 12 . . . . . _____       Character value
  Characters 13 - 18 . . . . . _____      Character value
Usage limit . . . . . > 1                     0-999999, *NOMAX
Expiration date . . . . . > *NONE             Date, *NONE
Vendor data . . . . . > *NONE                 Character value, *NONE

Bottom
F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
    
```

** If you receive an "Invalid CPU Key" or a "Validation Check Failed" error upon entering BPCS or ERP LX after your keys are applied, please verify the following:

1. The Job Date correctly matches the date the license key was cut.
2. The System Serial Number (DSPSYSVAL QSRLNBR) and the System Model Number (DSPSYSVAL QMODEL) correctly match the ones which the license key was cut for.
3. The library list is set correctly for the environment to which the license key is being applied. The product license key is stored in data area SYSSSC. Make sure the correct library and data area are in the library list when applying the key.

Please contact Infor Support if you are unable to resolve the issue.