



Infor System21 Material Requirements Planning

Product Guide

Important Notices

The material contained in this publication (including any supplementary information) constitutes and contains confidential and proprietary information of Infor.

By gaining access to the attached, you acknowledge and agree that the material (including any modification, translation or adaptation of the material) and all copyright, trade secrets and all other right, title and interest therein, are the sole property of Infor and that you shall not gain right, title or interest in the material (including any modification, translation or adaptation of the material) by virtue of your review thereof other than the non-exclusive right to use the material solely in connection with and the furtherance of your license and use of software made available to your company from Infor pursuant to a separate agreement, the terms of which separate agreement shall govern your use of this material and all supplemental related materials ("Purpose").

In addition, by accessing the enclosed material, you acknowledge and agree that you are required to maintain such material in strict confidence and that your use of such material is limited to the Purpose described above. Although Infor has taken due care to ensure that the material included in this publication is accurate and complete, Infor cannot warrant that the information contained in this publication is complete, does not contain typographical or other errors, or will meet your specific requirements. As such, Infor does not assume and hereby disclaims all liability, consequential or otherwise, for any loss or damage to any person or entity which is caused by or relates to errors or omissions in this publication (including any supplementary information), whether such errors or omissions result from negligence, accident or any other cause.

Without limitation, U.S. export control laws and other applicable export and import laws govern your use of this material and you will neither export or re-export, directly or indirectly, this material nor any related materials or supplemental information in violation of such laws, or use such materials for any purpose prohibited by such laws.

Trademark Acknowledgements

The word and design marks set forth herein are trademarks and/or registered trademarks of Infor and/or related affiliates and subsidiaries. All rights reserved. All other company, product, trade or service names referenced may be registered trademarks or trademarks of their respective owners.

Publication Information

Release: Infor System21 3.2

Publication date: November 30, 2021

Document code: MR

Contents

About this guide	9
Intended audience	9
Related documents	9
Contacting Infor	9
Chapter 1 Overview.....	11
Production System Applications	11
Company Profile	11
Master Production Scheduling	12
Material Requirements Planning	14
Production Planning.....	16
Capacity Requirements Planning	16
Forecasting.....	17
Chapter 2 Maintenance.....	19
About MRP.....	19
MPS and MRP Common Features and Differences	21
Maintain Model Stockroom [1/MRP, 3/MDU].....	22
MRP Stockroom Model Maintenance Selection Window	22
MRP Stockroom Model Maintenance Stockroom Selection Window.....	23
MRP Additional Parameters Window	24
MRP Maintain Model Primary Stockrooms Window	27
MRP Additional Parameters Planning Parameters Window	28
MRP Additional Parameters Run Window	31
Generate Model Primary Stockrooms [2/MRP].....	33
Generate Model Primary Stockrooms Selection Window	33
Maintain MRP Reporting Profile [3/MRP].....	34
Maintain MRP Reporting Profile Selection Window	35
Maintain MRP Reporting Profile Detail Window	36

Maintain Net Change Reason Codes [4/MRP]	37
Net Change Reason Codes Maintenance Window	37
Maintain Supply Sourcing Rules [5/MRP]	39
Maintain Sourcing Rule Details for MRP Demand Selection Window	39
Maintain Sourcing Rule Details for MRP Demand Detail Window	40
Add/Amend Sourcing Rule Pop-up	41
Maintain Sourcing Rule Details for MRP Demand Summary Window	42
Maintain Sourcing Rule Details for MRP Demand Maintenance Window	44
Maintain Sourcing Rule Details for MRP Demand Confirmation Window	45
Maintain Sourcing Select Activity Pop-up	45
Maintain Model Planning Sequence [6/MRP]	46
Maintain MRP Model Planning Sequence Model Selection Window	46
Maintain MRP Model Planning Sequence Selection Window	47
Maintain MRP Model Planning Sequence Detail Window	47
Chapter 3 Forecasting	49
Introduction to MRP Forecasting	49
Maintain Product Family [1/MRF]	50
Maintain Product Family Selection Window	50
Maintain Product Family Detail Window	51
Maintain Seasonal Indices [2/MRF]	52
Maintain Seasonal Indices Selection Window	52
Maintain Seasonal Indices Period Window	53
Maintain Seasonal Indices Week Window	54
Maintain Seasonal Indices Period & Week Window	55
Copy Forecast Model [3/MRF]	55
Copy Model Definition Window	56
Maintain Family Sales Forecast & Maintain Family Stock Forecast [11/MRF, 21/MRF]	57
Maintain Family Forecast Selection Window	58
Maintain Family Forecast Spread Window	59
Calendar Structure Window	60
Maintain Family Forecast Details Window	61
Daily Spread Pop-up	63
Weekly Spread Pop-up	63
Select Item Pop-up	64
Stock Level Profile Pop-up	65
Generate Item Sales Forecast & Generate Item Stock Forecast [12/MRF, 22/MRF]	66

Generate Item Forecast Selection Window	66
Generate Item Forecast Window.....	66
Maintain Item Sales Forecast & Maintain Item Stock Forecast [13/MRF, 23/MRF]	67
Maintain Item Forecast Selection Window.....	67
Maintain Item Forecast Spread Window	69
Maintain Item Forecasts Details Window	70
Daily Spread Pop-up.....	72
Weekly Spread Pop-up	73
Stock Level Profile Pop-up	74
Spread Item Sales Forecast & Spread Item Stock Forecast [14/MRF, 24/MRF].....	74
Spread Item Forecast Selection Window	75
Spread Item Forecast Details Window.....	75
Chapter 4 Processing.....	77
About MRP Processing	77
MRP Automatic Run Parameters [10/MRP]	80
MRP Automatic Run Parameters Selection Window	80
MRP Automatic Run Parameters Window.....	80
Machine Manager - Day-end Parameters	81
Run MRP [11/MRP].....	82
Material Requirements Run Selection Window	83
MRP Run Options Window	84
Net Change Trigger Selection Pop-up	86
Enter Selection Criteria Pop-up.....	87
MRP Additional Parameters Window	88
MRP Additional Parameters Model Details Window	90
Review MRP [12/MRP].....	92
MRP Enquiry Selection Window.....	92
MRP Enquiry Item Selection Window	93
MRP Enquiry Summary Window	94
MRP Enquiry Detail Window.....	95
MRP Supply Maintenance Pop-up	102
MRP All Outputs Pop-up	104
MRP Daily Co-product Summaries Window	104
MRP Daily Co-product Demand Details	105
MRP Dependent Requirements Window.....	105
MRP Supply Details Window	107
MRP Supply Parameters Pop-up	108

MRP Demand Details Window.....	108
MRP Review Item Schedule Window	109
MRP Review Dependent Requirements Window	113
MRP Generate Pull List Pop-up	114
MRP Review Scheduled Requirements Window.....	114
MRP Maintain Scheduled Requirement Pop-up.....	116
MRP Stockroom Balances Pop-up	117
MRP Header Details Pop-up	117
Review Critical Resource Load [13/MRP]	118
MRP Review Critical Resource Load Selection Window	118
MRP Review Critical Resource Load Plant Selection Window	119
MRP Review Critical Resource Load Additional Details Window	119
Confirm MRP Suggested Orders [14/MRP].....	120
Confirm MRP Suggested Orders Selection Window.....	121
Confirm MRP Suggested Orders Ranges Window	121
MRP Order Creation Window	122
Confirm MRP Suggested Schedules [15/MRP]	122
Confirm MRP Suggested Schedules Selection Window	123
Confirm MRP Suggested Schedules Ranges Window.....	123
Confirm MRP Suggested Schedules Confirmation Window	124
Create Work Station Schedule [16/MRP].....	125
Create Work Station Schedule Selection Window.....	125
Create Work Station Schedule Range Window.....	126
Chapter 5 Reports.....	127
About MRP Reports	127
Report on MRP [21/MRP]	128
MRP Schedule Report Window.....	128
MRP Report Enter Selection Criteria Pop-up.....	129
Report by MRP Planner Action [22/MRP].....	130
MRP Planner Action Report Window	131
MRP Planner Action Report Selections Pop-up	132
MRP Planner Action Report Enter Selection Criteria Pop-up	132
MRP Planner Action Report Action Code Selection Pop-up	133
MRP Planner Action Report Save Report Selections Pop-up	134
Report by MRP Valuation [23/MRP].....	135
MRP Valuation Report Window.....	135

Report on MRP Reporting Profile [24/MRP].....	137
MRP Reporting Profile Window.....	137
Chapter 6 Exclusivity Checking.....	139
Exclusivity Checking	139
MRP Exclusivity Checking Maintenance Window	139
Maintain Task Exclusivity Window.....	140
Appendix A Glossary.....	145

About this guide

The purpose of this document is to describe the functions that can be used within the Material Requirements Planning Module.

Intended audience

The guide is intended for any users of the MR Material Requirements Planning business module.

Related documents

You can find the documents in the product documentation section of the Infor Support Portal, as described in "Contacting Infor" on page 9.

Contacting Infor

If you have questions about Infor products, go to Infor Concierge at <https://concierge.infor.com/> and create a support incident.

The latest documentation is [available](#) from docs.infor.com or from the Infor Support Portal. To access documentation on the Infor Support Portal, select **Search > Browse Documentation**. We recommend that you check this portal periodically for updated documentation.

If you have comments about Infor documentation, contact documentation@infor.com.

Chapter 1 Overview

Production System Applications

The Production system (Figure 1) comprises seven core applications, governed by a [company profile](#). The link between Production applications and Inventory Management applications is mandatory, whilst the others shown are optional, but functionally desirable for the effective integration of management information.

Company Profile

The Production system, in common with all System21 applications, operates within a multi-company environment.

A [company profile](#) sets the basic system defaults and [operation](#) policies relevant to each Production company, defines the [costing](#) elements, and defines base calculation parameters which are used by all Production functions.

Access to the [company profile](#) is usually restricted to system managers and implementation project managers who require a comprehensive understanding of the implications of each of its parameter settings. However, awareness of the [company profile's](#) purpose and features is relevant to all users.




Figure 1 - Production System

Master Production Scheduling

The Master Production [Scheduling \(MPS\)](#) application (Figure 2) produces a high-level production plan of the critical and sales items. The system then matches the projected [demand](#) for designated products to the ability to [supply](#) based on user-defined [planning models](#) and [planning horizons](#).

[Demand](#) is a function of sales orders, [customer schedules](#), distribution and transfer orders, forecast, and/or manual entries or a user-defined combination. The [supply](#) depends on the availability of associated items and [resources](#) in the Production application. The resulting plan may be based on production orders, [production schedules](#) or a mixture of both. The calculation process for the respective plan generations is simply:

[Demand](#) - [Supply](#) = Additional Requirement

A [demand](#) forecast may be determined in the following ways:


- Using the user-entered forecasts defined within [MPS](#)
- Using the [output](#) from another forecasting application which takes account of historical sales analysis. This would need to be imported into the [MPS](#) Forecast files.

The [Master Production Schedule](#) is a time-based plan of existing and suggested supplies to meet customer or other [demands](#) on their due dates. The plan is derived by the system by working backwards from the [demand](#) due dates, taking account of [production lead times](#) held within the Production database, to calculate latest [start dates](#) to achieve completion by the due dates.

For each [MPS item](#), a plan is derived that can also include [suggested purchase](#) orders and Production resource requirements across the chosen time horizon. The resource requirements can be for critical resource requirements that are defined for the production processes. These may be individually confirmed and purchase orders for [MPS items](#) automatically passed through to the Purchase Management application in advance of further [MRP](#) planning, if required.

In the case where supplies can be processed by multiple facilities, for example different plants or different production lines, critical resource requirements can be used to determine which should be used by reference to the [available](#) capacities of those [resources](#). There is also a tactical line [loading](#) function which allows the re-[scheduling](#) of special [flow routes](#) for [schedule](#)-controlled items; ensuring that all [operations](#) in an [item schedule](#) are re-planned together regardless of the [operation](#) selected. This is equivalent to placing a work order on a different [route](#).

[MPS](#) also incorporates [rough cut capacity planning](#). This may use summary routings to determine the [loading](#) in hours on the Production [resources](#) relative to their [capacity](#) in hours as defined in the Production database.

Figure 2 - Master Production Scheduling

Material Requirements Planning

[Material Requirements Planning \(MRP\)](#) (Figure 3) produces a more detailed plan than [MPS](#), but is essentially completing the same function more comprehensively. [MRP](#) takes account of all the lower-level items, sub-parents and raw materials. Planning is again based upon user-defined models. A model is a set of stockrooms, used to determine the scope of the plan. One model can be defined as the live model, others being used for simulation and what-if planning.

[MRP](#) differs from [MPS](#) in two major respects. Firstly, it includes all items (except those defined as [MPS items](#)) at all levels in the product structure. Secondly, there is a choice of three modes of processing:


- **Regenerative**: Plan for all items across all structures.
- **Selective**: Plan only selected items and hence selected structures.
- **Net Change**: Plan only items that have had [net change triggers](#) created for them as a result of selected transactions or database changes.

In [MRP](#), a [cell](#)-based variation of multi-facility planning is also [available](#). A [cell](#)-based [MRP](#) run determines [supply](#) and [demand](#) details for each [cell](#) individually, where common [components](#) are used in multiple production [cells](#).

[MRP](#) and [MPS](#) are autonomous modules. Either may be used stand-alone. However, [MRP](#) is normally driven by [MPS demand](#) as shown in Figure 3. A separate [MRP demand](#) may be used to enhance the requirements for dependent [MRP](#) items.

[MRP](#) and [MPS](#) plans are based upon independent user-defined models and [reporting profiles](#). The [reporting profiles](#) may be based on a non-linear time horizon; for example, a three-month plan might be structured as follows:

Next Week	Daily detail
Week 2-4	Weekly detail
Week 5-8	Fortnightly detail
Week 8-12	Monthly detail

Figure 3 - Material Requirements Planning

Production Planning

Selective exclusivity checking is possible for submitting and running [MPS](#) and [MRP](#) planning runs. Rather than preventing access to all options in OE, AO, PM, and AC, it is possible to make selections that will control access on a function-by-function basis. For example, database update functions such as Order Maintenance could be prevented from running, but most enquiries and reports could still be [available](#) as normal, by setting the selections. The level of exclusivity is set in Application Manager.

Capacity Requirements Planning

[Capacity Requirements Planning](#) (Figure 4) takes account of [work station](#) capacities, and [planned down times](#) defined across the whole Production application. It uses this information to assess the [demand](#) proposed by [MPS](#) or [MRP](#) plans and determines a [loading](#) factor for each [work station](#).


Database item/[route](#) information is accessed to convert [MPS/MRP supply](#) requirements (in quantities) into the number of hours required (the [load](#)) at each [work station](#). [MPS/MRP](#) planned [supply](#) dates are used to [schedule](#) these required hours into appropriate weekly production time

slots at each [work station](#), with reference to [work station](#) standard capacities and with due regard to [planned down times](#) and non-working days affecting the planning [run timescales](#).

Reports and enquiries are [available](#) which compare the weekly [work station](#)/centre hours required and [available](#) within the planning [run timescales](#), so that it is possible to determine whether over or under [load capacity](#) situations occur and thus to decide on action(s) required.

The application enables finite [capacity planning](#) by individual order and [schedule](#), but assumes infinite [capacity](#) at the resource. It is therefore the responsibility of the [planner](#) to complete any fine-tuning of the workload to optimise the [loading](#) factor and hence [utilisation](#) of production [capacity](#).

Figure 4 - Capacity Requirements Planning



Forecasting

You can use a forecast as a way of [inputting](#) external, [independent demands](#). You do not have to use forecasts, but if you do you can:

- Create item level sales and [stock forecasts](#) within the [MPS](#) and [MRP](#) applications themselves.
- Use the Forecasting application to create [sales forecasts](#) and transfer them to [MPS](#) and [MRP](#). The difference between forecasts developed within Forecasting and those developed within [MPS](#) and [MRP](#) is that those developed in Forecasting are based upon an extrapolation of historical sales figures. [MPS](#) and [MRP](#) forecasts are generated at item level as percentages of group level forecasts that you define.

Note: Both [MPS](#) and [MRP](#) include forecasting facilities. All functions and definitions apply equally well to both [MPS](#) and [MRP](#).

Product Families

Before you can create a product group forecast, you must [set up](#) a [product family](#). This is any group of items which have the same [item group minor](#) code defined in their item master file records in Inventory Management.

You give each item within the [product family](#) a percentage factor, which is used to determine the quantity of each to be produced.

[Product family](#) forecasting may be either:

- By groups of parents, that is, gross family level forecasts
- By individual parents, that is, discrete item forecasts

You must examine the item ranges within your organisation to establish the most appropriate level for your [item group minor](#) codes.

By creating [item group minor](#) codes for every item, you can specify individual forecasts for each item. However, the benefit of using family level forecasts is that they are likely to be more accurate than individual item forecasts. In addition, there is less detailed [input](#) required.

Chapter 2 Maintenance

About MRP

[Material Requirements Planning \(MRP\)](#) completes a similar function to [MPS](#), but is commonly used to produce a more detailed plan. Planning is again based on user-defined models, which are collections of stockrooms and production [resources](#).

[MRP](#):


- Is a system for planning the production and procurement of [components](#) and materials in response to anticipated future [demand](#)
- Can identify material requirements and plan supplies at the level of individual production [cells](#)
- Plans supplies for lower level items, sub-assemblies, intermediates, [components](#) and materials in terms of items, quantities and release dates
- Sets priorities for both production and purchasing by determining due dates for supplies
- Completes the [input](#) for full [capacity planning](#)
- Converts the [MPS](#) plan into a detailed [schedule](#) of resource and material requirements

The inclusion of [MPS](#) suggested orders is optional. The detailed [schedule](#) satisfies the calculated [demand](#) according to the planning rules established. The [schedule](#) includes recommendations for generating new suggested orders and [schedules](#), and for changes to be made to existing orders and [schedules](#).

The [MRP](#) planning run does not normally include items flagged as [MPS items](#) in Production Items Details. However, [MPS items](#) are included if they are dependent on [MRP](#) items (i.e. are [inputs](#) to [MRP](#) item [routes](#)), but this situation should not normally be allowed to occur.

[MRP](#) and [MPS](#) can be autonomous modules. You can use either one of them in stand-alone situations. You can also use separate [MRP demand](#) to enhance the requirements for dependent [MRP](#) items. However, [MRP](#) is normally driven by [MPS](#).

Simulation [MPS/MRP](#) runs can be used to model the effects of various policies and actions, without interrupting the current live [schedule](#). [MRP](#) can be used to validate the [MPS](#) proposed [schedule](#), or it can be purely a slave to the [Master Production Schedule](#), only being produced once the [MPS](#) has been finalised.



MPS and MRP Common Features and Differences

Common Features

Certain tasks are the same in both the [MPS](#) and [MRP](#) planning systems. These are:

- Maintain Model Stockroom - Defines new models with appropriate stockrooms
- Maintain [MRP Reporting Profile](#) - Sets out the time periods to be used to [supply](#) the [schedules](#)
- Forecasting - Allows forecasts to be [set up](#) to create [demand](#) for planning purposes
- Maintain [Supply](#) Sourcing Rules - Defines rules to govern the sources of [supply](#) that are used to fulfil requirements

Differences

[MRP](#) differs from [MPS](#) in the following respects:

- It includes all non-[MPS items](#) in the product structures at all levels.
- There is a choice of three modes of processing:
 - [Regenerative](#): Plan for all [MRP](#) items across all structures
 - **Selective**: Plan only selected items and hence selected structures
 - [Net Change](#): Plan only items that have had [net change triggers](#) created for them because of selected transactions or database changes
- A [cell](#)-based [MRP](#) plan is also possible. A [cell](#) based [MRP](#) run determines [supply](#) and [demand](#) details for individual [cells](#) separately.
- There is no equivalent of [rough cut capacity planning](#) in [MRP](#), because it is assumed that having reached this detailed level of planning, full [capacity planning](#) is undertaken.

MRP and Multi-plant

In addition to the standard [MRP](#) planning, you can also carry out multi-plant planning. With multi-plant, you can produce the same item in more than one production plant or [cell](#). The plants and [cells](#) may be on the same site, or widely dispersed.

Note: [Cellular planning](#) is only [available](#) for [MRP](#).

You can plan the plant's [cells](#) centrally or individually. The relationship between an item's [route](#) and its production plant is created by the receiving stockroom on the [route](#), which may be defined to one [MRP](#) plant model. You can also raise Transfer Distribution Orders to move stock physically from one planning unit to another, in order to satisfy a [demand](#) in the requesting planning unit.

Maintain Model Stockroom [1/MRP, 3/MDU]

You use this task to specify the stockrooms which are part of which [MRP](#) model. The stockrooms define the scope of the [planning model](#) in terms of the stockrooms considered for the planning run.

MRP Stockroom Model Maintenance Selection Window

To display this window, select the Maintain Model Stockroom task.

Use this window to enter the criteria for the [MRP](#) model you want to maintain.

Fields

Model

Enter a model for which to create or maintain the list of stockrooms. A model uses all defined stockrooms to provide an all-round review of your [MRP](#) items, considering all [supply](#) and [demand](#) for them.

You can use the prompt facility on this field to select from the Select Model pop-up.

Based on Model

You can optionally enter an existing model in this field. This model must be already [set up](#) in Maintain [MRP](#) Model Stockrooms.

The existing model details are copied to the new model, and can be maintained here. Leave this field blank to create a model from scratch.

You can use the prompt facility on this field to select from the Select Model pop-up.

All Stockrooms

Use this field to specify the stockrooms for a model into the model being edited.

Use this checkbox as follows:

Unchecked (default) - To specify stockrooms manually on the [MRP](#) Stockroom Model Maintenance Stockroom Selection window

Checked - To copy all the stockrooms into the selected model to be edited

Functions

Add New Model (F8)

Use this to [set up](#) a new model.

Press Enter to display the [MRP](#) Stockroom Model Maintenance Stockroom Selection window.

MRP Stockroom Model Maintenance Stockroom Selection Window

To display this window, press Enter on the [MRP](#) Stockroom Model Maintenance Selection window.

You use this window to select the stockrooms that are to be included in the model.

Fields

Model

This field displays your selected model for information only and cannot be amended.

Based on Model

If you chose to base a new model on an existing model, the existing model code is displayed for information only and cannot be amended.

All Stockrooms

If you checked this field on the [MRP](#) Stockroom Model Maintenance Selection window, it is displayed for your information only and cannot be amended.

Model Description

If you are creating a new model, enter a text description for the model, using up to 30 characters.

If you are amending an existing model, you can amend the description.

Stockrooms to be Included

If this is a new model, enter the stockrooms that will be associated with it.

Stockrooms are automatically displayed if:

This is an existing model

You have copied stockrooms from another model

You checked the All Stockrooms field on the [MRP](#) Stockroom Model Maintenance Selection window

You can amend or delete the existing stockrooms and add new ones to the list. If you are using a multi-plant model, that is, model type **1**, **2** or **3** for [MRP](#), the stockroom must be unique to the plant or [cell](#) and its central model, unless it is autonomously planned.

You can use the prompt facility on these fields to select from the Select Stockroom pop-up.

Functions

Update/Add (F8)

Use this to save and update your data. If you are creating a new model code using all stockrooms, use this to edit the list created by the All Stockrooms field.

Delete (F11)

Use this to delete the model. You will have to confirm the deletion.

Additional Parameters (F18)

Use this to display the [MRP](#) Additional Parameters window. This is only applicable if you are using multi-plant, [cellular](#) or multi-sourcing planning.

Select **Update (F8)** to validate your data and return to the [MRP](#) Stockroom Model Maintenance Selection window.

MRP Additional Parameters Window

To display this window, select **Additional Parameters (F18)** on the [MRP](#) Stockroom Model Maintenance Stockroom Selection window.

Note: *If you have not activated multi-plant or [cellular planning](#) in the [company profile](#), only the Model Type field is displayed.*

As well as the additional [MRP](#) parameters, the [MPS](#) execution level and [primary stockroom](#) may also be displayed. This is when the plant model is both an [MPS](#) and [MRP](#) model.

The [MPS](#) details that may be displayed are taken from the Additional Parameters section within the Maintain [MPS](#) Model Stockroom task.

Fields

Model Type

You can define three different model types if you are using multi-plant.

Enter one of the following:

0 or blank - Standard model

This is the default type. You can define many standard models but only one of these can confirm suggestions, that is, the designated live model on the Production [company profile](#). A standard model can reflect the whole organisation, where production item master planning policies

determine the [supply](#) method used to satisfy [demand](#). The valid planning basis option for this is Standard.

1 - Central Model

You can define many central models, only one of which can confirm suggestions, that is, the designated live model on the Production [company profile](#). A central model can reflect the whole organisation where, if appropriate, plant model types may be defined to sub-set the organisation stockrooms into unique production locations. Alternatively, you can adopt the single organisation structure of the standard model. You can define sourcing rules for both organisation structures. You can have multiple [supply](#) choices, for example, where an item may be produced on more than one line, or where an item may be manufactured and purchased. The [supply](#) decision is governed by the chosen sourcing rules criteria. Valid planning basis options are:

- Standard
- Multi-plant network
- Single unit sourcing

Note: *If plants are to be planned as part of a central model, make sure that each required plant stockroom is defined to the central model stockroom definition.*

2 - Production Plant

You can define many plant models to confirm suggestions. You can define plant models to reflect a unique sub-set of the organisation, for example, unit or line. They may be planned autonomously, or centrally as part of the central model. Valid planning basis options, if planned autonomously, are:

- Standard
- Single Unit Sourcing

Note: *A stockroom may be defined to only one plant model.*

Caution: A plant model type uses stockrooms to determine which plant produces which items. Therefore, you must configure the model stockroom window correctly.

The model type must already be [set up](#) on the software.

You can use the prompt facility on this field to select from the Select Model Type pop-up.

Execution Level

Note: *This field is only applicable for plant and [cell](#) models.*

When configuring the plant model, you can use this field to decide where and how to firm suggested orders.

Enter one of the following:

0 - Simulation (not live plan)

1 - Autonomous Plan and Execution

This defines the plant model as autonomous. Plan submission and suggested [supply](#) confirmation are controlled independently of a central model.

2 - Centralised Plan and Execution

This defines the plant model as centralised. The central model controls plan submission and suggested [supply](#) confirmation, where multiple plants may be planned during one [MRP](#) run.

You can use the prompt facility on this field to select from the LPLT Model Plan and Execution Level pop-up.

Primary Stockroom

Note: This field is only applicable for plant and [cell](#) models.

You can optionally enter the name of a stockroom in this field. This is the [primary stockroom](#).

Alternatively, use the prompt facility to select from the Select Stockroom pop-up.

This is a non-item-specific [primary stockroom](#), which is the most common stockroom to be defined as the primary for a range of items. An example may be the finished goods receiving stockroom. You can define exceptions to the rule with the Model [Primary Stockrooms](#) function or the Generate Model [Primary Stockrooms](#) task. The [primary stockroom](#) is used to determine:

- Default item overrides, defined on the Maintain Item Overrides window
- (If you do not define default overrides, the item master planning parameters will be used.)
- The [planning route](#), where the receiving stockroom of a [planning route](#) equals the [primary stockroom](#)

(If you do not define an [item stockroom](#) on a [planning route](#), the item master [planning route](#) will be used.)

- A [suggested purchase](#) order's [supply](#) stockroom

This [primary stockroom](#) is only considered if no item model [primary stockroom](#) is defined through either the Model [Primary Stockrooms](#) function or the Generate Model [Primary Stockrooms](#) task.

If you do not define a [primary stockroom](#) for an item at [this level](#), the [planning route](#) for any stockroom may be used.

Business Unit

You can optionally enter a business unit. This information is for memo purposes only.

Alternatively, use the prompt facility to select from the BUCS Business Unit Code pop-up.

Business Unit Codes are [set up](#) in parameter type BUCS. For more information, see the Maintain Parameters section in the Production System Utilities chapter of the Production Definition Management product guide.

Site

You can optionally enter a site. This information is for memo purposes only.

Alternatively, use the prompt facility to select from the STES Site Code pop-up.

Site Codes are [set up](#) in parameter type STES. For more information, see the Maintain Parameters section in the Production System Utilities chapter of the Production Definition Management product guide.

Functions

Model Primary Stockrooms (F15)

Use this to display stockrooms at item level on the Maintain Model [Primary Stockrooms](#) window. This function is only [available](#) if you have set the Model Type field to **2** (Production Plant) or **3** (Production [Cell](#)) for [MRP](#).

Organisational Model (F16)

Use this to display the second Maintain [Organisational Model](#) window, where you can configure the [organisational model](#) for a production plant (model type **2**) or production [cell](#) (model type **3**).

Additional Run Parameters (F18)

Use this to display the [MRP](#) Additional Parameters Planning Parameters window.

Press Enter to update or select **Previous (F12)** to return to the [MRP](#) Stockroom Model Maintenance Stockroom Selection window.

MRP Maintain Model Primary Stockrooms Window

To display this window, select **Model [Primary Stockrooms \(F15\)](#)** on the [MRP](#) Additional Parameters window.

Note: This window is only [available](#) for plant and [cell](#) model types.

You use this window to display stockrooms at item level and specify the [primary stockroom](#) for the items.

Fields

Position to Item

Enter the first characters of the item that you want to view and then press Enter to display that item at the top of the list.

Item

These [MRP](#) items cannot be amended but may be deleted. New ones may be added to the list. The items must be already [set up](#) on the system.

Note: You also enter a stockroom in the [Primary Stockroom](#) field and then select **Update/Add (F8)** to add the item to the list.

Primary Stockroom

Enter the [primary stockroom](#) for an item. This stockroom must be already [set up](#). The [primary stockroom](#) is used to determine:

- Default item overrides
(If you do not define default overrides, the item master planning parameters will be used.)
- The [planning route](#), where the receiving stockroom of a [planning route](#) equals the [primary stockroom](#)
(If you do not define the [planning route](#) for the item/stockroom, the item master [planning route](#) will be used.)
- A [suggested purchase](#) orders [supply](#) stockroom

If you do not define a [primary stockroom](#) for an item at [this level](#), the following hierarchical sequence is observed:

Any defined [planning route](#) for the stockroom

Model [primary stockroom](#), entered on the Model Stockroom Additional Details window

Item master [primary stockroom](#), entered on the Production Details window

Note: When you enter a stockroom in this field, a text description is automatically displayed beside it.

Options

Delete

Use this to delete an item from the list.

Functions

Resequence (F5)

Use this to re-sequence the items in alphabetical order.

Update/Add (F8)

Use this to save amended or new details.

Select **Update/Add (F8)** to add items to the list, validate the data you have entered and return to the [MRP](#) Additional Parameters window.

MRP Additional Parameters Planning Parameters Window

To display this window, select **Additional Run Parameters (F18)** on the [MRP](#) Additional Parameters window.

Note: You can also access this window from the Run [MRP](#) task.

This window displays the additional parameters for the [MRP](#) run.

Note: The [Cellular](#) Network is another planning basis that you can use, but it is specifically for [MRP](#) planning runs.

Fields

Planning Basis

Enter one of the following to indicate the planning basis for the run:

0 - Standard

1 - Multi-plant (multi-plant network)

In this case, multiple plants can be planned in one [MRP](#) run, allowing interrelationships between items in those plants. Items can have unique [demand](#) and [supply](#) parameters in each plant, and stock may be purchased, manufactured, or transferred from another production location in order to satisfy [demand](#). You can define a unique [supply](#) batch size for each source type, that is, purchase, manufacture and transfer.

Note: This planning basis is [available](#) for central models where multi-plant is defined as a requirement in the Production [company profile](#).

2 - Multi-sourcing (single unit sourcing)

This basis allows multiple [supply](#) options to be considered within a single planning unit. If an autonomous plant is planned where a [demand](#) cannot be satisfied locally, a suggested transfer order may be raised to obtain the stock from another planning unit. You can define a unique [supply](#) batch size for each source type, that is, purchase, manufacture and transfer.

Note: This planning basis is [available](#) for central models where multi-sourcing is defined, or plant models where multi-plant and multi-sourcing are defined as requirements in the Production [company profile](#).

3 - [Cellular](#)

Planning Unit Parameters (1 of 2)

Use Item Time Fence

In preference to a global [time fence](#), you can use a [time fence](#) based on each item's [production lead time](#) as calculated on the Item Master file.

Use this checkbox as follows:

Unchecked - To use the global [time fence](#) entered for the run

Checked - To use the item [time fence](#)

If no [lead time](#) exists for the item, the [run time fence](#) is used.

Use Item End Date

In preference to a global end date for the review of each item, you can use an end date based on each item's [cumulative lead time](#).

Use this checkbox as follows:

Unchecked - To use the end date entered for the run

Checked - To use individual item end dates

If a [cumulative lead time](#) has not been calculated for the item, the run end date is used. The item end date is calculated as:

Current Date + [Cumulative Lead time](#) + Safety [Lead Time](#)

For non-production items, the purchasing lead-time is used for both the manufactured and [cumulative lead times](#).

Dependent Requirements Basis

Use this field to indicate the basis on which [dependent demand](#) is calculated.

Select one of the following:

Suggested (0) - To use only the suggested parent item quantities to determine [dependent demand](#) (that is, suggested orders, [schedules](#) and suggested changes to existing orders and [schedules](#))

Firm (1) - To use only firm quantities, irrespective of any suggested changes to the parent item quantity of existing orders and [schedules](#)

Forecast Basis

Use this field to determine the date to be used as the [demand](#) date on extracted forecasts.

Select one of the following:

Daily (0 or blank) - To use the forecast date

Weekly (1) - To use the end date of the forecast

Confirmed Schedule Policy

Enter one of the following:

0 - To re-calculate the whole [MRP](#) plan

1 - To include any confirmed manufacturing [schedules](#) in the plan

You can use the prompt facility on this field to select from the CNFS Confirmed [Item Schedule](#) Policy pop-up.

Note: This defaults to the value in the Confirmed [Schedule](#) Policy field on the Planning Options window in the [company profile](#), but you can change it.

Include Customer Schedule Arrears

You can choose whether to include [customer schedule](#) arrears.

Use this checkbox as follows:

Unchecked - Not to include [customer schedule](#) arrears

Checked - To include [customer schedule](#) arrears

Functions

Inter-model Extract (F15)

Use this to display the Inter-model Extract window in order to import suggested [dependent demand](#) from multiple [planning models](#) into the quoted run model.

Select **Update (F8)** to validate the data and return to the previous window, or press Enter to display the [MRP](#) Additional Parameters Run window.

MRP Additional Parameters Run Window

To display this window, press Enter on the [MRP](#) Additional Parameters Planning Parameters window.

This displays more parameters for the [MRP](#) run.

Note: *The parameters shown are only considered by the quoted run model.*

Fields

Run Model Parameters (2 of 2)

Include Suggested MPS

Use this field to specify how to include the [MPS](#) suggested [demand](#).

Select one of the following:

Yes (1) - To include [MPS](#) suggested [demand](#) for normal items

With Phantoms (2) - To include [MPS](#) suggested [demand](#) for all items, including phantoms

Leave this field blank if you do not want to include [MPS](#) suggested [demand](#).

Daily Summaries for Co-products

You can use this if process groups are included in the [MRP](#) run. If you are using co-product planning, every day the system produces a [supply](#) and [demand](#) summary for each item involved - both the co-product and other items in the process group.

Use this checkbox as follows:

Unchecked (default) - Not to produce daily summaries for [co-products](#) in the [MRP](#) review

Checked - To produce daily summaries for [co-products](#) in the [MRP](#) review

Forecast Netting Basis

Note: *This field can only be used if the planning basis is 1 (Multi-plant).*

Use this field to determine the way in which multi-plant forecasts are processed in an [MRP](#) run.

Select one of the following:

Central (0)

Use this if you only want the forecast for the central model to be included in calculations. These forecasts will be netted against independent and [dependent demand](#) at central model level, subject to an item's [demand policy](#).

Planning Unit (1)

Use this to include only forecasts for planning units; that is, plants, [cells](#), or both, planned within a central model. These forecasts will be netted against independent and [dependent demand](#) at planning unit level, subject to an item's [demand policy](#).

Both

Use this to include forecasts for the central model and the planning units.

Multi-Sourcing Basis

Note: This field is only [available](#) if the planning basis is 1 (Multi-plant).

Use this field to tell [MRP](#) which multi-sourcing rule it needs to apply.

Select one of the following:

Ignore (0) - If you want to ignore multi-sourcing rules, that is, you require single sourcing

Central+Plan.Unit (1) - To consider rules for the central model [set up](#) with subsets of planning units, for example, central and plant models

P.Unit (2) - To consider only those multi-sourcing rules that are defined for the planning unit

Save Critical Resource Load

Note: This field is only applicable if multi-sourcing is defined as a requirement in the Production [company profile](#).

Use this field to specify whether to save the end result of all critical [resources](#), that is, [capacity available](#) and [capacity](#) unused, for each [reporting profile](#) period. You could use this to determine why the software suggests producing particular products on particular [routes](#).

Use this checkbox as follows:

Unchecked - Not to save the critical resource [load](#)

Checked - To save the critical resource [load](#)

Critical Resource Load Policy

Note: This field is only applicable if multi-sourcing is defined as a requirement in the production [company profile](#).

Use this field to define how the critical resource opening [capacity balance](#) will be constructed.

Select one of the following:

Refresh (0) - If each critical resource will be fully [available](#) each time the model is run

Alternative Model Profile (1)

If you select this, you must enter a model in the Alternative Resource Model field. Each critical resource will be fully [available](#) each time the model is run. The [reporting profile](#) of the quoted alternative model will be used to configure resource [loadings](#).

Alternative Model with Update (2)

If you select this, you must enter a model in the Alternative Resource Model field. The opening resource [balance](#) will be taken from the quoted alternative resource model. On completion of the planning run, any additional resource consumption will be reflected in the resource [balance](#) of the alternative model.

Daily Resource [Loading](#) (3)

This allows critical resource [loads](#) to be calculated and viewed in daily [buckets](#) rather than by [reporting profile](#), up to a maximum of one year.

Alternative Resource Model

Note: This field is only applicable if multi-sourcing is defined as a requirement in the Production [company profile](#).

You must enter a model in this field if you selected Alternative Model Profile or Alternative Model with Update in the Critical Resource [Load](#) Policy field.

Select **Update (F8)** to validate the data and return to the [MRP](#) Additional Parameters window.

Generate Model Primary Stockrooms [2/MRP]

Use this task to generate model or item [primary stockroom](#) links for ranges or groups of items. If used effectively, this greatly reduces the amount of configuration time.

Generate Model Primary Stockrooms Selection Window

To display this window, select the Generate Model [Primary Stockrooms](#) task.

You use this window to enter the [MRP](#) model, the items and [primary stockroom](#) for which you want to generate links.

Fields

Model

You must enter an existing model in this field. The model must be either type 2 (Production Plant) or type 3 (Production [Cell](#)).

Item Attribute Type

Enter one of the following:

PGMJ - Item Group Major

PGMN - [Item Group Minor](#)

TECH - [GT Family](#)

Alternatively, use the prompt facility to select from the ITAT Item Attributes pop-up.

If you leave this field blank, it is assumed that you want to enter a range of items in the From and To fields.

Note: *If you enter a value in this field, you can also enter a range of items in the From and To fields.*

From

You can optionally enter the first item in a range.

If you leave this field blank, it is assumed that the range begins from the first item.

You can use the prompt facility on this field to select from the Select Item pop-up.

Note: *The items or item attributes that you select must have been already [set up](#).*

To

You can optionally enter the last item in a range.

If you leave this field blank, it is assumed that the range ends with the last item.

You can use the prompt facility on this field to select from the Select Item pop-up.

Primary Stockroom

You must enter the [primary stockroom](#) code in this field. The stockroom must already have been [set up](#). This will be used as the [primary stockroom](#) for all items in the selected range.

You can use the prompt facility on this field to select from the Stockroom Selection pop-up.

Select **Submit (F8)** to generate the model [primary stockrooms](#) and leave the task.

Maintain MRP Reporting Profile [3/MRP]

Use this task to create a [reporting profile](#) for the model, by which the [supply](#) and [demand](#) information is displayed and reported.

Note: [MRP](#) always calculates [demand](#) and suggests orders on a daily basis.

The model periods summarise the daily data into convenient time slots or time [buckets](#) for display and presentation.

For example:

[MRP](#) Suggested Order and Dates

Days:	1	2	3	4	5	6	7	8	9
		A	D	E	G		K	N	O
		B		F	H		L		P
		C			I		M		Q
					J				

Using three-day [buckets](#), the orders displayed are:

Period 1	Period 2	Period 3	Period 4
A,B,C,D	E,F,G,H,I,J	K,L,M,N,O,P,Q	-----

Using five-day [buckets](#), the orders displayed are:

Period 1	Period 2	Period 3	Period 4
A,B,C,D,E,F, G,H,I,J	K,L,M,N,O,P,Q	-----	-----

Using nine-day [buckets](#), the orders displayed are:

Period 1	Period 2	Period 3	Period 4
A,B,C,D,E,F, G,H,I,J,K,L, M,N,O,P,Q	-----	-----	-----

Maintain MRP Reporting Profile Selection Window

To display this window, select the Maintain [MRP Reporting Profile](#) task.

You use this window to enter the [MRP](#) model for which you want to maintain the [reporting profile](#).

Fields

Model

Enter the [MRP](#) model for which you want to maintain the [reporting profile](#).

Alternatively, use the prompt facility to select from the Select Model pop-up.

Press Enter to display the Maintain [MRP Reporting Profile](#) Detail window.

Maintain MRP Reporting Profile Detail Window

To display this window, press Enter on the Maintain [MRP Reporting Profile](#) Selection window.

You use this window to specify the time slots for the [reporting profile](#).

Fields**Model**

This field displays your selected model.

Calendar Code

Note: You cannot enter a calendar code for live standard or central models. Production uses the company level calendar code by default.

Enter the code of the calendar you want to associate with your selected model. This calendar is used to validate suggested due dates for production orders.

Leave this field blank to use the default [company profile](#) calendar.

Periods

These are 46 period fields.

Enter the [bucket](#) length, in days, for each period. The periods specified must be continuous. Only the time periods defined here are displayed on reports and enquiries. The more immediate periods are normally shorter, so that relatively few orders are contained within each period. Later periods may be made longer, since such close control is not normally required this far in advance.

If you enter **1** in each period, it means that the critical resource is renewed each day, because the [route](#) is renewed each day.

Functions**Update Details/Review (F18)**

Use this to toggle between two different settings.

Select **Review (F18)** to display this window in Review mode. This means you cannot amend any of the time periods.

Select **Update Details (F18)** to display this window in Update mode, as indicated in the top right-hand corner of the window. This means you can amend any of the time periods.

Press Enter to save any amendments and return to the Maintain [MRP Reporting Profile](#) Selection window.

Maintain Net Change Reason Codes [4/MRP]

You can run [MRP](#) in the following three ways:

- [Regenerative](#)
- Selective
- [Net Change](#)

The [Net Change MRP](#) run is restricted in its update to just certain specified events that have taken place since the last [Net Change MRP](#) run.

These specified events are viewed as reason codes. You maintain the reason codes that you will use before you run [Net Change MRP](#), and you use this task to make any required amendments.

When an event for which a reason code has been selected takes place within Production, a [trigger](#) is created. For example, if the reason code for Item Master Maintenance has been selected and an update is made to one item, a [trigger](#) is set for this one item by the software. Each time there is an update to the Item Master Maintenance, a new [trigger](#) is created. Therefore, it is possible for many [triggers](#) to be set for any reason code.

When you request a [Net Change MRP](#) run, you can view the number of [triggers](#) set against each selected reason code.

Net Change Reason Codes Maintenance Window

To display this window, select the Maintain [Net Change](#) Reason Codes task.

You use this window to specify which reason codes you want to activate.

Note: You must complete this task before attempting any [net change MRP](#) run.

Note: You can maintain the descriptions of the reason codes in the Parameters File using code TRIG, if you are authorised to do so.

Maintain Net Change Reason Codes - Reason Code Definitions

Code	Description	Task
01	Forecast vs. Actual Comparison	Future Development
02	Forecast Generation	Forecasting (not in MPS or MRP)

	Trigger set by generation of MRP forecasts from the Forecasting application	
03	Item Forecast Maintenance Change family forecast in MRP and generate or maintain item forecast in MRP	Maintain Family Forecast Generate Item Forecast Maintain Item Forecast Spread Item Forecast
04	Item Master Maintenance	Production Details
05	Unplanned Inventory Transaction	Miscellaneous Receipt Miscellaneous Issue (Physical) Miscellaneous Issue (Available)
06	Requisition Maintenance Requisitions are not extracted in planning schedules	Requisitions Confirmation
07	Unplanned Issue or Receipt Over issue or receipt against a production order	Issue Materials
08	Purchase Order Maintenance	Order Entry Order Amendment
09	Order Maintenance Change of date or quantity on a production order	Maintain Orders
10	Sales Order Maintenance Create or maintain sales orders	Order Entry (Conversational) + others
11	Route/Structure Maintenance	Routes /Structures
12	MPS Requirements Maintenance Change to a production order for MPS parent with MRP components	Maintain Orders
13	Available to Ship Exception	Available To Ship Report
14	MPS Schedule Amendment	MPS Review Line Schedule Maintenance
15	MRP Schedule Amendment	MRP Review Line Schedule Maintenance

Note: To generate a [trigger](#), the changes must be in the stockroom related to the model being used for the [net change](#) run.

Fields

Active

Use these checkboxes as follows:

Unchecked - To de-activate a reason code

Checked - To activate a reason code

Select **Update (F8)** to save your entries.

Maintain Supply Sourcing Rules [5/MRP]

Use this task to define multiple [supply](#) choices for a given [demand](#) point. These choices are considered against the quoted sourcing rule during the [MRP](#) run to determine the method of satisfying the [demand](#). The [supply](#) choices can be a series of [routes](#) in a user-defined sequence. In this case, critical resource definitions can be used to allow multi-sourcing to take resource capacities into account when allocating production to the various [available](#) facilities.

You can define sourcing rules at the central model level, or at the plant model level. This should conform to the sourcing rule access method defined for the source type within the Inventory Management application. If the access method is All [Demand](#) Points, the sourcing rules should be defined against the plant code only. If the access method is Warehouse/Plant, the sourcing rules should be defined against both the central and plant models. If multi-sourcing alone is used, the sourcing rules should be defined for the [planning model](#).

If the sourcing rule is at the central level, you can define either a default rule or separate rules for each plant model. This allows for different sourcing methods depending on where the [demand](#), forecast, independent and dependent, comes from, that is, central model or plant specific model.

Note: You must maintain sourcing rules for items that may be supplied by more than one [route](#) or method, where currently critical resource levels will determine the [supply](#) choice. You can introduce further sourcing rule types as required. If sourcing rules are not present for a given [demand](#) situation, the default [supply](#) method for the [demand](#) point will be used ([planning route](#) or [suggested purchase order](#)).

Maintain Sourcing Rule Details for MRP Demand Selection Window

To display this window, select the Maintain [Supply](#) Sourcing Rules task.

Alternatively, select **Previous (F12)** on the Maintain Sourcing Rule Details for [MRP Demand](#) Selection window.

You use this window to enter the code for the sourcing rule you want to maintain.

Note: You can use the Maintain [Supply](#) Sourcing Rules task in Inventory Management to define sourcing rule access. If you do this, this window is not displayed.

Fields

Activity

Enter the code for the sourcing rule activity you want to maintain.

Press Enter to display the Maintain Sourcing Rule Details for [MRP Demand](#) Detail window.

Maintain Sourcing Rule Details for MRP Demand Detail Window

To display this window, press Enter on the Maintain Sourcing Rule Details for [MRP Demand](#) Selection window.

This window lists all the sourcing rules you can use for the activity. Details displayed on this window include:

- The sourcing rule type
Critical Resource (004) applies to all rules regardless of whether critical [resources](#) are to be used or not.
- The item for which the sourcing rule is defined
- The [demand](#) point for which this sourcing rule defines [supply](#) sources
For multi-plant, this should be the central model and the plant model, or just the plant model (depending on the sourcing rule access method). For multi-sourcing this should be the [planning model](#).
- The dates within which the sourcing rules are in effect

Fields

Pos'n to Item

Enter the item, or part of the item reference code, that you want to display at the top of the window and then press Enter to change the display.

W'House

Specify the required central or plant model for setting position. This can only be entered in conjunction with an item.

Options

Amend

Use this to amend an existing sourcing rule on the Amend Sourcing Rule pop-up.

Details

Use this to enter more specific information for the sourcing rule on the Maintain Sourcing Rule Details for [MRP Demand](#) Rules window.

Delete

Use this to delete the selected sourcing rule details.

Functions**Add (F10)**

Use this to display the Add Sourcing Rule pop-up, where you can enter new rules.

Select **Previous (F12)** to display the Maintain Sourcing Rule Details for [MRP Demand](#) Selection window and select another sourcing activity.

Alternatively, select **Exit (F3)** to leave the task.

Add/Amend Sourcing Rule Pop-up

To display this pop-up, select **Amend** against a line for amendment or select **Add (F10)** on the Maintain Sourcing Rule Details for [MRP Demand](#) Detail window.

Use this pop-up to make amendments to the selected sourcing rule line or to add a new sourcing rule.

Fields**Sourcing Rule Type**

Enter the sourcing rule type that this sourcing rule will use. The only one currently [available](#) for [MRP Demand](#) Sourcing is Critical Resource (004). The sourcing rule type normally describes how the rule is applied, but is used for all [MRP](#) sourcing rules, even when critical resource [loading](#) is not applicable to the source type.

You can use the prompt facility on this field to select from the Select Sourcing Rule Type pop-up.

Item

Enter the item to which the sourcing rule applies.

Alternatively, use the prompt facility to select from the Select Item pop-up.

Warehouse/Plant

Enter the [MRP](#) model where the sourcing rule applies. In a single plant multi-sourcing environment this will be the [planning model](#). In a multi-plant multi-sourcing environment, it will be the central model or a plant model. In the second case, the multi-sourcing basis specified on the [MRP](#) Additional Parameters Planning Parameters window dictates which one of these it should be. If it is set to **1** (Central and Planning Unit), this should be the central model. If it is set to **2** (Planning Unit), it should be the plant model. This field is only [available](#) if the [Demand](#) Point Access on the Sourcing Rule Access for [MRP Demand](#) is set to **1** (Warehouse/Plant).

You can use the prompt facility on this field to select from the Select Model pop-up.

Demand Point

Enter the [demand](#) point, usually a plant model, where [demand](#) for the item will come from for this sourcing rule. This can only be entered if the Warehouse/Plant field holds a central model. An entry is required here if the multi-sourcing basis on the [MRP](#) Additional Parameters Planning Parameters window is set to **1** (Central and Planning Unit). This field is only [available](#) if the [Demand](#) Point Access on the Sourcing Rule Access for [MRP Demand](#) is set to **1** (Warehouse/Plant).

Effective Date From/Effective Date To

Enter or select the date range within which the sourcing rule is in effect.

Select **Update (F8)** to validate and update the sourcing rule line and display the Maintain Sourcing Rule Details for [MRP Demand](#) Summary window.

Maintain Sourcing Rule Details for MRP Demand Summary Window

To display this window, select **Details** against a line on the Maintain Sourcing Rule Details for [MRP Demand](#) window.

Alternatively, select **Update (F8)** on the Add/Amend Sourcing Rule pop-up.

Use this window to view and select the sourcing rule details for maintenance. These rules define the [supply](#) sources that you wish to use to satisfy the [demand](#) source displayed. The details indicate the sequence in which the [supply](#) sources will be applied, whenever [capacity](#) is exceeded on preceding sources. Other details include:

- Header detail ([demand](#) source)
- The item code (and description) to which the sourcing rule applies
- The [planning model](#) (and description) or the central model (and description) and the plant model (and description) where the [demand](#) for the item originates
- The rule type (which is always 004 for [MRP](#) sourcing rules)
- The date range within which the rule is in effect
- [Supply](#) sourcing detail (both sourcing rule details and default values)
- The source type (Tp), which indicates how the item is sourced (this is effectively make, buy or transfer)
- The company (Co), which is for enterprise orders and is not used in [MRP](#) sourcing
- The [route](#) (R), which, if the source type is Manufacture, holds the manufacturing [route code](#) of the [supply](#) source [route](#)
- The process group, which, if the source type is Manufacture, is displayed if the item is manufactured as a co-product item produced as part of a process group

In this case, the [route code](#) is the process group [route code](#).

- The stockroom (SR), which, if the source type is Transfer, holds the sourcing stockroom
- The plant, which, if the source type is Transfer, displays the sourcing plant, which is the plant in which the sourcing stockroom is located
- The supplier, which, if the source type is Purchase, holds the sourcing supplier for the item but is not [available](#) for [MPS](#) sourcing
- The sequence, which, if there is a supplier, displays the address sequence for the supplier
- The [lead time](#)

You can enter a [lead time](#) for the source which [MPS](#) will use in its [scheduling](#) routines.

- The [supply](#) policy (not [available](#) for default values), which allows you to define whether a [supply](#) source can be used if it is only capable of [supplying](#) part of the requirement, or whether it must be capable of fulfilling the full requirement for it to be used
- The sourcing rule sequence (not [available](#) for default values)

When there is insufficient [capacity](#) on one source, the next one in the sequence is used. The sequence of [supply](#) sources is used in critical resource [load](#) planning, where critical [resources](#) can only be planned to be utilised up to there [available](#) capacities

When the [MRP](#) run encounters a [demand](#) situation which is to be fulfilled using critical resource [load](#) planning, it tests each of the detail [routes](#) in ascending user-defined sequence, checking to see whether there is sufficient remaining [capacity](#) in the period (after taking into account other supplies that have already been [loaded](#)) of all the critical resource requirements defined for the [route](#). **The [supply](#) policy defines whether partial supplies can be planned when there is some resource [available](#) but not enough for the full requirement.** If the rule criteria cannot be met (that is, there is insufficient critical resource), [MRP](#) goes on to the next [route](#) in sequence.

If all of the defined detail [routes](#) fail to satisfy the full requirement, the remainder will be satisfied by the [supply](#) source defined in the default values. If default values are defined, the [supply](#) for the remaining requirement will be raised against the default [supply](#) source regardless of the rule criteria. If not defined, the first detail [route](#) in sequence will take on the role of the default [supply](#) source.

Options

Amend

Use this to amend a sequence.

Delete

Use this to delete a sequence.

Functions

Add (F10)

Use this to add a new sourcing rule sequence. This displays the Maintain Sourcing Rule Details for [MRP Demand](#) Maintenance window. Additional sources of [supply](#) can be added with sequence numbers that determine the order in which they will be considered within [MPS](#) critical resource [load](#) planning.

Default Values (F14)

Use this to display the Maintain Sourcing Rule Details for [MRP Demand](#) Maintenance window, allowing default [supply](#) source values to be maintained for the sourcing rule. In a [capacity](#) constrained planning environment, this can be used to define a dummy [supply](#) source against which any [overload](#) will be raised. Alternatively, for example, a purchasing source could be defined for use once all production [capacity](#) is exhausted.

Select **Previous (F12)** to re-display the Maintain Sourcing Rule Details for [MRP Demand](#) Detail window.

Maintain Sourcing Rule Details for MRP Demand Maintenance Window

To display this window, select **Add (F10)** or **Default Values (F14)** on the Maintain Sourcing Rule Details for [MRP Demand](#) Summary window.

Use this window to add another detail line to the sourcing rule.

Fields**Sequence**

Enter a sequence number to specify the order in which [supply](#) sources ([routes](#)) are to be used in the [MRP](#) critical resource planning process. As [capacity](#) is exceeded in each one; so processing moves on to the next [route](#) in the sequence.

Source Type

Enter the source type of the item source. This effectively defines whether the source is make, buy, or transfer.

You can use the prompt facility on this field to select from the displayed pop-up.

Route

Enter the [supply](#) source [route](#) to be used in the production process, according to its associated sequence.

You can use the prompt facility on this field to select from the displayed pop-up.

Process Group

Enter the process group, if the item is a co-product item produced as part of a process group and the [route](#) is a process group [route](#).

You can use the prompt facility on this field to select from the displayed pop-up.

Stockroom

Enter the stockroom.

You can use the prompt facility on this field to select from the displayed pop-up.

Supply Policy

This field controls whether [supply](#) sources that have insufficient [resources](#) to satisfy the full [demand](#) requirement that is presented can nevertheless be used to fulfil that part of the requirement for which they are capable.

Enter one of the following:

0 - Full [supply](#)

The [supply](#) source must be able to satisfy the full requirement before it can be used.

1 - Part [supply](#) (decimal)

The [supply](#) source can be used even though it can only partially satisfy the requirement.

2 - Part [supply](#) (integer)

This rounds a partial [supply](#) to a whole number.

Effective From/To

The date range displayed defaults from the previous window.

Select **Update (F8)** to validate and update your entries and return to the previous window.

Alternatively, press Enter to validate your entries and display the Maintain Sourcing Rule Details for [MRP Demand](#) Confirmation window.

Maintain Sourcing Rule Details for MRP Demand Confirmation Window

To display this window, press Enter on the Maintain Sourcing Rule Details for [MRP Demand](#) Maintenance window.

This window is reserved for future development.

Select **Update (F8)** to update the data and return to the Maintain Sourcing Rule Details for [MRP Demand](#) Detail window.

Maintain Sourcing Select Activity Pop-up

To display this pop-up, use the prompt facility on the Maintain Sourcing Rule Details for [MRP Demand](#) Selection window.

Options

Select

Use this to select the sourcing activity you want to maintain.

The sourcing activities are held in the Inventory [Descriptions file](#) and are created as part of system implementation.

Press Enter to display the Maintain Sourcing Rule Details for [MRP Demand](#) window.

Maintain Model Planning Sequence [6/MRP]

When a suggested transfer order [supply](#) is created by planning, as the result of the application of a sourcing rule, a reciprocal [demand](#) is simultaneously placed on the stockroom (and therefore the plant) from which the transfer is to be effected. As this is a brand new [demand](#) generated by the detailed planning process itself, it cannot be detected during the [demand](#) extraction phase, which takes place at an earlier stage in the process. This task ensures that this [demand](#) is guaranteed to be generated before the [supply](#) is planned in the Transfer From stockroom. It is also required that this [demand](#) is recognised in this stockroom and suitable supplies planned to satisfy such [demand](#). This implies a hierarchy of plants, because certain plants must be planned before others, being those which feed them.

This task allows a central model to be selected, and then, for each plant model within it, a sequence number can be specified. Alternatively, the plant model sequence can be specified for individual items, recognising the fact that the plant network might operate in different directions for different products.

Planning operates according to the model sequences defined in the task described above. Plants are processed in ascending sequence number order. This sequence is applied to each item that is planned in the plant, unless a specific sequence number is given to an item/plant combination, in which case that sequence number supersedes the plant's own. Transfer order [supply](#) suggestions generated for plants that are earlier in the sequence are passed as transfer order [demands](#) to plants that are later in the sequence. This [demand](#) is then planned in the later plants, according to their own [supply](#) rules. A single item may be thus supplied by a series of transfers between plants, all planned by a single planning run.

Maintain MRP Model Planning Sequence Model Selection Window

To display this window, select the Maintain Model Planning Sequence task.

This window invites you to select a model code. When you are using [MRP](#), this should be a central model.

Fields

Model

Enter the [MRP](#) model for which you want to maintain the [reporting profile](#). This should be a central model.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Press Enter to display the Maintain [MRP](#) Model Planning Sequence Selection window.

Maintain MRP Model Planning Sequence Selection Window

To display this window, press Enter on the Maintain [MRP](#) Model Planning Sequence Model Selection window.

Fields

Include All Plants/Cells

Use this check box as follows:

Unchecked - Not to include all plants/[cells](#)

Checked - To include all plants/[cells](#)

Press Enter to display the Maintain [MRP](#) Model Planning Sequence Detail window.

Maintain MRP Model Planning Sequence Detail Window

To display this window, press Enter on the Maintain [MRP](#) Model Planning Sequence Selection window.

If you choose to include all plants, they will be listed from the outset as soon as the window is displayed. If not, the list area will initially be empty. Each list item that is displayed can be assigned a sequence number. New list items can be defined by entering plant codes or item/plant combinations. These can also be given a sequence number

The planning system plans item/plant or plants with the lowest sequence number first, then the second lowest, and so on. For example, Item 803 will be planned in Plant P1 before Plant P2, whereas Item 804 will be planned in Plant P2 before Plant P1. This would be a suitable set-up if Item 803 is supplied to Plant P1 by transfer from Plant P2 and Item 804 is supplied to Plant P20 by transfer from Plant P1. These definitions override the basic plant sequence, which will cause all other items to be planned in Plant P1 before Plant P2.

Note: *The sequence numbers have no significance other than their pure numeric sequence. It may be desirable to leave gaps between sequence numbers to enable easy insertion of additional details. The actual numbers shown are just an example of how they might be used. 999 is the highest number available*

Caution: If an item or a plant is not given a sequence number, it is placed at the beginning of the sequence, as if it had a sequence number of zero. This means that sequence numbers should be given to all items/plants that need to be planned in a specified order.

When [MRP](#) is run, if plant sequences are defined, each Item that belongs to the specified plants is processed in the order given. An item will be completely planned in one plant before the processing moves on to the next. An item is fully planned in all its plants before the next item is planned. This means that a given item/plant combination should only have one sequence number. It is not possible, for example, for a different sequence to be used because a particular sourcing result has occurred. The sequence in which plants are planned for items is wholly as determined by the user. The planning process has no knowledge of possible relationships between plants that may mean that a particular sequence is required.

Note: *The sequence in which plants are planned is not determined by the planning run itself. The correct sequence must be specified by the user; otherwise the function will not operate as implied by the sourcing rules. In other words, the sourcing rules themselves are not used to determine the order in which plants are processed automatically.*

Select **Update (F8)** to save your changes and return to the Maintain [MRP](#) Model Planning Sequence Model Selection window.

Chapter 3 Forecasting

Introduction to MRP Forecasting

You can use a forecast as a way of [inputting](#) external, [independent demands](#). You do not have to use forecasts, but if you do you can:

- Create item level sales and [stock forecasts](#) within the [MRP](#) application itself
- Use the Forecasting application to create [sales forecasts](#) and transfer and them to [MRP](#)

The difference between forecasts developed within Forecasting and those developed within [MRP](#) is that those developed in Forecasting are based on an extrapolation of historical sales figures. [MRP](#) forecasts are generated at item level as percentages of group level forecasts that you define.

Note: Both [MPS](#) and [MRP](#) include forecasting facilities.

Product Families

Before you can create a product group forecast, you must [set up](#) a [product family](#). This is any group of items which have the same [item group minor](#) code defined in their Item Master file records in Inventory Management.

You give each item within the [product family](#) a percentage factor, which is used to determine the quantity of each to be produced.

[Product family](#) forecasting may be either:

- By groups of parents, that is, gross family level forecasts
- By individual parents, that is, discrete item forecasts

You must examine the item ranges within your organisation to establish the most appropriate level for your [item group minor](#) codes.

By creating [item group minor](#) codes for every item, you can specify individual forecasts for each item. However, the benefit of using family level forecasts is that they are likely to be more accurate than individual item forecasts. In addition, there is less detailed [input](#) required.

Maintain Product Family [1/MRF]

Use this task to [set up](#) and maintain product families or groups.

Note: Before you can [set up](#) a [product family](#), you must create the model you are going to use, using the Maintain [MRP Reporting Profile](#) task.

Maintain [Product Family](#) Select Model Window

To display this window, select the Maintain [Product Family](#) task.

You use this window to enter the [planning model](#) that contains the [product family](#) you want to maintain.

Fields

Model

Enter the [planning model](#) that contains the [product family](#) you want to maintain.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Press Enter to display the Maintain [Product Family](#) Selection window.

Maintain Product Family Selection Window

To display this window, enter or select a [planning model](#) and then press Enter on the Maintain [Product Family](#) Select Model window.

This window lists all the [item group minor](#) codes that are defined to the [planning model](#) you specified on the previous window. If a forecast profile already exists for a particular [product family](#), Y is displayed against it in the Profile field.

Note: [Item group minor](#) codes are defined in Inventory Management.

Options

Select Product Family

Use this against the relevant line to select a particular [product family](#). The Maintain [Product Family](#) Detail window is displayed.

Note: When planning for process groups, the forecast must be for the items actually sold, that is, each co-product, and not the process group itself. This means that you must assign the product group minor codes to the [co-products](#).

Select a [product family](#) to display the Maintain [Product Family](#) Detail window.

Maintain Product Family Detail Window

To display this window, use Select [Product Family](#) against a line on the Maintain [Product Family](#) Selection window.

This window displays all items currently linked to the selected [item group minor](#), or [product family](#). The following details are displayed:

- The item code and description
- One of the following source types for each item:
 - MAN - Manufactured
 - PHM - Phantom
 - PUR - Purchased
 - B/O - Bought out
 - TL - Consumable tool
 - RTL - Reusable tool
 - GAU - Gauge
- The [item type](#)
- Whether the item is an [MPS](#) or an [MRP](#) item

Every [item scheduled](#) by [MPS](#) has 1 displayed against it. This means that the forecast generated for the item is used in [MPS](#) to determine the [demand](#) for it. [MRP](#) items have 0 displayed against them.

Fields

Percentage

For each item, enter the percentage of the group value to be represented by that item. This figure represents the percentage factor, which is used to determine the quantity of each to be produced.

Note: *The sum of these percentages must add up to 100.*

Note: *If the [demand policy](#) for an item does not include [sales forecasts](#), that is, it is either 0 or 3, an asterisk (*) is displayed beside it. You set the [demand policy](#) within the item's production details.*

After you have entered the values, press Enter. The software checks that the percentages add up to 100%. Select **Update (F8)** to update the details and return to the previous window.

Maintain Seasonal Indices [2/MRF]

Use this task to create seasonal indices. You can use seasonal indices to spread your forecasts over days, weeks or periods, automatically. You enter a distribution pattern, which spreads the production totals over the days, weeks, and periods of the [planning horizon](#). When you generate an [MRP](#) forecast, you can enter a [seasonal profile](#) on which to base the forecast. The software will spread the forecast quantity according to the [seasonal profile](#).

Maintain Seasonal Indices Selection Window

To display this window, select the Maintain Seasonal Indices task.

You use this window to enter the section criteria for the seasonal indices you want to maintain.

Fields

Model

Enter the [MRP](#) model for which you want to maintain a [seasonal profile](#).

Alternatively, use the prompt facility to select from the Select Model pop-up.

Profile Code

Enter a code for the [seasonal profile](#) index you want to maintain.

Alternatively, use the prompt facility to select from the Select Seasonal Index pop-up.

Note: *This profile code itself does not have to be unique. You can have two profiles with the same code if the year or model is different.*

Year

Enter the year for which you are forecasting.

Note: *The model and year combination must exist on the calendar.*

Entry Level

This field indicates whether the profile will be based on periods or weeks.

Select one of the following:

Period (1) - To enter your forecasts over calendar periods

You can then break the period forecast down into weeks within that period.

Weekly (2) - To enter the forecasts over weeks

Base on Profile

If you are creating a new profile, you can enter a profile from which the details will be copied. The model, year and entry levels of the new and existing profiles must match.

Alternatively, use the prompt facility to select from the Select Seasonal Index pop-up.

Note: [Seasonal profiles](#) are year-specific and model-specific. You need to create profiles for each year, for each model.

If you selected Period in the Entry Level field, press Enter to display the Maintain Seasonal Indices Period window.

If you selected Weekly in the Entry Level field, press Enter to display the Maintain Seasonal Indices Week window.

Maintain Seasonal Indices Period Window

To display this window, select Period in the Entry Level field and then press Enter on the Maintain Seasonal Indices Selection window.

This window displays the daily indices at the top of the window, and a table containing the period indices.

Use this window to create a distribution pattern, which can be used when you generate an [MRP](#) forecast, to spread the forecast quantities over the appropriate days, weeks and periods of the [planning horizon](#).

Enter a number in the Index field for each period over which you want to spread your forecast quantities. Use higher numbers to represent periods in which you want to produce the most goods. When you select Display Distribution (F18), the software will express these indices as percentages. The total will always add up to 100%.

If you enter numbers in the Daily Indices fields, the forecast quantities for each week will be spread over the week according to these indices. If you leave these fields blank, the weekly forecast quantities will be spread evenly over the days of the week.

Fields

Description (Untitled)

Enter a suitable description for a new profile.

Daily Indices

Enter daily indices as appropriate.

Index

Enter period indices as appropriate.

Functions

Period Indices (F16)

This is displayed after you have selected **Weekly Indices (F17)**. Use this to move the cursor from the Weekly Indices table to the Period Indices table.

Weekly Indices (F17)

It is possible to display weekly periods, within months. Use this to display the Weekly Indices table, in which you can enter the weekly indices.

Display Distribution (F18)

Use this to see the percentage distribution for the indices you have entered.

Select **Update (F8)** to update your entries and return to the Maintain Seasonal Indices Selection window.

Maintain Seasonal Indices Week Window

To display this window, select Weekly in the Entry Level field and then press Enter on the Maintain Seasonal Indices Selection window.

This window displays the daily indices at the top of the window and a table containing the weekly indices.

Use this window to create a distribution pattern, which may be used when you generate an [MRP forecast](#), to spread the forecast quantities over the appropriate days and weeks of the [planning horizon](#).

Enter a number in the Index field for each week over which you want to spread your forecast quantities. Use higher numbers to represent weeks in which you want to produce the most goods. When you select **Display Distribution (F19)**, the software will express these indices as percentages. The total will always add up to 100%.

If you enter numbers in the Daily Indices fields, the forecast quantities for each week will be spread over the week according to these indices. If you leave these fields blank, the weekly forecast quantities will be spread evenly over the days of the week.

Fields**Index**

Enter week indices as appropriate.

Functions**Display Distribution (F19)**

Use this to display the percentage distribution for the indices you have entered.

Select **Update (F8)** to update your entries and return to the Maintain Seasonal Indices Selection window.

Maintain Seasonal Indices Period & Week Window

To display this window, select **Weekly Indices (F17)** on the Maintain Seasonal Indices Period window.

This window displays the daily indices at the top of the window and tables containing the period and weekly indices.

Use this window to create a distribution pattern, which can be used when you generate an [MRP forecast](#), to spread the forecast quantities over the appropriate days, weeks and periods of the [planning horizon](#).

Enter a number in the Index field for each week over which you want to spread your forecast quantities. Use higher numbers to represent weeks in which you want to produce the most goods. When you select **Display Distribution (F18)**, the software will express these indices as percentages. The total will always add up to 100%.

If you enter numbers in the Daily Indices fields, the forecast quantities for each week will be spread over the week according to these indices. If you leave these fields blank, the weekly forecast quantities will be spread evenly over the days of the week.

Fields

Index

Enter indices as appropriate.

Functions

Period Indices (F16)

Use this to move the cursor from the Weekly Indices table to the Period Indices table.

Weekly Indices (F16)

Use this to move the cursor from the Period Indices table to the Weekly Indices table.

Display Distribution (F18)

Use this to display the percentage distribution for the indices you have entered.

Select **Update (F8)** to update your entries and return to the Maintain Seasonal Indices Selection window.

Copy Forecast Model [3/MRF]

Use this task to copy forecasts from one planning unit or model to another. You can use this in both a multi-plant and non-multi-plant environment. Multi-plant is used here as a term that covers multi-plant, multi-sourcing and [cellular planning](#).

Note: Before you can use multi-plant, multi-sourcing and [cellular planning](#), you must activate them in the [company profile](#).

Copy Model Definition Window

To display this window, select the Copy Forecast Model task.

You use this window to:

- Enter the model to which you want to copy
- Enter the model from which you want to copy
- Specify the forecast details you want to copy to the target model

Fields

Model

Enter the [organisational model](#) whose forecasts are to be replaced.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Based On

Enter the [organisational model](#) whose forecast details will be copied.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Replace Options

Use these checkboxes as follows:

Unchecked - Not replace the selected detail in the target model with the data from the Based On model

Checked - To replace the selected detail in the target model with the data from the Based On model

You can replace:

- Stockroom definition
- [Reporting profile](#)
- Family profile
- Family forecasts
- Item forecasts

You must make at least one selection.

Complete the required entries and then press Enter. Select **Copy (F8)** to copy the forecast details and leave the task.

Maintain Family Sales Forecast & Maintain Family Stock Forecast [11/MRF, 21/MRF]

When you have created a [product family](#), you can use these tasks to enter details of the weekly forecasts for the family. The quantities or values you enter in the forecasts are for the [product family](#) as a whole. These are apportioned to the items in the [product family](#) according to the percentages [set up](#) in the Maintain [Product Family](#) task.

You can [set up](#) two types of family forecast:

- [Sales Forecast](#)

[Sales forecasts](#) are statements of anticipated market [demand](#) for a product. During the planning process, these are compared with any existing sales orders, and then, in accordance with the [demand policy](#) for the item, which tells the software how to compare the forecast and sales orders, the [net demand](#) is determined.

- [Stock Forecast](#)

[Stock forecasts](#) are statements of the required build of products to meet customer service objectives, and represent a hedge against [demand](#) uncertainty. They are not consumed by sales orders, and should be viewed as orders to replenish stock. The items produced to satisfy a [stock forecast](#) are intended to be used as hedging inventory, or as customer service inventory. You should use this [demand](#) management technique carefully to avoid building excessive levels of inventory. It is a means of buffering [demand](#) uncertainty in the marketplace.

Differences between Sales and Stock Forecasting

As the sale and [stock forecast](#) maintenance facilities are very similar, it is important to understand the following distinction:

- A [sales forecast](#) is a quantity of [demand](#) to be met within a period of time.
- A [stock forecast](#) is a target level to be maintained during that period of time. The stock target over intervals figure represents the stock level to be achieved across the selected intervals.

For example, a [sales forecast](#) representing a market [demand](#) of 3,000 spread evenly over three periods potentially leads to production of 1,000 in each period. A [stock forecast](#) intended to maintain a stock level of 3,000 for three periods shows the 3,000 target in each of the three periods.

Seasonal Profiles

A [seasonal profile](#) is [set up](#) to act as a template when entering forecasts. If you enter a profile code, forecast values are apportioned automatically according to the rules defined for it.

This entry also determines the level to which the forecast may be maintained. If the [seasonal profile](#) has a weekly entry level, you can only have daily and weekly interval selections.

If the forecast is on a weekly basis and you have [set up](#) daily indices, the forecast quantities for each week will be spread over the week according to these indices.

Note: To use these daily indices, you must enter the [seasonal profile](#) and check the Maintain Intervals field on the Maintain Family Forecast Selection window.

Maintain Family Forecast Selection Window

To display this window, select the Maintain Family [Sales Forecast](#) task or the Maintain Family [Stock Forecast](#) task.

You use this window to enter the criteria for the family forecast you want to maintain. The title of the window will depend on the task you have selected.

Fields

Model

Enter the [organisational model](#).

Alternatively, use the prompt facility to select from the Select Model pop-up.

Year

Enter the calendar year over which you are forecasting. The default is the current year.

Product Family

Enter the [product family](#) for which you want to maintain this forecast.

Alternatively, use the prompt facility to select from the Select [Product Family](#) pop-up.

Forecast Basis

Select one of the following:

Quantity (1) (default) - To forecast by quantity

Value (2) - To forecast by value

A forecast expressed in value terms is converted to a forecast quantity. A sales value forecast is divided by the base list price held on the Item Master file. A stock value forecast is divided by the standard [cost](#) of the item in its [primary stockroom](#).

Seasonal Profile

You can enter a [seasonal profile](#), if you have previously set it up.

If you leave this field blank, the values you have entered for the forecast are evenly spread, and any manipulation must be done manually.

If you enter an existing [seasonal profile](#), the profile, year, model and calendar combination must already exist.

You can use the prompt facility on this field to select from the Select Seasonal Index pop-up.

Note: If you use a [seasonal profile](#) when maintaining [stock forecasts](#), the highest index figure is used to assign the stock target total. It then assigns the other index values in proportion. If you do not use a [seasonal profile](#), you must enter the stock target in each period.

Maintain Intervals

Use this checkbox as follows:

Unchecked - Not to maintain intervals

Checked - If you want to select which periods require a daily forecast and which require a weekly or period forecast

Include Backlog

Use this checkbox as follows:

Unchecked - Not to include backlog

Checked - To include any outstanding sales orders due within the run dates of the last [MRP](#) run for the selected forecast model

Note: This field is only displayed for [sales forecasts](#).

Press Enter to display the next window, which will depend on the setting of the Maintain Intervals field.

Maintain Family Forecast Spread Window

To display this window, check the Maintain Intervals field and then press Enter on the Maintain Family Forecast Selection window.

You use this window if you want to spread all or part of the forecast over a particular interval in the forecast.

If you select daily forecasts for a range of week numbers, the software spreads the forecast daily over the indicated weeks, regardless of the [seasonal profile](#) setting.

Note: The week numbers you enter for the respective forecast intervals must be consistent and fall on period boundaries.

Fields

Forecast Quantity/Value to Spread

Enter the quantity or value of the forecast that you would like to spread over daily, weekly or period forecasts. Leave this field blank to use the total forecast quantity or value.

Note: This field is only displayed for [sales forecasts](#).

Stock Target Quantity

Enter the quantity or value of the forecast that you would like to spread over daily, weekly or period forecasts. Leave this field blank to use the total forecast quantity or value.

Note: This field is only displayed for [stock forecasts](#).

Daily Forecasts From Week/To Week

If you want to spread a portion of the forecast on a daily basis, enter the week numbers over which you want the daily forecast spread.

Weekly Forecasts From Week/To Week

If you want to spread a portion of the forecast on a weekly basis, enter the week numbers over which you want the weekly forecast spread.

Period Forecasts From Week/To Week

If you want to spread a portion of the forecast on a period basis, enter the week numbers over which you want the period forecast spread.

Functions**Build Forecast (F10)**

Use this to build the forecast for the required interval, if you receive a warning that intervals overlap.

Note: *If there is already an established forecast for this model and [product family](#) within the entered interval set, the software warns you if the new forecast will overlap the existing one.*

Display Structure (F20)

Use this to display the Calendar Structure window. A table is displayed, showing the structure of the calendar you are using.

Press Enter to display the Maintain Family Forecast Details window. You must first enter the details for at least one interval set.

Calendar Structure Window

To display this window, select **Display Structure (F20)** on the Maintain Family Forecast Spread window.

Alternatively, select **Display Structure (F20)** on the Maintain Item Forecast Spread window.

You can use this window to view the structure of the calendar you are using. It displays the periods that are [set up](#) in the calendar and the week on which each period starts and ends. This is useful as a reference when you are setting up family or item forecasts, as the week numbers you enter for the forecast intervals must fall on period boundaries.

Note: *You cannot remove the table once you have displayed it, but you can still enter values in the fields on the Maintain Family Forecast Spread window and the Maintain Item Forecast Spread window.*

Press Enter to display the Maintain Family Forecast Details window. You must first enter the details for at least one interval set.

Maintain Family Forecast Details Window

To display this window, press Enter on the Maintain Family Forecast Selection window or the Maintain Family Forecast Spread window or the Calendar Structure window.

Use this window to enter the forecast quantities or values and their associated indices. Details displayed on this window include:

- The sum of all the forecast quantities or values that you enter
This total is re-calculated every time you press Enter.
- The sum of the indices for all forecast quantities or values
This is only used for [sales forecasts](#).
- For daily and weekly forecasts, the period and week number
This is displayed in the form PPWW, where PP is the period number and WW is the week number.
- For period forecasts, the period number
This is displayed in the form PP, where PP is the period number.
- The [start date](#) for each forecast week

Note: If you do not use a [seasonal profile](#), or the profile has no daily indices [set up](#), the weekly template of working and non-working days in the [company profile](#) will be used to distribute the quantities over the daily forecast.

Fields

Total Forecast Quantity/Value

This field displays the total to be forecast. This is brought forward from the Maintain Family Forecast Spread window, but you can change it here.

Note: This field is only displayed for [sales forecasts](#).

Stock Target Quantity

This field displays the total to be forecast. This is brought forward from the Maintain Family Forecast Spread window, but you can change it here.

Note: This field is only displayed for [stock forecasts](#).

Position to Period

Enter the period number to advance the display to the forecast for that period.

Index

This field displays the index value for each forecast period. Enter the indices you will use to spread the total forecast figure over the forecast days, weeks or periods. If you are using a [seasonal profile](#), the indices from the profile will be entered automatically.

Quantity/Value

If you set the Forecast Basis field on the Maintain Family Forecast Selection window to Quantity, these fields will display forecast quantities. If you set the Forecast Basis field on the Maintain Family Forecast Selection window to Value, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Options

Select to Spread

This is only [available](#) for period and weekly forecasts.

Use this against a forecast line to display more spread details.

If the forecast is weekly, the Daily Spread pop-up is displayed, where you can specify how the forecast is spread over the days of the week.

If the forecast is for a period, the Weekly Spread pop-up is displayed, where you can specify how the forecast is spread over the weeks of the period.

Functions

Barchart (F14)

Use this to display a bar chart of the forecast quantities. Select **Previous (F12)** to return to this window.

Apply Index (F17)

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Create or Update/Item Forecasts (F20)

Use this to display and access the forecast percentage for individual members of the [product family](#).

Stock Profile (F22)

Use this to display the Stock Level Profile pop-up.

Note: This field is only displayed for [stock forecasts](#).

Select **Update (F8)** to update and confirm your forecast and return to the previous window.

Daily Spread Pop-up

To display this pop-up, use **Select to Spread** against a forecast week on the **Maintain Family Forecast Details** window or on the **Weekly Spread** pop-up.

You use this pop-up to create a more detailed spread for the selected forecast.

This pop-up is displayed if the forecast is weekly. You can edit how the forecast is spread over the days of the week.

Fields

Week Total

This field displays the total quantity or value for the forecast week. This is brought forward from the **Maintain Family Forecast Details** window, but you can change it here.

Index

This field displays the index value for each forecast day. Enter the indices you will use to spread the total forecast figure over the forecast days. If you are using a [seasonal profile](#), the indices from the profile will be entered automatically.

Quantity/Value

If you set the **Forecast Basis** field on the **Maintain Family Forecast Selection** window to **Quantity**, these fields will display forecast quantities. If you set the **Forecast Basis** field on the **Maintain Family Forecast Selection** window to **Value**, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Functions

Apply Index (F17)

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Press **Enter** to update the forecast and return to the **Maintain Family Forecast Details** window.

Weekly Spread Pop-up

To display this pop-up, use **Select to Spread** against a forecast period and then press **Enter** on the **Maintain Family Forecast Details** window.

You use this pop-up to create a more detailed spread for the selected forecast.

This pop-up is displayed if the forecast is for a period. You can edit how the forecast is spread over the week of the period.

Fields

Total Quantity

This field displays the total quantity or value for the forecast period. This is brought forward from the Maintain Family Forecast Details window, but you can change it here.

Seasonal Profile

This field displays the [seasonal profile](#) specified on the Maintain Family Forecast Selection window.

Note: You can change the [seasonal profile](#) here, but this will change the overall forecast for the item.

You can use the prompt facility on this field to select from the Select Seasonal Index pop-up.

Index

This field displays the index value for each forecast week. Enter the indices you will use to spread the total forecast figure over the forecast weeks. If you are using a [seasonal profile](#), the indices from the profile will be entered automatically.

Quantity/Value

If you set the Forecast Basis field on the Maintain Family Forecast Selection window to Quantity, these fields will display forecast quantities. If you set the Forecast Basis field on the Maintain Family Forecast Selection window to Value, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Options

Select to Spread

Use this against the week for which you want to create a daily spread. This will display the Daily Spread pop-up, where you can create the daily spread. This daily spread is then transferred to the Maintain Family Forecast window.

Caution: If you use this facility to create a daily spread you cannot select it for maintenance again on the Maintain Family Forecast window.

Functions

Apply Index (F17)

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Press Enter to update the forecast and return to the Maintain Family Forecast Details window.

Select Item Pop-up

To display this pop-up, select **Create or Update/Item Forecasts (F20)** on the Maintain Family Forecast Details window.

You use this pop-up to select the forecast for an individual item for maintenance. Forecasts are apportioned to the items in a [product family](#) according to the percentages you [set up](#) in the Maintain [Product Family](#) task.

Fields

Position To

You can enter a character in this field to position the display to that place in the item list.

Options

Select

Use this against the item for which you want to maintain the forecast

Select an item to display the Maintain Family Forecast Details window, with the forecast for that item displayed.

Stock Level Profile Pop-up

To display this pop-up, select **Stock Profile (F22)** on the Maintain Family Forecast Details window.

Use this pop-up to build a stock profile. Based on the dates and quantity you enter, a [stock forecast](#) will then be generated to meet the profile. All quantity and value figures will be re-calculated.

Note: This function is only [available](#) for a [stock forecast](#).

Note: You can build a stock profile over more than one forecast year by defining the same four parameters over consecutive years.

Fields

From Date/To Date

Enter or select the date range over which the forecast is built.

Target Date

Enter or select the date at which the target stock level should be achieved.

Target Quantity/Value

Enter the stock level that should be achieved at the target date.

Press Enter to re-display the Maintain Family Forecast Details window, with the quantities that are required to achieve the target stock level calculated for each period.

Generate Item Sales Forecast & Generate Item Stock Forecast [12/MRF, 22/MRF]

Use this task to create a forecast for each item in a [product family](#) from the [product family](#) forecast. The forecast is generated according to the proportions defined in the Maintain [Product Family](#) task. This creates detailed item level forecasts.

Note: *This task is not relevant unless you are using product families for forecasting. Do not use this task if you are forecasting using the Maintain Item Forecast task.*

You can use the Maintain Item Forecast task to fine-tune the individual forecasts before running [MRP](#).

Generate Item Forecast Selection Window

To display this window, select the Generate Item [Sales Forecast](#) task or the Generate Item [Stock Forecast](#) task.

You use this window to enter the criteria for the item forecast you want to generate.

Fields

Model

Enter the model for which you are building a forecast.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Year

Enter the year for which the forecast is being built.

Family

Select the range of [product family](#) groups to be displayed for selection on the next window. If you leave these fields blank, all product families within the model are displayed.

You can use the prompt facility on these fields to select from the PGMN - [Item Group Minor](#) pop-up.

Note: *This process re-calculates any existing [sales forecast](#) for the items in the selected families.*

Press Enter to display the Generate Item Forecast window.

Generate Item Forecast Window

To display this window, press Enter on the Generate Item Forecast Selection window.

You use this window to select the product families for which you want to generate item forecasts.

Fields

Select (Sel)

Use these checkboxes as follows:

Unchecked - To omit product families from the forecast generation

Checked - To include product families in the forecast generation

Select **Submit Job (F8)** to submit the job to generate the forecasts and leave the task.

Maintain Item Sales Forecast & Maintain Item Stock Forecast [13/MRF, 23/MRF]

Use these tasks to:

- Fine tune the forecasts created with the Generate Item [Sales Forecast](#) or Generate Item [Stock Forecast](#) tasks
- Enter individual item forecasts as required

In any one family, individual items can have different peak periods for production. You can use these tasks to maintain these differences.

You can also change total quantities. However, if they are part of a previously defined family total, this may well be invalidated by this action.

Maintain Item Forecast Selection Window

To display this window, select the Maintain Item [Sales Forecast](#) task or the Maintain Item [Stock Forecast](#) task.

You use this window enter the criteria for the item forecast you want to maintain.

Fields

Model

Enter an [MRP](#) model for the forecast. If you intend to run [MRP](#) using this forecast and then want to confirm any suggested [supply](#), the model you enter here must be the live model, as defined on the [company profile](#).

You can use the prompt facility on this field to select from the Select Model pop-up.

Year

Enter the calendar year for which you are forecasting. The model and year combination must exist on the company calendar. The default is the current system year.

Item

Enter a valid item. The item must exist and have a non-zero [demand policy](#).

You can use the prompt facility on this field to select from the Select Item pop-up.

Forecast Basis

Select one of the following:

Quantity (1) (default) - To express the forecast in quantities

Value (2) - To express the forecast in values

A forecast expressed in values is converted to a forecast quantity by this process. A sales value forecast is divided by the base list price held in the Item Master file. A stock value forecast is divided by the standard [cost](#) of the item in its [primary stockroom](#).

Seasonal Profile

You can enter a [seasonal profile](#), if you have previously set it up.

If you leave this field blank, the values you have entered for the forecast are evenly spread, and any manipulation must be actioned manually.

If you enter an existing [seasonal profile](#), the profile, year, model and calendar combination must already exist.

You can use the prompt facility on this field to select from the Select Seasonal Index pop-up.

Maintain Intervals

Use this checkbox as follows:

Unchecked - Not to maintain intervals

Checked - If you want to select which periods require a daily forecast and which require a weekly or period forecast

Check this field to spread the quantity or value over selected intervals. This displays a separate window where you can specify the total forecast quantity or value with which you want to work.

You then specify how you want to present the time [buckets](#) on the forecast window. You can specify either daily or weekly time [buckets](#).

It is usual to select daily intervals for the earliest week or weeks in the forecast, weekly intervals for intermediate weeks, and periods for the longer-term part of the forecast.

Period [buckets](#) are not allowed if the selected profile is weekly-based, and does not use periods itself.

Include Backlog

Use this checkbox as follows:

Unchecked - Not to include backlog

Checked - To display the outstanding sales orders due within the run dates of the last [MRP](#) run for the forecast model selected

Note: This field is only displayed for [sales forecasts](#).

Press Enter to display the Maintain Item Forecast Spread window.

Maintain Item Forecast Spread Window

To display this window, check the Maintain Intervals field and then press Enter on the Maintain Item Forecast Selection window.

You use this window if you want to spread all or part of the forecast over a particular interval in the forecast.

If you select daily forecasts for a range of week numbers, the software spreads the forecast daily over the indicated weeks, regardless of the [seasonal profile](#) setting.

Note: The week numbers you enter for the respective forecast intervals must be consistent and fall on period boundaries.

Fields

Forecast Quantity/Value to Spread

Enter the quantity or value of the forecast that you would like to spread over daily, weekly or period forecasts. Leave this field blank to use the total forecast quantity or value.

Note: This field is only displayed for [sales forecasts](#).

Stock Target Quantity

Enter the quantity or value of the forecast that you would like to spread over daily, weekly or period forecasts. Leave this field blank to use the total forecast quantity or value.

Note: This field is only displayed for [stock forecasts](#).

Daily Forecasts From Week/To Week

If you want to spread a portion of the forecast on a daily basis, enter the week numbers over which you want the daily forecast spread.

Weekly Forecasts From Week/To Week

If you want to spread a portion of the forecast on a weekly basis, enter the week numbers over which you want the weekly forecast spread.

Period Forecasts From Week/To Week

If you want to spread a portion of the forecast on a period basis, enter the week numbers over which you want the period forecast spread.

Functions

Build Forecast (F10)

Use this to build the forecast for the required interval, if you receive a warning that intervals overlap.

Note: *If there is already an established forecast for this model and item within the entered interval set, the software warns you if the new forecast will overlap the existing one.*

Display Structure (F20)

Use this to display the Calendar Structure pop-up, which you can use to view the structure of the calendar you are using.

Press Enter to display the Maintain Item Forecast Details window. You must first enter the details for at least one interval set.

Maintain Item Forecasts Details Window

To display this window, press Enter on either the Maintain Item Forecast Selection window or the Maintain Item Forecast Spread window.

Use this window to enter the forecast quantities or values and their associated indices. Details displayed on this window include:

- The sum of all the forecast quantities, or values, that you enter
This total is re-calculated every time you press Enter.
- The sum of the indices for all forecast quantities, or values
This is only used for [sales forecasts](#).
- For daily and weekly forecasts, the period and week number
This is displayed in the form PPWW, where PP is the period number and WW is the week number.
- For period forecasts, the period number
This is displayed in the form PP, where PP is the period number.
- The [start date](#) for each forecast week

Note: *If you do not use a [seasonal profile](#), or the profile has no daily indices [set up](#), the weekly template of working and non-working days in the [company profile](#) will be used to distribute the quantities over the daily forecast.*

Fields

Total Forecast Quantity/Value

This field displays the total to be forecast. This is brought forward from the Maintain Item Forecast Spread window, but you can change it here.

Note: This field is only displayed for [sales forecasts](#).

Stock Target Quantity

This field displays the total to be forecast. This is brought forward from the Maintain Item Forecast Spread window, but you can change it here.

Note: This field is only displayed for [stock forecasts](#).

Position to Period

Enter the period number to advance the display to the forecast for that period.

Index

This field displays the index value for each forecast period. Enter the indices you will use to spread the total forecast figure over the forecast days, weeks or periods. If you are using a [seasonal profile](#), the indices from the profile will be entered automatically.

Quantity, Value

If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Quantity, these fields will display forecast quantities. If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Value, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Options**Select to Spread**

This is only displayed for period and weekly forecasts.

Use this against a forecast line to display more spread details.

If the forecast is weekly, the Daily Spread pop-up is displayed, where you can specify how the forecast is spread over the days of the week.

If the forecast is for a period, the Weekly Spread pop-up is displayed, where you can specify how the forecast is spread over the weeks of the period.

Functions**Barchart (F14)**

Use this to display a bar chart of the forecast quantities. Select **Previous (F12)** to return to this window.

Apply Index (F17)

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Display Values (F18)

Use this to toggle between displaying the forecast quantities and forecast values. The forecast value is the Base List Price multiplied by the Quantity.

For details on the other fields and functions on this window, refer to the Maintain Family [Sales Forecast](#) section.

Stock Profile (F22)

Use this to display the Stock Level Profile pop-up.

This function is only displayed for item [stock forecasts](#).

Select **Update (F8)** to update and confirm your forecast, and return to the previous window.

Daily Spread Pop-up

To display this pop-up, use Select to Spread against a forecast week on the Maintain Item Forecast Details window.

You use this pop-up to create a more detailed spread for the selected forecast.

This pop-up is displayed if the forecast is weekly. You can edit how the forecast is spread over the days of the week.

Fields**Week Total**

This field displays the total quantity or value for the forecast week. This is brought forward from the Maintain Item Forecast Details window, but you can change it here.

Index

This field displays the index value for each forecast day. Enter the indices you will use to spread the total forecast figure over the forecast days. If you are using a [seasonal profile](#), the indices from the profile will be entered automatically.

Quantity/Value

If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Quantity, these fields will display forecast quantities. If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Value, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Functions

Apply Index (F17)

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Press Enter to update the forecast and return to the Maintain Item Forecast Details window.

Weekly Spread Pop-up

To display this pop-up, use Select to Spread against a forecast period on the Maintain Item Forecast Details window.

You use this pop-up to create a more detailed spread for the selected forecast.

This pop-up is displayed if the forecast is weekly. You can edit how the forecast is spread over the days of the week.

Fields**Quantity/Value**

If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Quantity, these fields will display forecast quantities. If you set the Forecast Basis field on the Maintain Item Forecast Selection window to Value, these fields will display forecast values.

You can enter the forecast quantities or values manually, or enter the indices and then select **Apply Index (F17)**. The software will then calculate the forecast quantities or values from the total spread over the indices.

Options**Select to Spread**

Use this to select the week for which you want to create a daily spread. Press Enter to display the Daily Spread pop-up where you can create the daily spread. This daily spread is then transferred to the Maintain Family Forecast window.

Caution: If you use this facility to create a daily spread you cannot select it for maintenance again on the Maintain Family Forecast window.

Functions**Apply Index (F17)**

Use this to re-calculate the distribution when changes have been made to indices or forecast quantities.

Press Enter to update the forecast and return to the Maintain Item Forecast Details window.

Stock Level Profile Pop-up

To display this pop-up, select **Stock Profile (F22)** on the Maintain Item Forecast Details window.

Use this pop-up to build a stock profile. Based on the dates and quantity you enter, a [stock forecast](#) will then be generated to meet the profile. All quantity and value figures will be re-calculated.

Note: This is only [available](#) for [stock forecasts](#).

Note: You can build a stock profile over more than one forecast year by defining the same four parameters over consecutive years.

Fields

From Date

Enter or select the date from which the stock profile will be built.

To Date

Enter or select the date to which the stock profile will be built.

Target Date

Enter or select the date at which the target stock level should be achieved.

Target Quantity

Enter the stock level that should be achieved at the target date.

Press Enter to return to the Maintain Item Forecast Details window, with the quantities required to achieve the target stock level calculated for each period.

Spread Item Sales Forecast & Spread Item Stock Forecast [14/MRF, 24/MRF]

Use these tasks to:

- Select the [sales forecast](#) for one or more items for spreading, according to intervals that you specify here
You must enter at least one set of intervals, and the intervals must be adjoined to each other.
- Change the default [seasonal profile](#) for the item, as defined in the item's production details

Spread Item Forecast Selection Window

To display this window, select the Spread Item [Sales Forecast](#) task or the Spread Item [Stock Forecast](#) task.

You use this window to enter the criteria for the item forecast you want to spread.

Fields

Model

Enter an [MRP](#) model for the forecast.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Year

Enter the calendar year over which you are forecasting. The model and year combination must exist on the company calendar. The default is the current system year.

Product Family

Enter a valid [product family](#) code here. It must be consistent with the items that you enter in the From and To Item fields.

You can use the prompt facility on this field to select from the Select [Product Family](#) pop-up.

From Item

Enter the first item in the range for which you want to spread forecasts. Leave this field blank for all items.

You can use the prompt facility on this field to select from the Select Item pop-up.

To Item

Enter the last item in the range for which you want to spread forecasts. Leave this field blank for all items.

You can use the prompt facility on this field to select from the Select Item pop-up.

Forecast Basis

Select one of the following:

Quantity (1) (default) - To express the forecast in quantities

Value (2) - To express the forecast in values

Press Enter to display the Spread Item Forecast Details window.

Spread Item Forecast Details Window

To display this window, press Enter on the Spread Item Forecast Selection window.

This window displays the items selected on the previous window.

You use this window to:

- Select the items for which you want to spread the forecast
- Enter the weeks for which you want to create daily forecasts
- Enter the weeks for which you want to create weekly forecasts

Fields

Select (Untitled)

Use these checkboxes as follows:

Unchecked - Not to spread the forecast for that item

Checked - To spread the forecast for that item

Seasonal Profile

If a [seasonal profile](#) has been used for the forecast for the item, it is displayed here. It will define the spread of the quantities over the selected intervals. You can change or delete it here.

Daily Forecasts From Week/To Week

Enter the range of week numbers for which the daily forecasts are required.

Weekly Forecasts From Week/To Week

Enter the range of week numbers for which the weekly forecasts are required.

Functions

Select All (F15)

Use this to select the forecasts for all the items for spreading.

Display Values (F18)

Use this to toggle between displaying the forecast values and quantities.

Select the required items and then select **Submit Job (F8)** to submit the job for processing and leave the task.

Chapter 4 Processing

About MRP Processing

You must carry out certain maintenance tasks before running [MRP](#). Afterwards, you can use the [MRP](#) enquiries and reports to analyse the results of the run.

Selective exclusivity checking is possible for submitting and running [MRP](#) planning runs. Rather than preventing access to all options in OE, AO, PM, and AC, it is possible to make selections that will control access on a function-by-function basis. For example, database update functions such as Order Maintenance could be prevented from running, but most enquiries and reports could still be [available](#) as normal, by setting the selections. The level of exclusivity is set in Application Manager.

The stages for [MRP](#) processing can be summarised as follows:

- Run the Maintain [MRP Reporting Profile](#) task (you only need to do this once)
- Run the Maintain Model Stockroom task (you only need to do this once)
- Run the Generate Model [Primary Stockrooms](#) task (if you are using multi-plant)
- Run the Maintain [Net Change](#) Reason Codes task
- Run the Maintain [Supply](#) Sourcing Rules task (if you are using multi-sourcing)
- Run the Maintain Model Planning Sequence (if you are using multi-plant)
- Run the Maintain Seasonal Indices task *
- Run the Maintain [Product Family](#) task *
- Run the Maintain Family Forecast task (this is optional) *
- Run the Generate Item Forecast task (if you are using family forecasts) *
- Run the Spread Item Forecast task (this is optional) *
- Run the Maintain Item Forecast task (this is optional)*
- Run the [MRP](#) Automatic Run Parameters task
- Run the Run [MRP](#) task
- Make enquiries and run reports
- Execute [MRP](#) suggested changes to orders and [schedules](#)
- Run the Confirm [MRP](#) Suggested Orders and Confirm [MRP](#) Suggested [Schedules](#) tasks

- Run the Create [Work Station Schedule](#) task

* If you are using [MRP](#) forecasting

MRP Cellular Planning

When an [MRP](#) plan is produced, you can generate the plan for individual production [cells](#) in order to show the material [supply](#) and [demand](#) which is specific to each [cell](#). In practice, each stockroom is treated as a [cell](#), so that material [supply](#) and [demand](#) is analysed separately at each shop [floor stocking](#) location.

After a [cellular MRP](#) run, you can select the [MRP](#) enquiries and reports by [cell](#). [Supply](#) and [demand](#) are [balanced](#) at the [item stockroom](#) level rather than just at item level.

The system generates a [supply](#) record and a [demand](#) record for both a [demand](#) stockroom and a [supply](#) stockroom. Pegging facilities provide extra visibility so that [cell](#) managers can see which other [cells](#) are providing the [demand](#) on their [cell](#) and which [cells](#) are being supplied by their [cell](#).

Considerations:

- This is an [MRP](#) function only, though [MPS items](#) can be included if they are [triggered](#) using the [available](#) to ship report or by maintaining [flow route](#) line [schedules](#).
- [MRP](#) runs must be either [cell](#)-based or model-based.
- [MRP](#) forecasts are not extracted at this time.
- There are no [work station schedules](#) by [cell](#).

Item Schedule Relief

[Item schedule](#) relief allows actual quantities and times to be relieved against an [item schedule](#); thus allowing outstanding [balances](#) to be shown. The quantity booked is held against the [item schedule](#) and is used in the planning cycle to reflect the latest requirement:

Outstanding Quantity = Existing planned quantity - Total booked quantities (that is, good + held + scrapped)

If the [item schedule](#) has been fully satisfied through [booking](#), it will not be extracted during the planning run.

MRP Review - Firm Planned Supplies

A firm planned [supply](#) is taken to mean a planned [supply](#) that is frozen by the [planner](#) in terms of its quantity and timing. The planning algorithm does not automatically change such a [supply](#), as this is the task of the [planner](#). However, [MRP](#) will indicate in the enquiry and report any suggested changes to its [supply](#) quantity. This is to ensure the required inventory service level is maintained, but these suggested changes are not included in the subsequent calculations of either inventory availability or dependent material requirements, where the firm quantity and date are always used.

The following functions provide for firm planned supplies:

Maintenance

Work order maintenance - Set an order as firm planned

[Item schedule](#) maintenance - Set a firm [item schedule](#) as firm planned

[MRP](#)

Firm planned supplies due on a date will be netted against [demand](#) after all other supplies due on that date. This minimises suggested changes to firm planned [supply](#) quantities.

Changes are recommended for firm planned supplies to change the [supply](#) quantity (up or down) or to change the date, but note that these are deemed non-executable and are only an indication to the [planner](#) of the discrepancy between [supply](#) and [demand](#).

[Dependent demand](#) is always based on the firm [supply](#) quantity.

The [supply production lead time](#) calculation is based on the firm [supply](#) quantity.

The [available stock](#) calculation is based on the firm [supply](#) quantity.

No new supplies are suggested on a date where a firm planned [supply](#) is due, or on any earlier date. It is assumed that the firm planned [supply](#) will cover the [demand](#) by [planner](#) intervention.

When making enquiries or producing reports after an [MRP](#) run, non-executable actions are indicated by specific action codes.

DRP Transfer Orders

The [MRP](#) extract considers [DRP](#) transfer orders as both [demand](#) and [supply](#). Where they are considered as [supply](#), they consider any reserved quantity as unavailable.

Where the [Demand](#) and [Supply](#) are in different Plants, but both within the same Central Model, a single Transfer Order may be both a [Supply](#) in the Receiving Stockroom's Plant Model, and a [Demand](#) in the Sending Stockroom's Plant Model. Any reserved quantities are considered separately in each Plant, depending on which plant(s) the reservation applies to.

Frozen Stock Availability

[MRP](#) will consider the setting of the parameter MFSA. If the value of the parameter is set to 0, stock that is frozen because of its status is extracted as Held Stock, counted as unavailable, and with a recommendation that it should be released immediately, regardless of its Lot Header dates. If the value of the parameter is 1, stock that is frozen because of its status is treated in a similar manner to stock that does not have a frozen status. Its availability in planning is determined by its batch dates. It is extracted as Released Stock either on the [start date](#) of the run, if it has passed its [first available date](#), or on the [first available date](#) if it has not yet reached it, with a recommendation to release the stock.

The equivalent function for Items that are not controlled using Lot Headers, both non-Lot and [Lot controlled](#) Items, is managed using the PLFS Production Parameter. The [MRP](#) detail record has a separate control for [lot controlled](#) and non-[lot controlled](#) items. If these are switched on, then [frozen stock](#) for the items controlled is treated as opening [available stock](#) for the purposes of replenishment planning.

MRP Automatic Run Parameters [10/MRP]

[MRP](#) runs may be submitted automatically, as part of the overnight processing, with parameters automatically set for each run.

This task enables those parameters to be defined for [MRP](#) runs by model code. All the currently [available](#) parameters are [available](#) to be set and re-set. Non-working days are taken into account when calculating the current date for the run and the other control dates if necessary.

MRP Automatic Run Parameters Selection Window

To display this window, select the [MRP](#) Automatic Run Parameters task.

You use this window to select the model for which you want to maintain the [MRP](#) automatic run parameters.

Fields

Model

Enter the model for which you want to set [MRP](#) automatic run parameters.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Only the model specified in the [company profile](#) can be used to confirm orders and [schedules](#), as this is the live model. You must enter the live [MRP](#) model here if you need to confirm your suggested [MRP](#) orders and [schedules](#). If you are using the suggestions for planning only, you can enter any model here. The software displays the default calendar code from the model's [reporting profile](#).

Press Enter to display the [MRP](#) Automatic Run Parameters window.

MRP Automatic Run Parameters Window

To display this window, enter or select a model code and then press Enter on the [MRP](#) Automatic Run Parameters Selection window.

You enter the first set of selection parameters for the run on this window. The dates and other details displayed at the top of the window refer to the last [MRP](#) run for the selected model.

The parameters shown below are re-set to the values indicated on this window when the [MRP](#) run is submitted. The other model parameters are picked up from the model definition, as for a manually submitted [MRP](#) run. If any change is required to other parameters, they should be maintained through the Maintain Model Stockroom task, using the Additional Parameters function.

The [Scheduled Run Time](#) field should be set to the time at which the day-end job is to be [scheduled](#). If the job does run at this time, or shortly after it, as will usually be the case, no date adjustment is made. If, however, the actual submission time of the job is earlier than the expected [scheduled run time](#), it is likely that the submission has been delayed to after midnight, when it would normally run

before that. In this case, because the system date is a day later than would normally be the case, the submission dates are adjusted to be one day earlier than they would otherwise have been. The Current Date Number of Days will be reduced by one before calculating the Control Dates. A value of 00:00 is allowed to enable you to ensure that this rule is never invoked.

Fields

Current Date - System Date (+/-)

Use this field to adjust the current date of the run to be before or after the system date.

Current Date - Days

Use this to set the number of days by which the current date of the run is to be adjusted.

End Date - Days

Use this to set the number of days after the current date, set above, on which the end date of the run will be set.

Functions

Show New Run Dates (F16)

Use this to show the dates that will be used if [MRP](#) is run on the current system date. The literal "Details shown are from the last run" is removed when the window is re-displayed.

Select **Save (F8)** to save the parameters in the [MRP](#) Automatic Run Parameters file, flagged as [MRP](#), and saved under the model selected.

Machine Manager - Day-end Parameters

For the automatic [MRP](#) run submission to take place, the task must be added to the Day End Parameters. This is maintained through the Machine Manager application on the Manage Auto Day-end Jobs window.

Select **Add (F8)** to add a new job. A window similar to that shown will be displayed, where you can enter the details to control the [MRP](#) automatic run submission.

Enter a suitable description for the job and the job queue and job description.

Select **Application Mgr Jobs (F20)** and enter the System21 job details as appropriate, selecting your own environments and companies.

This will cause a job to be submitted for each model in the [MRP](#) Automatic Run Submission Parameters file.

The submitted job name will incorporate the model code of the model being run, to aid identification of the reports that relate to the various model runs.

Enter 1s in the Day Mask field to control which days of the week the job will run.

Enter a time in the [Scheduled](#) Time field if the job is not to run as part of the day-end procedures.

Batch Processing

The automatic day-end job replaces the existing interactive [MRP](#) Automatic Run Parameters task with a new program that accesses the [MRP](#) Automatic Run Submission Parameters file and calculates the run dates for the planning run according to the details on that file. A job is submitted to execute an [MRP](#) run for each company and model for which a record exists, depending on the weekly template.

The other model details are taken from the Model file as in the current task.

When each [MRP](#) run job is submitted, the processing calculates the dates for the run using the rules defined by the user.

The current date is set to the system date plus or minus the number of days offset. This is subject to adjustment by going back one day if the time of submission is less than the [scheduled run time](#) as defined by the user.

The [start date](#) is set to the current date minus the number of overdue days.

The [time fence](#) date is set to the current date plus the number of [time fence](#) days. This is adjusted if it lands on a non-working day, and is set to the nearest following working day.

The end date is set to the current date plus the number of end date offset days.

Run MRP [11/MRP]

The [MRP](#) run is a series of calculations made by the software, using data derived from the other Production applications, to construct a [schedule](#) of possible future production requirements. You can enter forecast details before the run is started.

You can run [MRP](#) in the following ways to reflect your planning requirements:

- **Full [Regenerative](#)** - This includes all items defined against stockrooms within a model.
- **[Net Change](#)** - This only includes items that meet certain criteria, that is, [net change triggers](#). You specify these [triggers](#) using the Maintain [Net Change](#) Reason Codes task.
- **Selective** - Only items within specified ranges are included.

The [MRP](#) processing factors are the same as the [MPS](#) processing factors. However, there are obvious differences in the selected items.

The following items are included in the [MRP](#) run:

- [MRP](#) items that are held stockrooms that are defined in the model
- [MRP](#) items that have been [triggered](#), for a [Net Change](#) run
- [MRP](#) items which meet user selection criteria, for a Selective run
- [MPS items](#) that are parents of [MRP](#) items held in stockrooms defined in the model

All the other factors operate in the same way as in [MPS](#).

This task takes the selected planning definition and extracts all the defined stockrooms. The stockrooms define the scope of [MRP](#). Only items that reside in the stockrooms on the model are extracted for planning.

The [MRP](#) extract consider [DRP](#) transfer orders as both [demand](#) and [supply](#). Where they are considered as [supply](#), they consider any reserved quantity as unavailable.

Note: *You must make sure that you have maintained calendars to cover the duration of the review including any future years.*

This task, when recommending changes to existing Production orders, checks for any [planning filters](#) that apply to them. If none are set, the settings for a “blank” filter code are checked for the [supply](#) type. The settings dictate whether recommended changes are allowed or prohibited, e.g. an increase or decrease in quantity on a confirmed order.

It checks for company-specific [planning filters](#) if the [MRP Planning Filter](#) Code Parameter Type is defined as Company Dependent on the Parameters file. Otherwise, it checks for non-company-specific filters.

The [MRP](#) run takes into account the firm planned status of extracted Purchase Order supplies to modify the planning suggestions that are made. The Firm planned [time fence](#) accounts for the latest date of any firm planned works order or purchase order.

The Firm Planned [Time Fence](#) is set to the date of the day following the latest of any firm planned Production supplies or Purchase Order supplies.

In general required planning changes to Firm Planned Purchase Order supplies are transmuted to the equivalent non-executable changes. [MPS](#) planning proceeds up to the [Time Fence](#) assuming that those changes are not implemented.

Outside [MRP](#), if changes are made to supplies currently lying prior to the Firm Planned [Time Fence](#), warnings are presented that the change is inside the [Time Fence](#).

[Material Requirements Planning](#) takes account of the [Planning Filter](#) codes defined for Purchase Orders and Purchase Order Lines to manage the planning suggestions that may be generated.

The Planning run will recommend or suppress required date or quantity changes or cancellations as dictated by the [Planning Filters](#) and any tolerances or limitations that are defined for them.

Suggested new Purchase Orders are assigned the [Planning Filter](#) defined for the Item on the Production Item Master. These values can be amended prior to the creation of the Purchase Order (see below).

Material Requirements Run Selection Window

To display this window, select the Run [MRP](#) task.

You use this window to enter the model for which you want to run [MRP](#).

Fields

Model

Enter the [MRP](#) model you wish to run.

Alternatively, use the prompt facility to select from the Select Model pop-up.

The stockrooms defined to the model determine the scope of inclusion of items within the run. You can only use the live model defined in the [company profile](#) to confirm any [suggested production orders](#) or [schedules](#). If such suggestions are to be confirmed, it is essential that you enter the live model code here.

Press Enter to display the [MRP](#) Run Options window.

MRP Run Options Window

To display this window, enter a model code and then press Enter on the Material Requirements Run Selection window.

You use this window to enter further options for the [MRP](#) run.

Fields

MRP Run Type

Use this field to specify the [MRP](#) type that you want to run.

Select one of the following:

[Regenerative](#) (1) - To re-plan all items defined to the [planning model](#)

[Net Change](#) (2) - To process items in the model definition that have been [triggered](#) as changed

Selective (3) - To process items in the model definition that meet the [run time](#) selection criteria

Current Date

Enter or select the base date for the review. This is normally the run date and defaults to the current system date. The review [start date](#) and the frozen [schedule time fence](#) are calculated from this date.

Overdue Days

Enter the number of days of overdue [supply](#) and [demand](#) that you want [MRP](#) to consider. This number of days is subtracted from the current date to give the [MRP start date](#). All supplies and [demand](#) due on or after this date are extracted.

Time Fence Days

Enter the number of days that form the frozen portion of the [schedule](#). The software will not make any recommendations to [schedules](#) due within the [time fence](#) or suggest new orders within it. There are no recommendations made for overdue orders within the [time fence](#) either. The [time fence](#) is calculated as the current date plus the specified number of days. The [time fence](#) period is typically the longest manufacturing or procurement [lead time](#) of your items.

Safety Horizon Days

Enter the number of safety horizon days here. This is a planning factor to extend the horizon of each item's plan, so that the lower-level [generated demand](#) falls within the overall plan.

End Date

Enter or select the end date for the [MRP](#) review. This date should be the longest cumulative lead-time of your [MRP](#) items, plus a safety factor. This date is overridden by individual item end dates if that option is selected.

Terminate on Planning Exception

If item [lead times](#) are used and a [production lead time](#) is defined for an Item that is to be planned, the system will re-calculate the [lead time](#) according to the various elements in the system. If the calculated value is greater than the stored value, the Item will be included on the [MRP](#) Item Exception report.

You can choose whether the planning run should continue when such exceptions have been identified, in which case the calculated values will be used rather than the stored values, or to terminate the run, in which case just the report will be produced.

Use this checkbox as follows:

Unchecked - Not to terminate the run

The Exception report will still be produced, for use with the new planning results.

Checked - To terminate the run

In this case, if the planning run detects a planning exception (as defined above), the run will terminate without committing any changes from the previous plan and a report will be produced listing the exceptions that were found.

The planning run will analyse [lead times](#), by comparing the stored [lead times](#) of Items with the calculated values according to the various elements that comprise the [lead time](#). If this calculation yields a result that is greater than the stored [lead time](#), this will generate an exception, which will be printed on the [MRP](#) Item Exception report.

Specifically, the calculation will take into account [lead time](#) elements that are external to the production process. This includes [release lead times](#) and delivery days.

This calculation will only take place if the item has a [production lead time](#) defined on the Manufacturing Item Master file. Otherwise, the global [lead time](#) is used in all cases. In addition, the item [time fences](#) option needs to be in force for the unit being planned.

This applies to all manufactured and purchased items that are included in a given planning run.

Suppress Low Level Code Generation

Use this field to indicate whether or not low-level codes should be generated as part of the [MRP](#) run. You can omit this routine if no changes have been made to any of the product structures, or you run the stand-alone Generate [Low Level Codes](#) utilities task in Production prior to running [MRP](#).

Use this checkbox as follows:

Unchecked - Not to suppress low-level code generation

(If the software identifies any changes, this is the default.)

Checked - To suppress low-level code generation

Functions

Review Selection (F16)

If you selected [Regenerative](#) in the [MRP](#) Run Type field, this is not [available](#). If you selected [Net Change](#) in the [MRP](#) Run Type field, use this to display the [Net Change Trigger](#) Selection pop-up. If you selected **Selective**, use this to display the Enter Selection Criteria pop-up.

Start Run (F17)

Use this to start the run. The selected information is submitted and the [MRP](#) run begins.

Additional Parameters (F18)

Use this to display the [MRP](#) Additional Parameters window.

Print Details (F22)

Use this to obtain a summary listing of the selected planning parameters for the [MRP](#) model.

Select **Start Run (F17)** to start the [MRP](#) run.

Net Change Trigger Selection Pop-up

To display this pop-up, select [Net Change](#) in the [MRP](#) Run Type field and then select **Review Selection (F16)** on the [MRP](#) Run Options window.

Use this pop-up to select the [triggers](#) that you want activated for the [MRP](#) run. Details displayed here include:

- The valid [trigger](#) reason codes and descriptions for the selected company
- Unprocessed [triggers](#) for each [trigger](#) reason code
- The count of items outstanding for each code

Note: An item [triggered](#) for several reasons is included in all relevant counts. When [MRP](#) processes the item [trigger](#), the count for the reason is decreased.

Fields

Select (Sel)

Select one of the following:

Select all (1) - To select all items [triggered](#) for the reason

Select with limit (2) - To limit the number of items processed to the quantity entered

Quantity to Process

If you select **Select with limit** in the Select field, enter the maximum number of items to be processed.

Note: Dependent items of [triggered](#) items are always processed using the full re-[scheduling](#) logic of [MRP](#).

Functions

Select All (F18)

Use this to select all [trigger](#) reasons and return to the previous window. This enters **Select All** in the Select field against all of the displayed [trigger](#) reasons.

Press Enter to save your entries and return to the [MRP](#) Run Options window.

Enter Selection Criteria Pop-up

To display this pop-up, select Selective in the [MRP](#) Run Type field and then select **Review Selection (F16)** on the [MRP](#) Run Options window.

Enter the ranges to be used to select items for processing. An item is only selected for review if it matches all the selection criteria that you enter. If you make no selections, all items are processed.

Note: *If you intend to process all items, a [regenerative](#) run is more efficient.*

Fields

Item/To

Enter the range of items to be reviewed.

Leave these fields blank if you do not want to select by item.

You can use the prompt facility on these fields to select from the Select Item pop-up.

Planner/To

Enter the range of [planners](#) to be reviewed. Only items for this range of [planners](#) are processed.

Leave these fields blank if you do not want to select by [planner](#).

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Item Group/To

Enter the range of item groups (Product Families) to be reviewed. Only items for this range are processed and made [available](#) on enquiries and reports.

Leave these fields blank if you do not want to select by item group.

You can use the prompt facility on these fields to select from the PGMN Item Group - Minor pop-up.

Item groups are categorised by a product group minor code in Inventory Management.

Value/Usage Class/To

Enter the range of classes to be reviewed. Only items with the selected range of [Value/Usage](#) Class are processed.

Leave these fields blank if you do not want to select by value or [usage](#) class.

This value is maintained in Inventory Management.

Preferred Supplier/To

Enter the range of preferred suppliers to be reviewed. Only items associated with the requested suppliers are processed.

Leave these fields blank if you do not want to select by preferred supplier.

GT Family/To

Enter the range of [GT Family](#) codes required.

Leave these fields blank if you do not want to select by [GT Family](#).

Press Enter to save your entries and return to the [MRP](#) Run Options window.

MRP Additional Parameters Window

To display this window, select **Additional Parameters (F18)** on the [MRP](#) Run Options window.

Use this window to enter more selection parameters for the [MRP](#) run.

Fields**Planning Basis**

Enter one of the following planning bases for the run:

0 (default) - Standard

This selection operates without multi-plant planning. The [MRP](#) run is processed at organisational level where all [load](#), [resources](#) and [capacity](#) are considered.

1 - Multi-plant Network

You must first activate multi-plant planning in the [company profile](#). Multiple planning units can be considered either as a related set of manufacturing centres supporting an overall manufacturing plan, or as autonomous units responsible for their own [supply](#) and [demand](#) situations without reference to other planning units or a higher level plan.

2 - Multi-sourcing (single planning unit sourcing)

You must first activate multi-sourcing in the [company profile](#). Use this to develop a plan that satisfies [demand](#) by allocating recommended supplies for an item to different manufacturing [routes](#) within a single planning unit. No reference is made to any other planning unit.

3 - [Cellular](#) Network

You must first activate [cellular planning](#) in the [company profile](#). [Cellular](#) network planning provides an optional third tier of planning that can be defined in the planning structure. This type of planning can be processed independently, or as a related group within a central or plant model.

Use Item Time Fence

As an alternative to a global [time fence](#), use this field to specify whether you want to use a [time fence](#) based on each item's production lead-time.

Use this checkbox as follows:

Unchecked - To use the [time fence](#) entered for the run

Checked - To use the item [time fence](#)

If no lead-time exists for the item, the [run time fence](#) is used.

Use Item End Date

As an alternative to a global end date for the review of each item, you can use an end date based on each item's [cumulative lead time](#).

Use this checkbox as follows:

Unchecked - To use the end date entered for run as a global value

Checked - To use the item end dates

If no [cumulative lead time](#) exists for an item, the global end date is used.

The item end date is calculated as:

Current Date + [Cumulative Lead Time](#) + Safety Horizon Days

For non-production items, the purchase [lead time](#) is used for both production and [cumulative lead times](#).

Dependent Requirements Basis

Use this field to define what is passed down from parent to dependent items, that is, the generation of [dependent demand](#) requirements.

Select one of the following:

Suggested (0) - To generate [dependent demand](#) for all production supplies using each [supply's](#) suggested quantity and its suggested due date into Inventory

Firm (1) - To generate [dependent demand](#) for firm production supplies using each [supply's](#) firm quantity and firm due date into Inventory

In this case, excluded [dependent demand](#), not referenced by netting, but visible to the [planner](#), is generated for brand new manufacturing [supply](#) suggestions, using each [supply's](#) suggested quantity and suggested due date into Inventory.

Note: An initial [MRP](#) run, with this field set to Suggested, will identify manufacturing suggestions. You can then review these recommendations and make any manual adjustments, if required. You can then re-run [MRP](#) with this field set to Firm to create suggestions for the firm production plan.

Forecast Basis

Use this to specify which date will be used as the [demand](#) date on extracted forecasts.

Select one of the following:

Daily (0 or blank) - To use the forecast date

Period (1) - To use the end date of the forecast

Confirmed Scheduled Policy

Enter one of the following:

0 - To re-calculate the whole [MRP](#) plan

1 - To include any confirmed manufacturing [schedules](#) in the plan

You can use the prompt facility on this field to select from the CNFS Confirmed [Item Schedule](#) Policy pop-up.

Note: This defaults to the value in the Confirmed [Schedule](#) Policy field on the Planning Options window in the [company profile](#), but you can change it.

Include Customer Schedule Arrears

Use this field to specify how overdue [demand](#) from Advanced Customer [Scheduling](#) is considered in the [MRP](#) run.

Use this checkbox as follows:

Unchecked (default) - For [demand](#) from Advanced [Customer Schedules](#) to be included in the quoted model's planning run, if the [schedule's demand](#) date is equal to or later than or the quoted model's current date and earlier than or equal to the planned item's end date

Checked - For [demand](#) from Advanced [Customer Schedules](#) to be included in the quoted model's planning run, if the [schedule's demand](#) date is later than or equal to the quoted model's [start date](#) and earlier than or equal to the planned item's end date

Functions**Inter-model Extract (F15)**

Use this to display the Inter-model Extract window, which you use to import suggested [dependent demand](#) from multiple [planning models](#) into the quoted run model.

Select **Update (F8)** to validate the data or press Enter to display the [MRP](#) Additional Parameters Model Details window.

MRP Additional Parameters Model Details Window

To display this window, press Enter on the [MRP](#) Additional Parameters window.

Use this window to enter more selection parameters for the [MRP](#) run.

Fields**Include Suggested MPS**

Use this field to specify whether you want to include suggested [MPS schedules](#) from the corresponding [MPS](#) plan as an [input](#) to the [MRP](#) run. This option is only [available](#) for the [regenerative](#) run.

Select one of the following:

Yes (1) - To include suggested [MPS schedules](#)

With Phantoms (2) - To include any [MPS phantom items](#)

Daily Summaries for Co-products

You can use this if process groups are included in the [MRP](#) run. If you are using co-product planning, every day the system produces a [supply](#) and [demand](#) summary for each item involved - both the co-product and other items in the process group.

Use this checkbox as follows:

Unchecked - If daily [supply](#) and [demand](#) analyses for concurrent [co-products](#) are not retained

Checked - If daily [supply](#) and [demand](#) analyses for concurrent [co-products](#) are retained for use in the [MRP](#) Review

Forecast Netting Basis

Use this field to determine the way in which multi-plant forecasts are processed in an [MRP](#) run.

Select one of the following:

Central (0) - To only include the forecast for the central model in calculations

Planning Unit (1) - To pick up forecasts for planning units (plants, [cells](#), or both) planned within a central model

Multi-sourcing Basis

Use this field to tell [MRP](#) which multi-sourcing rule it needs to apply.

Select one of the following:

Ignore (0) - To ignore multi-sourcing rules, that is, you require single sourcing

Central+Plan.Unit (1) - To consider rules for the central model [set up](#) with subsets of planning units (for example, central and plant models)

P.Unit (2) - To consider only those multi-sourcing rules that are defined for the planning unit

Save Critical Resource Load

Use this field to specify whether resource [balances](#) are saved for review at the end of an [MRP](#) run.

Use this checkbox as follows:

Unchecked - Not to save the critical resource [load](#)

Checked - To record the [load](#) against a critical resource so that it can be analysed later to see if its [capacity](#) has been exceeded

Critical Resource Load Policy

Use this field to define how the critical resource opening [capacity balance](#) will be constructed.

Select one of the following:

Refresh (0)

Each critical resource will be fully [available](#) each time the model is run. Each run of the model will extract the critical resource [capacity](#) from the [capacity](#) definitions created by Maintain Critical [Resources](#) and Maintain [Capacity](#) Profiles. The resource is [loaded](#) into the time [buckets](#) defined on the run model's [reporting profile](#). No [load](#) is initially included and the total [capacity](#) is [available](#) from the start.

Alternative Model Profile (1)

If you use this, you must enter a model in the Alternative Resource Model field. That is where this policy differs from the previous one. The [reporting profile](#) is taken from the alternative resource model. If there is existing [load](#) on the alternative model, as long as it is not as a consequence of [supply](#) relating to the run model, it is included in the extract.

Alternative Model with Update (2)

For this policy, you must enter a model in the Alternative Resource Model field below. The run model and the alternative model will be updated with the current critical resource [balances](#) when the run is completed.

Daily Resource [Loading](#) (3)

This allows critical resource [loads](#) to be viewed in daily [buckets](#) rather than by [reporting profile](#), up to a maximum of one year.

Note: This field is only applicable if multi-sourcing is defined as a requirement in the Production [company profile](#).

Alternative Resource Model

You must enter a model in this field if you selected Alternative Model Profile or Alternative Model with Update in the Critical Resource [Load](#) Policy field.

Note: This field is only applicable if multi-sourcing is defined as a requirement in the Production [company profile](#).

Select **Update (F8)** to validate all the data and return to the [MRP](#) Run Options window.

Review MRP [12/MRP]

Use this task to review the results of the last [MRP](#) run.

MRP Enquiry Selection Window

To display this window, select the Review [MRP](#) task.

You use this window to enter the model for which you want to review the results of the [MRP](#) run.

Fields**Model**

Enter the model on which you want to enquire.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Press Enter to display the [MRP](#) Enquiry Item Selection window.

MRP Enquiry Item Selection Window

To display this window, press Enter on the [MRP](#) Enquiry Selection window.

You use this window to enter more selection parameters for the enquiry. You can enter the item, [cell](#) or [planner](#) codes.

Fields**Model**

This field displays the selected model for information only and cannot be amended.

Select Item

Enter an item to review. If the item does not exist, the details for the next [MRP](#) item will be displayed.

Alternatively, use the prompt facility to select from the Select Item pop-up.

Plant

This field is only displayed if you set the Planning Basis field on the [MRP](#) Additional Parameters window in the Run [MRP](#) task to **1** (Multi-plant).

Enter a specific plant to limit the enquiry to include only this plant. You can enter the central model.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Leave this field blank to produce a global view of all plants and the central model where the item exists.

Planner

Enter a [planner](#). The review will only include items for that [planner](#). If the [planner](#) does not exist, the details of the next [planner](#) will be displayed.

You can use the prompt facility on this field to select from the PLAN [Planner](#) Code pop-up.

Default Detail Panel

Use this checkbox as follows:

Unchecked - If the [MRP](#) Enquiry Summary window is to be the default

Checked - If the [MRP](#) Enquiry Detail window is to be the default

The window you select will remain the default while you stay in the task.

Press Enter to display either the [MRP](#) Enquiry Summary window or the [MRP](#) Enquiry Detail window, depending on the Default Detail Panel field.

MRP Enquiry Summary Window

To display this window, leave the Default Detail Panel field unchecked and then press Enter on the [MRP](#) Enquiry Item Selection window.

This window displays a summary of the item [supply](#) and [demand schedule](#), using the item periods defined in the model. The exact information displayed on this window depends on your selection criteria.

The top part of the window displays information about the [MRP](#) run and the item.

The bottom part of the window displays a list of [time fence](#) periods, starting with any overdue [demand](#) and a total for all of the displayed periods.

The following information is displayed for each period:

- Actual [Demand](#)
Total Sales [Demand](#) + [Dependent Demand](#) due in the period
[Dependent demand](#) is the generated [component](#) requirements for orders, offset by lead-time from the parent order due date.
- Forecast
The total of [sales forecasts](#) and [stock forecasts](#) in the period
- Adjusted [Demand](#)
The calculated [demand](#) due in the summary reporting period
This quantity is a function of comparing the actual [demand](#) with the [sales forecast](#) as determined by the [demand policy](#) for the item, along with the forecast consumption method and manual adjustments to [demand](#).
- [Supply](#)
This is the total of existing supplies in the reporting period, before any intervention that may have been recommended by the planning run.
- [Available](#)
This is calculated as Previous Period Quantity [Available](#) + [Supply](#) - Adjusted [Demand](#). In the first period, Previous Period Quantity [Available](#) = [Physical Stock](#) on hand.
- Net Requirement
This is calculated as Adjusted [Demand](#) + [Safety Stock](#) + Safety Cover + Largest [Stock Forecast](#) in period - Previous Period [Available](#) - Existing Supplies.
- Planned Receipts

This is the [MRP](#) suggested [supply schedule](#) for production orders, [production schedules](#), transfer orders, stock becoming [available](#), and purchase orders. This shows the total of all [MRP](#) recommended supplies due in the period.

- [Planned Available](#)

This is calculated as Previous Period [Planned Available](#) + Planned Receipts - Adjusted [Demand](#). In the first period, Previous [Planned Available](#) = [Physical Stock](#) on hand.

Note: You can use Page Up and Page Down to display the previous or next periods.

Fields

Item

Enter a valid item to display planning summary for that item.

Alternatively, use the prompt facility to select from the Select Item pop-up.

This is equivalent to returning to the previous window and changing the item.

Functions

Previous Item (F16)

Use this to display details of the item before the one currently displayed.

Detail (F17)

Use this to display the [MRP](#) Enquiry Detail window.

Next Item (F19)

Use this to display details of the item following the one currently displayed, or the next item within this [planner](#) group.

Next Planner (F20)

Use this to display the first item from the next [planner](#) group.

Select **Detail (F17)** to display the [MRP](#) Enquiry Detail window for the item.

Alternatively, select **Exit (F3)** to leave the task.

MRP Enquiry Detail Window

To display this window, check the Default Detail Panel field and then press Enter on the [MRP](#) Enquiry Item Selection window.

Alternatively, select **Detail (F17)** on the [MRP](#) Enquiry Summary window.

This window displays the detailed results of the [MRP](#) run for this item. All [supply](#) or [demand](#) records processed or generated by the [MRP](#) run are displayed, together with their corresponding recommendations and projected inventory [balances](#).

The following details are displayed:

- The [planning model](#)
- The [start date](#)
- The [time fence](#)

This is suppressed if a global view is taken for a multi-plant review because it could differ for each item/model.

- The F/C (forecast) [time fence](#)

This is suppressed if a global view is taken for a multi-plant review because it could differ for each item/model.

- The end date

This is suppressed if a global view is taken for a multi-plant review because it could differ for each item/model.

- The item code and description
- The plant

This is shown if a plant-specific view is taken

- The planning basis
- The [MRP](#) date

For [generated demand](#), this is the required date of the [demand](#), reflecting higher-level [MRP](#) suggestions. For [independent demand](#), the forecast or shipment date is displayed. For a [supply](#), it is either the [MRP](#) recommended due date or the current due date, depending on the display. If the date is shown as 99*** this indicates a zero [demand](#), with an existing [supply](#).

- The [demand](#) reference

This is the sales order or contract number for the [demand](#) of the item at the [MRP](#) date.

- The amount of the item in [demand](#) and the amount to be supplied
- The [supply](#) reference

This could be the production [route](#) that will be used to [supply](#) the item, or the purchase order number (if the item is a purchased one), or the stockroom where the [supply](#) material is normally held. For example, SR:RM indicates stockroom RM. It could also be the work order number.

- The [available stock](#)

Status Codes

The following [demand](#) status and [supply](#) status codes can be displayed:

Demand Status Codes

- C1 - [Customer schedule](#) horizon 1
- C2 - [Customer schedule](#) horizon 2
- C3 - [Customer schedule](#) horizon 3
- C4 - [Customer schedule](#) horizon 4
- C5 - [Customer schedule](#) horizon 5

- CA - Cancelled
- CC - Concurrent co-product [demand](#)
- CD - Cumulative [demand](#)
- CI - [Customer schedule](#) Daily Call In (DCI)
- CR - [Customer schedule](#) Receipt Advice Notification (RAN)
- CS - Confirmed [schedule](#)
- CW - [Confirmed production order](#)
- DO - Firm distribution order
- DX - Firm excluded distribution order
- FC - [Sales forecast](#)
- FI - Forecast excluded by forecast [time fence](#)
- FS - [Stock forecast](#)
- FX - Excluded [sales forecast](#)
- IW - [Active production order](#)
- MA - Manual adjustment
- OS - Out of date stock
- PW - [Planned production order](#)
- PX - Excluded [suggested purchase](#) order
- RW - [Released production order](#)
- SC - Safety cover
- SO - Sales order
- SP - [Suggested purchase](#) order
- SS - Suggested [schedule](#)
- ST - Suggested transfer order
- SW - [Suggested production order](#)
- SX - Excluded sales order
- TO - Firm transfer order
- TX - Excluded firm transfer order
- WX - Excluded production order
- XC - Excluded safety cover
- XI - Excluded [customer schedule](#) Daily Call In (DCI)
- XR - Excluded [customer schedule](#) Receipt Advice Notification (RAN)
- XS - Excluded firm [schedule](#)
- XT - Excluded suggested transfer order
- XW - Excluded phantom [suggested production order](#)

For further codes, refer to parameter type PDSC within the Maintain Parameters section in the Production System Utilities chapter of the Production Definition Management product guide.

Note: Sales orders with suspend codes included in Manufacturing Parameter OEIG will not be included in the run.

Supply Status Codes

- CN - Cancelled
- CP - Confirmed purchase order
- CS - Confirmed [schedule](#)
- CW - [Confirmed production order](#)
- EX - Expired stock
- DO - Firm distribution order
- GI - Goods inwards (Purchase Management)
- HD - Held stock
- IS - Inspection (Purchase Management)
- IW - [Active production order](#)
- PA - Past live date
- PW - [Planned production order](#)
- RS - Released stock
- RW - [Released production order](#)
- SP - [Suggested purchase](#) order
- SS - Suggested [schedule](#)
- ST - Suggested transfer order
- SW - [Suggested production order](#)
- TO - Firm transfer order
- UP - No call off (unplanned purchase)
- XW - Phantom [suggested production order](#)

For further codes, refer to parameter type PSSC within the Maintain Parameters section in the Production System Utilities chapter of the Production Definition Management product guide.

Action

This is the recommended action for the [supply](#) order. One of the major purposes of [MRP](#) is to provide planning support for order actions needed for the orderly [supply](#) of material.

[MRP](#) provides information to assist [planners](#) in making decisions on the required action to optimise the [supply schedule](#). Procurement of purchased items is also supported by suggestions to change purchasing [schedules](#) and to create new purchase orders.

The advice is based on the latest status of material requirements and the current inventory [order status](#). The software can make the following recommendations:

- CA - Cancel [supply](#)
- CS - Create [supply](#)
- CQ - Change quantity

- DI - Dispose of lot
- EC - Non-executable change of quantity with potential [effectivity](#) check for [components](#)
- EF - Check [effectivity](#)
- EI - Expedite and check [effectivity](#)
- EICQ - Expedite, change quantity and check [effectivity](#)
- EL - Extend life of lot
- EO - Defer and check [effectivity](#)
- EOCQ - Defer, change quantity and check [effectivity](#)
- EQCQ - Change quantity and check [effectivity](#)
- MS - Manual [supply](#)
- NI - Non-executable expedite
- NINQ - Non-executable expedite and change quantity
- NO - Non-executable defer
- NONQ - Non-executable defer and change quantity
- NQ - Non-executable change quantity
- PS - [Supply](#) raised post item plan
- RI - Re-[schedule](#) in (expedite)
- RICQ - Expedite and change quantity
- RL - Release lot
- RO - Re-[schedule](#) out (defer)
- ROCG - Defer and change quantity

For further codes, refer to parameter type PEXC within the Maintain Parameters section in the Production System Utilities chapter of the Production Definition Management product guide.

Available

This is the [planned available stock](#). The [MRP](#) recommended due date sequence reflects the [supply](#) recommendations. In current due date sequence, it reflects the current [supply schedule](#) in terms of quantities and due dates. It is calculated for each day that a [demand](#) or [supply](#) line is present and represents the projected inventory level.

Fields

Item

Enter a valid item to display planning detail for that item.

Alternatively, use the prompt facility to select from the Select Item pop-up.

This is equivalent to returning to the previous window and changing the item.

Options

Maintain Supply

Use this to display the [MRP Supply](#) Maintenance pop-up, where you can maintain the existing [schedule](#) item [supply](#).

If the [supply](#) is a process group and comprises multiple [outputs](#), when the process group is changed, all the [supply](#) records for the original group are removed and replaced with a set of [outputs](#) defined on the new process group/[route](#). The quantity displayed (whether amended or not) is used to set the quantity of the [primary co-product](#) on the process group/[route](#). This quantity can then be used to calculate the equivalent quantities of other [outputs](#) on the [route](#). There is no need to re-run [MPS](#) to see the effect of these changes.

Note: The new process group must have the same [primary co-product](#) as the original process group. If you want to replace the [supply](#) with a process group that is more loosely related, it will be necessary to delete the [supply](#) and create a brand new [supply](#) for the process group with another [primary co-product](#).

For [Suggested Purchase](#) Order supplies, the [Planning Filter](#) is maintained using Maintain [Supply](#) against the line. The [MPS/MRP](#) Filter entered here is passed through to the Requisition and from there on to the Purchase Order itself when it is created.

Display All Outputs

Use this to display the [MRP](#) All [Outputs](#) pop-up, which shows all [outputs](#) for a process group item only.

Note: If you select a [supply](#) item which, at the end of the production process, creates additional [outputs](#) (for example [by-products](#) or waste), when you select Display All [Outputs](#), the [MRP](#) All [Outputs](#) pop-up displays the [outputs](#) for the process group of the [primary co-product](#).

Dependent Requirements

Use this to display the [MRP](#) Dependent Requirements window. This window displays all [input](#) requirements for the selected [supply](#).

Maintain Order

Use this to select a production order for creation or maintenance. This displays the Production Order Maintenance window. You use this window to maintain an existing production order or create a new order against a suggested order. If you are using multi-plant or multi-sourcing, the plant is displayed.

Note: You can also use the Confirm [MRP](#) Suggested Orders task to create production orders in bulk. You can confirm suggested schedules (that is, make firm) using the Confirm [MRP](#) Suggested Schedules task.

For existing Purchase Orders, maintenance of the [MPS/MRP](#) Filter and the Firm Planned Order Status flag can be effected using the Maintain Order option. This is only available if the MPOP Parameter is switched on, which allows access to Purchase Order Maintenance from [MPS/MRP](#). Otherwise the Filters and Firm Planned Flag must be maintained through the Purchase Management options.

Caution: You can only maintain and create production orders for the planning model defined in the company profile, or for an autonomous plant.

Peg Demand

This pegs [dependent demand](#) only. This displays the [MRP schedule](#) for the parent item that generated the [demand](#). This is only possible for [component](#) items.

Supply Details

Use this if the planning basis is multi-plant or single unit sourcing. If you are enquiring on a sourced plant model within, or independent of, a central model, use this to display the [MRP Supply](#) Details window.

Demand Details

This is used if the planning basis is multi-plant or single unit sourcing. If you are enquiring on a sourced plant model within, or independent of, a central model, use this to display the [MRP Demand](#) Details window.

Review Individual Item Schedule

Use this to display the [MRP](#) Review [Item Schedule](#) window. This window displays details of the [scheduled supply](#).

Functions**Review Scheduled Demand (F6)**

Use this to display the [MRP](#) Review [Scheduled](#) Requirements window. This window displays the [scheduled](#) daily material requirements together with the [input](#) item's [supply](#) plan or firm [work station schedule](#).

Item Schedule Quantity Required/Remaining (F7)

Use this to toggle the display between the [item schedule's](#) original or outstanding quantity.

Review Projected Demand (F9)

Use this to display the [MRP](#) Review [Scheduled](#) Requirements window with projected [demand](#). This window displays the [scheduled](#) daily material requirements together with the [input](#) item's [supply](#) plan or firm [work station schedule](#).

Add New Supply (F10)

Use this to add a new [supply](#) on the [MRP Supply](#) Maintenance pop-up.

Review Item Schedule - All (F13)

Use this to display the [MRP](#) Review [Item Schedules](#) window with all [scheduled](#) supplies in terms of the [MRP](#) item [supply](#) plan and the detailed [work station](#) plan.

Show/Hide Excluded Demand (F14)

Use this to toggle between displaying and hiding excluded [demand](#) ([demand](#) that is excluded from the netting process).

Include/Exclude Zero Supply (F15)

Use this to toggle between displaying results including and excluding zero [supply](#).

Previous Item (F16)

Use this to display the previous item.

Summary (F17)

Use this to display the [MRP](#) Enquiry Summary window for this item.

Review Item Details (F18)

Use this to display the [MRP](#) Header Details pop-up.

Next Item (F19)

Use this to display the next item, or the next item within this [planner](#) group.

Next Planner (F20)

Use this to display the first item from the next [planner](#) group.

Change Date Sequence (F21)

Use this to toggle between the recommended [MRP](#) dates and quantities and the planned (i.e. current) dates and quantities. If the Manufacturing parameter PLRV detail record has been set to **1** (in the right-hand field), the effect of any [release lead time](#) or [delivery lead time](#) set against the item may be seen. In this case, four different windows are displayed using this.

Note: Only one detail code is allowed within parameter PLRV.

Detail Line (F22)

Use this to display additional details for each line. Details shown include the due date, earliest and latest [start dates](#) and the [demand](#) reference.

Select **Previous (F12)** to return to the previous window.

MRP Supply Maintenance Pop-up

To display this pop-up, select Maintain [Supply](#) against a line on the [MRP](#) Enquiry Detail window.

Alternatively, select **Add New Supply (F10)** on the [MRP](#) Enquiry Detail window.

If you are operating multi-plant or multi-sourcing, the associated plant is displayed.

Use this window to create a new item [supply](#). For a new [supply](#) where the item is manufactured, the pop-up defaults to the [planning route](#) specific to that plant in a multi-plant or plant environment where a plant-specific view is taken. Otherwise, the item master [planning route](#) is the default.

Fields**Due Date**

This field displays the current due date of the [supply](#). You can set an [MRP trigger](#) by amending the date on a firm [schedule](#).

For suggested supplies for purchased items, if a Supplier Calendar is defined for the Supplier, Supplier/Item, or Supplier/Item/Stockroom, then the Due Date entered is checked to ensure that it is a valid delivery date on the Supplier's Delivery [Schedule](#). If it is not, a warning message is issued, to warn that the Due Date may not be achievable. The date can be accepted as it is, or a new date can be selected from a list of [available](#) delivery dates.

Quantity

This field displays the current quantity of the [supply](#). You can set an [MRP trigger](#) by amending the quantity on a firm [schedule](#).

Route

This field displays the production [route](#), brought forward from the previous window. You can change the default [route](#) here.

You can use the prompt facility on this field to select from the Select [Route](#) pop-up.

Stockroom

This field displays the default stockroom. You can change it here.

You can use the prompt facility on this field to select from the Select Stockroom pop-up.

Planning Filter

You can enter the [planning filter](#) for this specific item, if it has one.

If you enter a value, this is validated against company-specific filters if the [MRP Planning Filter](#) Code parameter type is defined as company-dependent in the Parameters file. Otherwise, it checks for non-company-specific filters.

You can use the prompt facility on this field to select from the WTyp Reschedule Policy pop-up.

Planner Name

This field is displayed name of the [planner](#) which given in production details.

PO Confirm Flag

This field is displayed name of the [planner](#) which given in production details.

Confirm Schedule

This field is displayed for [schedule](#)-controlled items only.

Use this checkbox as follows:

Unchecked - To return a confirmed [schedule](#) to suggested, as long as an equivalent firm [work station schedule](#) does not exist

Checked - To change to a confirmed [schedule](#), which can be retained within the next [MRP](#) run

Firm Planned Supply

This field is [available](#) for [schedule](#)-controlled items only.

Use this checkbox as follows:

Unchecked - If this is not a firm planned [supply](#)

Checked - If this is a firm planned [supply](#) (that is, planned [supply](#) that is frozen by the [planner](#) in terms of its quantity and timing)

Select **Previous (F12)** to re-display the [MRP](#) Enquiry Detail window.

MRP All Outputs Pop-up

To display this pop-up, select Display All [Outputs](#) against a line on the [MRP](#) Enquiry Detail window.

This pop-up displays all [outputs](#) for a process group item.

If you enter a co-product item or a concurrent co-product process group item in the Select Item field on the [MRP](#) Enquiry Item Selection window, this pop-up displays all the [outputs](#) for the [supply](#). For new suggestions, they are calculated in the ratios of the quantities on the [planning route](#). Each [output](#) for the process group will also have its own individual [MRP](#) plan.

Functions

Planned Quantities/Suggested Quantities (F19)

Use this to toggle the display between the suggested quantities and the planned quantities. For existing supplies, the planned quantity is the current quantity.

Daily Summaries (F20)

This function is only [available](#) if the Daily Summaries for [Co-products](#) field was **checked** on the [MRP](#) Run Additional Parameters window. It displays a window showing the daily [demand](#) and [supply](#) summary information that was calculated for each co-product during the run.

Select **Previous (F12)** to return to the [MRP](#) Enquiry Detail window.

MRP Daily Co-product Summaries Window

To display this window, select **Daily Summaries (F20)** on the [MRP](#) All [Outputs](#) pop-up.

This window displays all the calculated daily [demands](#) and supplies for the [co-products](#) in the process group selected. The daily summaries are shown for the date of the selected [supply](#) on the [MRP](#) All [Outputs](#) window.

Fields

This window shows the daily quantities for each co-product. The opening stock is first adjusted by existing supplies and the total [demand](#) to give a [net demand](#) for each item. This [net demand](#) is then converted into its equivalent quantity as expressed in terms of the process group. The co-product with the largest resulting [demand](#) in process group terms becomes the [demand](#) driver for that date. The last field shows the resulting closing [available](#) quantities for each of the [co-products](#).

Functions

Detail (F17)

Use this to display the full [demand](#) details for all the [co-products](#) on the date in question.

Select **Previous (F12)** to return to the [MRP](#) All [Outputs](#) pop-up.

MRP Daily Co-product Demand Details

To display this window, select **Detail (F17)** on the [MRP](#) Daily Co-product Summaries window.

This window displays all the daily [demand](#) for the [co-products](#) in the process group selected. The daily [demands](#) are shown for the date of the selected [supply](#) on the [MRP](#) All [Outputs](#) pop-up.

Select **Previous (F12)** to return to the [MRP](#) Daily Co-product Summaries window.

MRP Dependent Requirements Window

To display this window, select Dependent Requirements against a line on the [MRP](#) Enquiry Detail window.

This window displays all [input](#) requirements for the selected [supply](#). It provides you with the ability to drill down from the [supply](#) for a manufacturing parent to its dependent [components](#).

The top part of the window displays the following:

- Sets of related [demand](#) and [supply](#)
 - Each selected [demand](#) in conjunction with any other [demands](#) considered during the last planning run
 - The [supply](#) recommendations for this [demand](#)
 - Each selected [supply](#) in conjunction with any other supplies considered during the last planning run
 - The [demand](#) that drove the [supply](#) recommendations

[Supply](#) details show the suggested or planned [supply](#) date and quantity, together with the type from the planning review

The bottom part of the window displays the [dependent demand](#) requirements for the [supply](#) selected on the previous window.

Fields**Top Part of Window****Option (O)**

Enter one of the following:

- 2 - To display the [MRP Supply](#) Maintenance pop-up, where you can maintain the existing [schedule](#) item [supply](#)

3 - To display the [MRP](#) All [Outputs](#) pop-up, which shows all [outputs](#) for a concurrent co-product process group item only

4 - To display the [MRP](#) Dependent Requirements window, which displays all [input](#) requirements for the selected [supply](#)

5 - To select a production order for maintenance

This displays the Production Order Maintenance window. You use this window to maintain an existing production order or create a new order against a suggested order. If you are using multi-plant or multi-sourcing, the plant is displayed.

Note: You can also use the *Confirm MRP Suggested Orders* task to create production orders in bulk. You can confirm suggested schedules, that is, make firm, using the *Confirm MRP Suggested Schedules* task.

Caution: You can only maintain and create production orders for the planning model defined in the company profile, or for an autonomous plant.

6 - To peg [dependent demand](#) only

This displays the [schedule](#) for the parent item that generated the [demand](#). This is only possible for [component](#) items.

7 - To display the [MRP Supply](#) Details window if you are enquiring on a sourced plant model within, or independent of, a central model

Use this if the planning basis is multi-plant or single unit sourcing.

8 - To display the [MRP Demand](#) Details window if you are enquiring on a sourced plant model within, or independent of, a central model

Use this if the planning basis is multi-plant or single unit sourcing.

9 - To display the [MRP](#) Review [Item Schedule](#) window, with details of the [scheduled supply](#)

Bottom Part of Window

Option (O)

Enter one of the following:

3 - To display the [MRP](#) Review [Scheduled](#) Requirements window, showing the [scheduled](#) daily material requirements, together with the [input](#) item's [supply](#) plan or firm [work station schedule](#)

4 - To display the [MRP](#) Review [Scheduled](#) Requirements window, with projected [demand](#)

This window displays the [scheduled](#) daily material requirements together with the [input](#) item's [supply](#) plan or firm [work station schedule](#).

6 - To peg [dependent demand](#) only

This displays the [schedule](#) for the parent item that generated the [demand](#) and is only [available](#) for [component](#) items.

8 - To display the [MRP Demand](#) Details window if you are enquiring on a sourced plant model within, or independent of, a central model

Use this if the planning basis is multi-plant or single unit sourcing.

Functions

Show/Hide Exc Demand (F14)

Use this to toggle between displaying hiding excluded [demand](#), that is, [demand](#) that is excluded from the netting process.

Inc/Exc Zero Supply (F15)

Use this to toggle between displaying results including and excluding zero [supply](#).

Key (F19)

Use this to display a pop-up showing a key to the symbols used on this window.

Pegging Outcome (F20)

Use this to determine which window is displayed when you peg [demand](#) by entering **6** against it. When you use this, the text displayed in the top part of the window shows how the pegged [demand](#) will be displayed.

Change Sequence (F21)

Use this to toggle between the recommended dates and quantities, and the planned dates and quantities. If the PLRV parameter is set to **1**, it is also possible to view the details by either [supply](#) dates or the [creation dates](#), taking the [delivery lead times](#) or [release lead times](#) into account.

Expand/Contract (F22)

Use this to show or hide the [dependent demand](#) part of the window. This is useful to give more visibility of traced [component demand](#) and [supply](#).

Select **Previous (F12)** to return to the [MRP](#) Enquiry Detail window.

MRP Supply Details Window

To display this window, select [Supply](#) Details against a line on the [MRP](#) Enquiry Detail window.

Use this window to view which stockroom and [cell](#) supplies the item. This is used in a multi-plant environment.

Options

Demand Parameters

Use this to display the [demand](#) parameters used when processing the [demand](#).

Peg to Demand

Use this to peg to the item [demand](#) plant. This will display the source of the [demand](#) relating to the [supply](#) you have selected.

Functions

Peg to Transfer (F6)

Use this to peg to the item transfer from the plant. This will display the source of the distribution order or transfer order relating to the [supply](#) you have selected.

Note: This is only applicable if you are reviewing a distribution order, transfer order, or in-transit [supply](#).

Supply Parameters (F14)

Use this to display the [supply](#) parameters used ([supply](#) policy, and so on) to generate a new [supply](#), or suggest a change to an existing firm [supply](#).

Rule Details (F15)

Use this to display the sourcing rule type used to generate the suggested [supply](#) and the resultant outcome.

Display All Outputs (F16)

Use this to display all the [outputs](#) if the item is part of a process group.

Planned/Suggested Requirements (F19)

Use this to toggle between displaying the planned and suggested quantities.

Select **Previous (F12)** to return to the [MRP](#) Enquiry Details window.

MRP Supply Parameters Pop-up

To display this window, select [Supply Parameters \(F14\)](#) on the [MRP Supply](#) Details window.

Alternatively, select [Supply](#) Parameters against a line on the [MRP Demand](#) Details window.

You use this window to view [demand policy](#) settings depending on the type of [supply](#) selected.

Select **Previous (F12)** to return to the previous window.

MRP Demand Details Window

To display this window, select [Demand](#) Details against a line on the [MRP](#) Enquiry Detail window.

Use this window to view which stockroom and [cell](#) provides the [demand](#) for the item. This is used in a multi-plant environment.

Options**Supply Parameters**

Use this to display the [supply](#) parameters used ([supply](#) policy, and so on) to generate a new [supply](#), or to suggest a change to an existing firm [supply](#).

Rule Details

Use this to display the sourcing rule type used to generate the suggested [supply](#) and the resultant outcome.

Display All Outputs

Use this to display all [outputs](#).

Peg to Supply

Use this to peg to the item [supply](#) plant. This will display the source of the [supply](#) relating to the [demand](#) you have selected.

Functions**Peg to Transfer (F6)**

Use this to peg to the item transfer to plant. This will display the source of the distribution order or transfer order relating to the [demand](#) you have selected.

Note: This is only applicable if you are reviewing a distribution order, or transfer order [demand](#).

Demand Parameters (F13)

Use this to display the [demand](#) parameters used when processing the [demand](#) on the [Demand Parameters](#) pop-up.

Planned/Suggested Requirements (F19)

Use this to toggle between displaying the planned and suggested quantities.

Select **Previous (F12)** to return to the [MRP](#) Enquiry Detail window.

MRP Review Item Schedule Window

To display this window and show the [schedule](#) for an individual item, select Review Individual [Item Schedule](#) against a record on the [MRP](#) Enquiry Detail window.

Alternatively, to show the [schedule](#) for all planned supplies, select [Item Schedule \(F13\)](#) on the [MRP](#) Enquiry Detail window.

If you select a record on the [MRP](#) Enquiry Detail window with 9, the information displayed relates to a single work order [supply](#), or a single [item schedule supply](#). An [item schedule](#) can comprise of multiple [route](#) requirements if each of the nominated [routes](#) is a [flow route](#). A [flow route](#) comprises a single [count point](#) at the last [operation](#).

If you select [Item Schedule \(F13\)](#) on the [MRP](#) Enquiry Detail window, this window displays information relating to all of an item's supplies, in chronological order.

For each [scheduled supply](#), the following information is displayed:

- Date

This is the due date into inventory. The [release lead time](#) is not applied to this date. However, when a planned [supply](#) is pegged back to the planning review, the [supply's](#) due date will be inclusive of any [release lead time](#), that is, the date on which it can satisfy the [demand](#).

Note: You can select **Change Sequence (F21)** to view the suggested or planned date.

- The work order number (if applicable)
- The production [route](#)
- The [operation](#)

Only the last [operation](#) for each [route](#) is initially displayed. You can select **All Operations (F14)** to view all [operations](#).

- The [work station](#)
- Remaining [Scheduled](#) or Original [Scheduled](#)

This is the firm planned [loadings](#) for the order or [item schedule](#), less what has been completed. You can select **Expand/Contract (F22)** to see a breakdown of these figures.

- Original [Scheduled](#)

This is the original firm planned [loadings](#) for the order or [item schedule](#), regardless of what has been completed.

Note: Select **In./Exc. Complete (F7)** to toggle between remaining and original quantities.

- [WIP](#)

This is the amount of [WIP](#) currently being processed for the selected item or order

- [Available](#)

This is the on-hand [balance](#) plus the [scheduled](#) quantity plus [WIP](#).

- The suggested or planned quantity

Select **Change Sequence (F21)** to toggle between suggested date and quantity and planned [supply](#) date and quantity.

- [Variance](#)

The [work station schedule's](#) outstanding requirement at the last [operation](#), minus any shrinkage, plus [WIP](#) and on hand stock, is compared with the suggested or planned [supply](#), presenting any [variance](#). You can change the [variance start date](#).

Fields

Parent/Group

This field displays the parent item or [primary co-product](#) selected on the [MRP](#) Enquiry Detail window. You can change it here to display the [schedule](#) for a different item.

Start Date

This field displays the date on which the planning run was executed.

Variance From

This field displays the date from which [variances](#) are displayed.

Options**Review Workstation Load**

Use this to display the current machine [load](#) for the selected [work station](#) and date combination. The machine [load](#) is for all firm [work station schedules](#) for the [work station](#) and date.

Reschedule

Use this to display the [MRP](#) Reschedule Item/[Operation](#) window, which you use to re-[schedule](#) all item and [operations](#) combinations or all order and [operations](#) combinations for the selected date.

For a [flow route](#) item, this displays the [MRP](#) Maintain Line [Schedule](#) window, which you use to re-[schedule](#) a [flow route](#) item.

WIP Location Stock Status

This displays the stock status in [WIP inventory](#).

Dependent Requirements

This displays the [MRP](#) Review Dependent Requirements window, which shows the daily material requirements for the selected [supply](#).

Select Order

This selects a production order for maintenance. This displays the Production Order Maintenance window, which you use to maintain an existing production order or create a new order against a suggested order. If you are using multi-plant or multi-sourcing, the plant is displayed.

Review MPS/MRP

Use this to return to the [MRP](#) Enquiry Detail window for the current item. If a co-product with [primary process group work station schedule](#) is reviewed, this will present the process group [supply's primary co-product](#) within the planning review.

Generate Pull List

Use this to create a pull list for an individual [supply](#).

W.Station Capacity

Use this to display the [Work Station Capacity](#) pop-up, which shows details of the [work station capacity](#) for a selected [schedule](#) date or [operation](#).

9

Use this to compare a single [scheduled supply](#) in terms of the planned item [supply](#) plan and the detailed [work station](#) plan. This is only valid against lines where the [supply](#) is for a released or

active work order or for a [schedule](#); that is, [supply](#) types that can generate firm [work station schedules](#).

Functions

Inc./Exc. Complete (F7)

Use this to toggle the display between completed and partially completed [schedule](#) quantities. The default is to exclude them; that is, the remaining [schedule](#) quantity is presented.

Add Schedule (F10)

Use this to display the [MRP](#) Maintain Line [Schedule](#) window, which you use to add a flow-[route schedule](#).

Item Schedule (F13)

Use this to display the [MRP](#) Review [Item Schedule](#) All [Schedules](#) window, which shows:

- All planned supplies from the specified [start date](#) for the given item
- All of the item's [work station schedules](#)

All Operations/Last Operation (F14)

Use this to display all [operations](#) or just the last [operation](#), as required. Where all [operations](#) are displayed, the last [operation](#) on each [route](#) is indicated by an asterisk. The default is to display the last [operation](#) only.

Include/Exclude On Hand (F15)

Use this to toggle the display so that it includes or excludes the on-hand [balance](#), from the item's inventory stockrooms, existing in the [planning model](#).

Stockroom Enq. (F16)

Use this to display the Stockroom [Balances](#) pop-up, which lists the inventory [balances](#) for all the stockrooms in which the item has been defined. You can select an individual [balance](#) and display the Inventory Item/Stockroom Enquiry Detail window.

Inc./Exc. Other Supply (F17)

Use this to include or exclude planned supply types for which firm work station schedules cannot be generated. The default is to exclude them.

Key (F19)

Use this to display a pop-up showing a key to the symbols used on this window.

Change Sequence (F21)

Use this to change the sequence from the planned suggested date and quantity to the planned [supply](#) date and quantity.

Expand/Contract (F22)

Use this to toggle the display between displaying and hiding extra details for the [operation](#).

Select **Previous (F12)** to return to the previous window.

MRP Review Dependent Requirements Window

To display this window, select Dependent Requirements against a [scheduled supply](#) record on the [MRP Review Item Schedule](#) window.

You use this window to view individual [work station](#) requirements for the [item schedule](#) or work order and the [scheduled](#) or projected dependent daily material requirements.

Fields

Top Part of Window

Option (O)

Enter one of the following:

1 - To display the Review [Work Station Load](#) window, which you use to view the [work station load](#) and [capacity](#) in bar chart form

2 - To display the [MRP Reschedule Item/Operation](#) window, which you use to re-[schedule](#) all item and [operations](#) or order [operations](#) for the selected date

If this is a [flow route](#) item, the window displayed is the [MRP Maintain Line Schedule](#) window.

3 - To display the Inventory [WIP Location](#) Stock Status pop-up

4 - To change the [dependent demand](#) displayed in the bottom part of the window to the selected [work station](#) requirement

5 - To select a production order for maintenance

This displays the Production Order Maintenance window, which you use to maintain an existing production order or create a new order against a suggested order. If you are using multi-plant or multi-sourcing, the plant is displayed.

7 - To display the Generate Pull List pop-up, which you use to create the pull list for this individual [supply](#)

8 - To display the [Work Station Capacity](#) pop-up, which displays details about the [work station capacity](#) for the selected [operation](#)

Bottom Part of Window

Option (O)

Enter one of the following:

3 - To display [scheduled](#) requirements for the selected [demand](#)

4 - To display projected requirements for the selected [demand](#)

Functions

Key (F19)

Use this to display a pop-up showing a key to the symbols used on this window.

Projected/Scheduled Demand (F20)

Use this to toggle the selection options on the bottom part of the window between **3** (Review [Scheduled Demand](#)) and **4** (Review Projected [Demand](#)).

Select **Previous (F12)** to return to the previous window.

MRP Generate Pull List Pop-up

To display this pop-up, select Generate Pull List against a [scheduled supply](#) on the [MRP](#) Review Dependent Requirements window.

You use this pop-up to create a daily material pull list for a single [supply](#).

The pop-up is displayed with the information for the [scheduled supply](#) that you have selected. You can create a pull list for the entire [supply](#) by leaving the fields blank.

Fields**From Operation/To Operation**

Enter the range of [operations](#) for which you want to create the pull list. These fields default from the [scheduled supply](#) you selected.

You can use the prompt facility on these fields to select from the Scan [Operation](#) Sequence pop-up.

From Date/To Date

Enter or select the range of dates for which you want to create the pull list. These fields default from the [scheduled supply](#) you selected.

Enter your selection criteria and then press Enter. Select **Submit (F8)** to create the pull list.

MRP Review Scheduled Requirements Window

To display this window, select **Review [Scheduled Demand](#) (F6)** or **Review Projected [Demand](#) (F9)** on the [MRP](#) Enquiry Detail window.

Alternatively, select a record with 3 or 4 on either the [MRP](#) Dependent Requirements window or the [MRP](#) Review Dependent Requirements window.

You use this window to view the [scheduled](#) requirements for the item.

This window displays different information depending on how you select it.

To display the [scheduled](#) daily material requirements for the selected item:

- 1 Select **Review Scheduled Demand (F6)** on the MRP Enquiry Detail window.
- 2 Select a record with **3** on either the MRP Dependent Requirements window or the MRP Review Dependent Requirements window.

To display the projected daily material requirements for the selected item

- 1 Select **Review Projected Demand (F9)** on the MRP Enquiry Detail window.
- 2 Select a record with **4** on either the MRP Dependent Requirements window or the MRP Review Dependent Requirements window.

The following information is displayed for each [scheduled](#) requirement:

- The due date
- The parent item or works order
- The production [route](#)
- The [operation](#) sequence and [input](#) sequence
- The [primary stockroom](#)
- [Demand](#)

The [demand](#) quantity shows the daily material [demand](#) requirements, [scheduled](#), or projected, less any issued or consumed stock. The [scheduled demand](#) includes all [demand](#) generated from the execution of the pull list. If the window is displaying projected [demand](#), it includes all of the reviewed material [demand](#) requirements from the firm [work station schedules](#). That is, if you were to run the pull list, this is what it would generate.

- The [MRP](#) planned [supply](#)

This is the [MRP](#) suggested or planned [supply](#), or the firm [work station schedule supply](#), due on the suggested, or planned [supply](#) date, having added release lead-time to the inventory due date.

- [Variance](#)

This is the [demand](#) less planned or suggested [supply](#), or the quantity at the last [operation](#), planned or held, including or excluding inventory [balances](#) from the date displayed at the top of the window.

Functions

Issue Material (F14)

This function is only [available](#) if the item is shop floor-controlled. Use this to display the Issue Material Selection window in order to issue material.

Include/Exclude On Hand (F15)

Use this to toggle the display so that it includes or excludes the on-hand [balance](#) from the item's inventory stockrooms, existing in the [planning model](#).

Stockroom Enq (F16)

Use this to display the Stockroom [Balances](#) pop-up, which lists the inventory [balances](#) for all the stockrooms in which the item has been defined. You can select an individual [balance](#) and display the Inventory Item/Stockroom Enquiry Detail window.

Work Station Supply/MRP Supply (F17)

Use this to toggle the display between the outstanding firm [work station supply](#) at the last [operation](#) and the planned or suggested [MRP supply](#).

Key (F19)

Use this to display a pop-up showing a key to the symbols used on this window.

Parent Schedule/Item Schedule (F20)

Use this to toggle the display between the [item schedule](#) and the parent [schedule](#).

Change Sequence (F21)

Use this to change the sequence from the planned suggested date and quantity to the planned [supply](#) date and quantity.

Expand/Contract (F22)

Use this to toggle the display between displaying and hiding extra details for the [operation](#).

Select **Previous (F12)** to return to the previous window.

MRP Maintain Scheduled Requirement Pop-up

To display this pop-up, enter 2 against a [scheduled](#) requirement on the [MRP](#) Review [Scheduled](#) Requirements window.

You use this pop-up to change the issuing stockroom and quantity for [scheduled](#) daily material requirements, that is, for floorstock items.

Note: An item is defined as floorstock when the Material Policy is set to 3 (Shop [Floor Stock](#)) on the item Production Details.

The following information is displayed:

- The parent item or process group
- The production [route](#) and [operation](#) sequence
- The [work station](#)
- The [input](#) sequence
- The [input](#) item
- The date for the [scheduled](#) requirement
- The original quantity, the issued quantity and the quantity consumed
- The issuing and floorstock stockrooms and their on-hand quantities
- The pick reference and quantity, if the parent item is warehouse-controlled

Fields**Original Quantity Required**

This quantity must not be less than the quantity issued. The quantity cannot be amended if warehouse requirements have been generated and are now in progress.

This defaults from the previous window but you can change it here.

Issuing Stockroom

Enter a stockroom where the item is stocked. The stockroom cannot be amended if warehouse requirements have been generated and are now in progress.

This defaults from the previous window but you can change it here.

Functions

View Floor Stock (F15)

Use this to display the stockroom and lot [balances](#) for the issuing stockroom.

Stockroom Enquiry (F16)

Use this to display inventory [balances](#) and details for all the stockrooms where the item has been defined.

Select **Update (F8)** to save the changes and return to the previous window.

MRP Stockroom Balances Pop-up

To display this pop-up, select **Stockroom Enq (F16)** on the [MRP](#) Review [Scheduled](#) Requirements window.

This pop-up lists the inventory [balances](#) for all the stockrooms in which the item has been defined.

Options

Select

Use this to display the Item/Stockroom [MRP](#) Enquiry Detail window, with the details for the item and first stockroom combination.

Stock Enquiry

Use this to select a stockroom record. The Item/Stockroom [MRP](#) Enquiry Detail window is displayed, with the details for the item and stockroom combination.

Select **Previous (F12)** to return to the previous window.

MRP Header Details Pop-up

To display this pop-up, select **Review Item Details (F18)** on the [MRP](#) Enquiry Detail window.

This pop-up displays the header details for the last [MRP](#) run for the item you are reviewing. Certain fields are suppressed if a plant-specific or multi-plant global review is being carried out.

The following details are displayed:

- [Planner](#)
- Item group

- Date on which the item was last planned
- Unit of measure
- Opening stock
- Item quantities
- [Order policy](#)
- [Safety stock](#)
- [Item type](#)
- [Lead time](#)
- Supplier
- [Value/usage](#) class
- [GT family](#)
- [Release lead time](#)
- [Lead time](#) policy
- Safety [time fence](#)
- Safety cover period
- Safety cover factor

Select **Previous (F12)** to return to the [MRP](#) Enquiry Detail window.

Review Critical Resource Load [13/MRP]

Use this task to display the [capacity](#) and critical resource [load](#) of the plants and [cells](#) within a model. The availability of the critical resource is also shown and is represented in the unit of measure defined in the Critical [Resources](#) maintenance task.

MRP Review Critical Resource Load Selection Window

To display this window, select the Review Critical Resource [Load](#) task.

You use this window to enter the model for which you want to review critical resource.

Fields

Model

Enter the model for which you want to review critical resource.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Enter or select a model and then press Enter to display the [MRP](#) Review Critical Resource [Load](#) Plant Selection window.

MRP Review Critical Resource Load Plant Selection Window

To display this window, enter or select a model and then press Enter on the [MRP](#) Review Critical Resource [Load](#) Selection window.

Use this window to enter more selection parameters on this window. Details displayed include:

- The model code and type
- The planning basis
- The date range within which you want to review the critical resource [load](#)

Fields

Plant

You can enter a plant or [cell](#) in this field. If you do, the [load](#) on the plant or [cell](#) is displayed.

Note: This field is only applicable if multi-sourcing is defined as a requirement in the [Production company profile](#).

Critical Resource

You must enter the critical resource that you are reviewing.

Alternatively, use the prompt facility to select from the displayed pop-up.

Press Enter to display the [MRP](#) Review Critical Resource [Load](#) Additional Details window.

MRP Review Critical Resource Load Additional Details Window

To display this window, press Enter on the [MRP](#) Review Critical Resource [Load](#) Plant Selection window.

This window displays additional details about the critical resource.

You can change the plant and resource codes on this window if required.

The following information is displayed, in addition to the information from the previous window:

- The unit of measure for the [capacity](#) of the quoted critical resource
- The selected plant
- The critical resource
- The calendar code (the default calendar code is taken from the [company profile](#))

A list of periods is displayed, starting with Overdue, and then the date of each period. The following information is displayed for each period:

- [Capacity](#)

This is the [capacity](#) of the critical resource during each time period.

- [Load](#)

This is the [load](#) of the critical resource during each time period.

- [Available](#)

This is the [available capacity](#) of the critical resource during each time period.

- [Load](#) on Plant

This is only displayed if you entered a plant in the Plant field on the previous window.

If the Critical Resource [Load](#) Policy field was set to Daily Resource [Loading](#) at the time of the planning run, the critical resource [load](#) displayed on this window is in daily [buckets](#), rather than by [reporting profile](#), for the full duration of the plan up to the limit of one year.

Note: Use the *Additional Parameters* function in the *Maintain Model Stockroom* task to maintain the daily resource [loading](#).

Note: If there are no values displayed for a date, it is a non-working day.

Note: You can use Page Up or Page Down to display the previous or next periods.

Select **Previous (F12)** to return to the [MRP](#) Review Critical Resource [Load](#) Selection window.

Confirm MRP Suggested Orders [14/MRP]

Use this task to confirm [MRP](#) recommendations, which consist of purchase and production orders. If you have installed Purchase Management, you can convert the [suggested purchased](#) orders into full purchase order

s using Requisitioning.

This window displays all [suggested production orders](#) generated from the [MRP](#) model that have a starting date falling within the selected range.

The selected orders can be processed, and confirmed orders for the suggested due dates and quantities can be generated. The designated [planning route](#) defined in the Item Master file is used to generate [operation](#) and [component](#) details. The status of the suggested order on the planning file changes to Confirmed.

All orders displayed are automatically selected for processing. To prevent an order from being processed, blank out the Option field next to it.

Confirm MRP Suggested Orders Selection Window

To display this window, select the Confirm [MRP](#) Suggested Orders task.

You use this window to enter the model for which you want to confirm [MRP](#) suggested orders.

Fields

Model

Enter the model for which you want to confirm [MRP](#) suggested orders.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Note: The model you enter could be either the designated live model on the [company profile](#), or an autonomous live plant.

Press Enter to display the Confirm [MRP](#) Suggested Orders Ranges window.

Confirm MRP Suggested Orders Ranges Window

To display this window, enter or select a model and then press Enter on the Confirm [MRP](#) Suggested Orders Selection window.

Use this window to enter additional selection criteria for the orders that you want to confirm. You do not have to complete all the fields.

Fields

From Start Date/To Start Date

You can optionally enter or select a date range to restrict the confirmation of [suggested production orders](#) to those that have a [start date](#) within the selected range. Leave these fields blank to include all suggested work orders within the model.

From Plant/To Plant

Note: These fields are only displayed if you enter the live multi-plant central model in the Model field.

You can optionally enter a range of codes, to restrict the confirmation of suggested work orders to those within the selected plant range. Leave these fields blank to include all plant codes.

From Planner/To Planner

You can optionally enter a range of [planner](#) codes, to restrict the confirmation of suggested work orders to those within this [planner](#) range. Leave these fields blank to include all [planner](#) codes.

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Press Enter to display the [MRP](#) Order Creation window.

MRP Order Creation Window

To display this window, press Enter on the Confirm [MRP](#) Suggested Orders Ranges window.

This window lists the suggested orders, generated by the last [MRP](#) run, that fit the selection criteria that you entered on the previous window.

Fields

Option (O)

Use this field to specify the action you want to take for each suggested order.

Enter one of the following:

0 or blank - To exclude the order from confirmation

1 - To confirm the order

3 - To display all [outputs](#) for a process group

Functions

Detail (F22)

Use this to display the description of the item.

Select **Update and Submit Job (F8)** to confirm the selected [MRP](#) suggested orders.

Confirm MRP Suggested Schedules [15/MRP]

Use this task to view a list of suggestions for [supply](#) to meet the [demand](#). You can also choose certain suggested [schedules](#) to be retained as confirmed [schedules](#) to be taken into account by future [MRP](#) runs.

Caution: Remember that any suggested schedules that are not confirmed by this task will be deleted on the next MRP run.

Note: During the confirmation of [work station schedules](#), you can set a flag to confirm related [MRP schedules](#). See the Create [Work Station Schedule](#) section for more information.

Confirm MRP Suggested Schedules Selection Window

To display this window, select the Confirm [MRP](#) Suggested [Schedules](#) task.

You use this window to enter the model for which you want to confirm [MRP](#) suggested [schedules](#).

Fields

Model

Enter the model for which you want to confirm [MRP](#) suggested [schedules](#).

Alternatively, use the prompt facility to select from the Select Model pop-up.

Note: The model you enter could be either the designated live model on the [company profile](#), or an autonomous live plant.

Enter or select a model and then press Enter to display the Confirm [MRP](#) Suggested [Schedules](#) Ranges window

Confirm MRP Suggested Schedules Ranges Window

To display this window, enter or select a model and then press Enter on the Confirm [MRP](#) Suggested [Schedules](#) Selection window.

Use this window to enter additional selection criteria for the suggested [schedules](#) that you want to confirm. You do not have to complete all the fields.

Fields

To Date

Enter or select the cut-off date for the [schedules](#) you are selecting for confirmation. No [schedules](#) with a due date later than this date will be selected.

From Plant/To

Note: These fields are only displayed if you enter the live multi-plant central model in the Model field.

You can optionally enter a range of codes, to restrict the confirmation of suggested work orders to those within the selected plant range. Leave these fields blank to include all plant codes.

You can use the prompt facility on these fields to select from the Select Model pop-up.

From Planner/To

You can optionally enter a range of [planner](#) codes, to restrict the confirmation of suggested work orders to those within this [planner](#) range. Leave these fields blank to include all [planner](#) codes.

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Note: If you enter a value in either field, the next window lists [schedules](#) in [planner](#) order. If both fields are blank, the display is in item order.

From Item/To

Enter the range of items that you want to see displayed. If only the From item is specified, all [schedules](#) from that item onwards are displayed. If only the To item is specified, all [schedules](#) up to that item are displayed.

You can use the prompt facility on these fields to select from the Select Item pop-up.

Press Enter to display the Confirm [MRP](#) Suggested [Schedules](#) Confirmation window.

Confirm MRP Suggested Schedules Confirmation Window

To display this window, press Enter on the Confirm [MRP](#) Suggested [Schedules](#) Ranges window.

This window lists the suggested [schedules](#), generated by the last [MRP](#) run, that fit the selection criteria that you entered on the previous window. Details displayed include:

- The [schedule](#) due date and quantity for each listed item
- The [planning route](#) defined for the item
- The [planner](#) codes
- The plant, if you are in multi-plant mode

Fields

Select (Sel)

Enter one of the following:

Blank - To exclude the [schedule](#) from confirmation

1 - To confirm an [item schedule](#)

3 - To display all [outputs](#) for a process group

Schedule Qty

You can manually amend the [schedule](#) quantity if necessary.

Note: When you firm [work station schedules](#) for [schedule](#)-controlled items, the items [supply](#) status in [MRP](#) changes to CS. Refer to the Create [Work Station Schedule](#) section for more details.

Select **Update (F8)** to confirm the selected [MRP](#) suggested [schedules](#).

Create Work Station Schedule [16/MRP]

When you run [MRP](#), suggested [operation schedules](#) are developed for each item planned as a [scheduled](#) item, including any [MPS items](#) within the [MRP](#) model. Each of these suggested [operations](#) carries a due time or date which is the time or date by which the [scheduled](#) quantity is to be completed through the [operation](#).

Use this task to control the transfer of suggested [operation schedules](#) from the planning system to the [schedule](#) execution system. This task plans how the suggested [operation](#) quantity is to be [scheduled](#) at the supporting workstations.

[MRP](#) plans suggested daily [work station schedules](#) by back [scheduling](#) from the [MRP](#) developed [operation](#) due time or date, and single threading to the shift profile of the supporting [work station](#).

Back [scheduling](#) involves planning an [operation](#) backwards from the [MRP operation](#) due time and date to determine the start time and date of the [operation](#). The shift pattern is based on the shift profile, if defined, or the [work station's](#) shifts and standard lengths. The single threading logic refers to the shift pattern of the supporting [work station](#) for the date into which the [operation](#) is being [scheduled](#) as the maximum hours to [schedule](#) on that date.

In this manner, an [operation](#) can be [scheduled](#) over a number of days. This determination is made independently of other [operations](#) that have been or are [scheduled](#) at the [work station](#). This means that the resulting [schedules](#) can reflect [overloads](#) planned at a [work centre](#).

[Work station schedules](#) are never [scheduled](#) to dates earlier than the current date.

Note: When you run [Net Change](#) or Selective [MRP](#), only the [operation schedules](#) for items included in the planning are refreshed. However, if you then run the Create [Work Station Schedule](#) task using a To date that is later than that used when daily [work station schedules](#) were last created, additional daily [work station](#) suggested [schedule operations](#) might be created for items not included in the current [MRP](#) run. These relate to suggested [schedule operations](#) within the extended To date interval.

Create Work Station Schedule Selection Window

To display this window, select the Create [Work Station Schedule](#) task.

You use this window to enter the model for which you want to create [work station schedules](#).

Fields

Organisational Model

Enter the model for which you want to create [work station schedules](#).

Alternatively, use the prompt facility to select from the Select Model pop-up.

Enter or select a model and then press Enter to display the Create [Work Station Schedule](#) Range window.

Create Work Station Schedule Range Window

To display this window, enter or select a model and then press Enter on the Create [Work Station Schedule](#) Selection window.

You use this window to enter the selection criteria for the [work station schedule](#).

Fields

Start Date

Enter or select the earliest date for which suggested daily [work station schedules](#) are created or refreshed. If you have run either [Net Change](#) or Selective [MRP](#), only items that have been re-planned will replace existing suggested daily [work station schedules](#).

Newly suggested daily [work station schedules](#) that fall inside the current firm period [time fence](#) do not change existing firm [schedules](#). The default displayed is the current system date.

To Date

Enter or select the last date for which suggested daily [work station schedules](#) are created or refreshed. This date should be at least as far into the future as you intend to firm [work station schedules](#). Set this date no later than the horizon needed for tactical [capacity planning](#). The default displayed is the current system date.

Schedule Quantities

Select one of the following:

Integer (blank) - To display quantities as integers

Decimal (1) - To display quantities as decimals

Select **Confirm (F8)** to create the [schedules](#).

Chapter 5 Reports

About MRP Reports

[MPS](#) and [MRP](#) produce a number of reports that you can use for various purposes. Some reports are [available](#) for both [MPS](#) and [MRP](#).

The following reports are [available](#) for both [MPS](#) and [MRP](#):

- **[MPS](#) or [MRP](#) Report**

This produces a complete report of the [MPS](#) or [MRP](#) run for review and action.

- **[MPS](#) or [MRP](#) Planner Action Report**

This produces a summarised action list of recommended changes to [supply](#) orders in the [planning model](#). The report also identifies overdue orders. You can select which of the exception codes should be included on the report. Selections may be saved and used again.

- **[MPS](#) or [MRP](#) Valuation Report**

This assesses the inventory and purchase order commitment of an [MPS](#) or [MRP](#) run in standard or [cost](#) set value terms.

- **[MPS](#) or [MRP](#) Reporting Profile**

This lists the run parameters and actual dates represented by the model periods defined for a specific [planning model](#).

The following reports are only [available](#) for [MPS](#):

- **[Demand](#) Report**

This produces a detailed listing of the [demand](#) calculated for the model.

- **[Available](#) to Ship Report**

This provides an exception report of [MPS items](#) that fall outside of defined [supply](#) and [demand](#) mismatch tolerances. It can also set [MRP net change triggers](#) for [MPS items](#) appearing on the report. These [MPS items](#) will be planned in a [MRP Net Change](#) run.

- **Analyse Planning Source of [Supply](#)**

This produces a listing of all co-product items that do not have a definitive planning source of [supply](#) specified, showing the alternative sources of [supply](#).

- **[Supply/Demand Variance](#) Report**

This produces a report showing how closely the last [MPS](#) run succeeded in matching the overall [demand](#) for each item.

Note: *You can run MPS reports at any time, but they must relate to the same base data as the appropriate MPS run.*

Caution: Remember that any suggested orders or schedules not confirmed from one run are deleted on the next run of that model.

Report on MRP [21/MRP]

Use this task to produce a complete report of the [MPS](#) run for review and action. You can tailor the report to generate details of particular categories of items or [planners](#). You can also print the report in either summary or detailed form.

MRP Schedule Report Window

To display this window, select the Report on [MRP](#) task.

You use this window to specify the details that you want to display on the report.

Fields

Model

Enter the [planning model](#) on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

From Plant/Cell

Enter the beginning of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

To Plant/Cell

Enter the end of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Note: *These range fields are only displayed if you are using multi-plant.*

Date Last Planned/To

You use these fields to enter or select a date range. Only those items that were planned within this range will be included on the report. The default in both fields is the current date. Leave these fields blank to include all items.

Print Supply/Demand Detail

Use this checkbox as follows:

Unchecked - To produce a summary by time [bucket](#) for each item

Checked - To include the details of [supply](#) and [demand](#) for each review period

Print Items with No Details

Use this checkbox as follows:

Unchecked - To exclude items with no [supply](#) and [demand](#) detail from the report

Checked - To include all items, with or without these details

Functions**Additional Selection (F14)**

Use this to display the [MRP](#) Report Enter Selection Criteria pop-up, where you can enter selection criteria to restrict the records that appear on the report.

Press Enter to generate the report.

MRP Report Enter Selection Criteria Pop-up

To display this pop-up, select **Additional Selection (F14)** on the [MRP Schedule](#) Report window.

Use this window to enter the selection criteria for the report.

Note: *If you leave the range fields on this pop-up blank, all items are selected.*

Fields**Item/To**

You can optionally enter a range of items to include only those items in the report. Leave these fields blank for all items.

You can use the prompt facility on these fields to select from the Select Item pop-up.

Planner/To

You can optionally enter a range of [planner](#) codes to include only those [planners](#) in the report. Leave these fields blank for all [planners](#).

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Item Group/To

Enter the range of [item group minor](#) codes to include on the report. These are [set up](#) in Inventory Management.

You can use the prompt facility on these fields to select from the PGMN Item Group - Minor pop-up.

Value/Usage Class/To

Enter the range of values required. You maintain these in Inventory Management.

Preferred Supplier/To

Enter the range of preferred suppliers required. You maintain the preferred supplier on the Stockroom file in Inventory Management.

GT Family/To

Enter the range of required [GT family](#) codes. You maintain this on the Item Master file in Production Definition Management.

Report Sequence

For each range, you can select one of the following sort sequences:

- 1 - Primary sort sequence
- 2 - Secondary sort sequence
- 3 - Third sort sequence

Press Enter to validate and confirm your entries and return to the previous window.

Report by MRP Planner Action [22/MRP]

Use this task to produce a summarised action list of recommended changes to [supply](#) orders in the [planning model](#). The report also identifies overdue orders, that is, those with a due date earlier than the current date.

There are additional selections [available](#) using a list of [planner](#) action codes. This is a list of exception codes as defined in the Manufacturing parameter PEXC. You can select, by inclusion or exclusion, which of these codes should be included on the report.

Once completed, you can save the selections made. You can save multiple combinations of selections, from which it is possible to choose each time the report is run, with the option to change them for that run only or to update the saved combination

The [Planner](#) Action report only prints those messages with exception codes that are included in your selection.

MRP Planner Action Report Window

To display this window, select the Report by [MRP Planner](#) Action task.

Use this window to enter the selection criteria for the report. There is an additional function that allows you to save and re-use combinations of report selections.

Fields

Model

Enter the [planning model](#) on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

From Plant/Cell

Enter the beginning of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

To Plant/Cell

Enter the end of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Note: *These range fields are only displayed if you are using multi-plant.*

Planner Action Review/To

You use these fields to enter or select a date range. The software will only extract exception condition orders with planned [start dates](#) within this range. A zero date will include all suggestions up to the end date of the [MRP](#) run.

Include Overdue Orders

Use this checkbox as follows:

Unchecked - Not to include outstanding orders

Checked - To print any outstanding orders with a due date earlier than the current system date

If you are not including the overdue orders, the [planner](#) action [start date](#) cannot be before the current [MRP](#) date for this model.

Functions

Additional Selection (F14)

Use this to display the [MRP Planner](#) Action Report Enter Selection Criteria pop-up, where you can enter selection criteria to restrict the records that appear on the report.

Saved Report Selections (F15)

Use this to display a list of previously saved report selections.

Press Enter to generate the report.

MRP Planner Action Report Selections Pop-up

To display this pop-up, select **Saved Report Selections (F15)** on the [MRP Planner](#) Action Report window.

This will display a listing of the combinations of report criteria that have been previously saved.

Options

Select

Use this to select previously saved selection parameters and use them to pre-set the additional selection parameters for the next run.

Amend

Use this to select and then amend previously saved selection parameters.

The Additional Selections window is displayed to enable you to override or change them.

Use Select against a line to select it and return to the previous window or select Amend to display the [MRP Planner](#) Action Report Enter Selection Criteria pop-up.

MRP Planner Action Report Enter Selection Criteria Pop-up

To display this pop-up, select **Additional Selection (F14)** on the [MRP Planner](#) Action Report window.

Alternatively select Amend on the [MRP Planner](#) Action Report Selections pop-up.

Enter the selection criteria for the report here.

Note: *If you leave the range fields on this pop-up blank, all items are selected.*

Fields

Item/To

You can optionally enter a range of items to include only those items in the report. Leave these fields blank for all items.

You can use the prompt facility on these fields to select from the Select Item pop-up.

Planner/To

You can optionally enter a range of [planner](#) codes to include only those [planners](#) in the report. Leave these fields blank for all [planners](#).

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Item Group/To

Enter the range of [item group minor](#) codes to include on the report. These are [set up](#) in Inventory Management.

You can use the prompt facility on these fields to select from the PGMN Item Group - Minor pop-up.

Value/Usage Class/To

Enter the range of values required. You maintain these in Inventory Management.

Preferred Supplier/To

Enter the range of preferred suppliers required. You maintain the preferred supplier on the Stockroom file in Inventory Management.

GT Family/To

Enter the range of required [GT family](#) codes. You maintain this on the Item Master file in Production Definition Management.

Report Sequence

For each range, you can select one of the following sort sequences:

- 1 - Primary sort sequence
- 2 - Secondary sort sequence
- 3 - Third sort sequence

Functions**Action Selection (F16)**

Use this to display the [MRP Planner](#) Action Report Action Code Selection pop-up, where you can enter selection criteria to restrict the records that appear on the report.

Save (F17)

Use this to display the [MRP Planner](#) Action Report Save Report Selection pop-up.

Press Enter to validate and confirm your entries and return to the previous window.

MRP Planner Action Report Action Code Selection Pop-up

To display this pop-up, select **Action Selection (F16)** on the [MRP Planner](#) Action Report Enter Selection Criteria pop-up.

This pop-up lists the [planner](#) exception codes.

The action code numbers, the codes, and their descriptions are taken from the Parameters file, type PEXC.

Fields

Include

Use these checkboxes as follows:

Unchecked - To exclude the action code

Checked - To include the action code

Functions**Exclude All (F18)**

Use this to exclude all the selections. This sets all the Include fields to **unchecked**.

Include All (F19)

Use this to include all the selections. This sets all the Include fields to **checked**.

Complete your selections and then select **Update (F8)** to re-display the [MRP Planner](#) Action Report Enter Selection Criteria pop-up.

MRP Planner Action Report Save Report Selections Pop-up

To display this pop-up, select **Save (F17)** on the [MRP Planner](#) Action Report Enter Selection Criteria pop-up.

Use this pop-up to save the definition with a key of [Planner](#) and Report ID, or to retrieve an existing selection definition.

Fields**Planner**

Enter a valid [planner](#) code.

Alternatively, use the prompt facility to select from the PLAN [Planner](#) Code pop-up.

Report ID

Enter a report ID.

Alternatively, use the prompt facility to select from the Report Selection pop-up.

If an existing definition was selected previously to pre-set the selection values, this will be used as the default to allow you to save any changes made.

Caution: If the combination of planner code and report ID already exists, the existing selections will be overwritten.

Note: The additional selections saved are independent of the model and plant ranges, so the same selection parameters can be used for different models and plant ranges.

Complete the selection and then select **Save (F6)** to return to the [MRP Planner](#) Action Report Enter Selection Criteria pop-up.

Report by MRP Valuation [23/MRP]

This report assesses the inventory and purchase order commitment of an [MRP](#) run in standard or [cost](#) set value terms. The selected [schedule](#) is translated from a quantitative plan by extending quantities by the [unit cost](#) of items based on standard [cost](#) or [cost](#) set values.

Note: [MRP](#) report options include the selection of [cell](#) ranges for [cell](#) based [MRP](#) runs.

MRP Valuation Report Window

To display this window, select the Report by [MRP](#) Valuation task.

Use this window to enter the selection criteria for the report.

Fields

Model

Enter the [planning model](#) on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

From Plant/Cell

Enter the beginning of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

To Plant/Cell

Enter the end of the range of production plants on which you are reporting.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Note: *These range fields are only displayed if you are using multi-plant.*

Basis

Select one of the following as the basis for rounding [cost](#) values. Detailed calculations take place prior to rounding on the report.

Units (1)

Hundreds (2)

One Thousands (3)

Ten Thousands (4)

Hundred Thousands (5)

Millions (6)

MRP Item From/To

You can optionally enter a range of items to include only those items in the report. Leave these fields blank for all items.

You can use the prompt facility on these fields to select from the Select Item pop-up.

Planner From/To

You can optionally enter a range of [planner](#) codes to include only those [planners](#) in the report. Leave these fields blank for all [planners](#).

You can use the prompt facility on these fields to select from the PLAN [Planner](#) Code pop-up.

Reporting Level

You can limit the report to a single manufacturing level. This is for the summary report only, since the [cost](#) of an item is the full rolled-up [cost](#). If more than one level is included in the summary, the [costs](#) of an item are included at least twice - once in the lower level [costs](#) and once in parent [cost](#).

Enter one of the following:

Blank - To include more than one level on a detailed report

0 to 9 - Select a level to report (this would usually be **0** or **1**)

Summary/Detail

You can produce the report in detail by item, or limit it to a model summary total.

Enter one of the following:

1 - For model summary [costs](#)

2 - For item detail [costs](#)

Std Cost/Cost Set

Use this field to indicate which [cost](#) method will be used to provide the item [unit cost](#).

Enter one of the following:

1 - Production standard [cost](#)

2 - [Cost](#) set

Cost Set

Enter the name of the [cost](#) set if you entered **2** in the Std [Cost](#)/[Cost](#) Set field.

Select MRP Item Types

You can restrict the report to production items only, purchased items only, or you can include both.

Select one of the following:

Manufactured (1) - To include manufactured items (this includes phantoms)

Purchased (2) - To include purchased items ([item types](#) B, P, T, G, R)

Both (3) - To include manufactured and purchased items

Select **Submit Job (F8)** to submit the job for processing.

Report on MRP Reporting Profile [24/MRP]

This report shows the run parameters and actual dates represented by the model periods defined for a specific [planning model](#).

MRP Reporting Profile Window

To display this window, select the Report on [MRP Reporting Profile](#) task.

Use this window to select the model for which you want to produce the report.

Note: [MRP](#) report options include the selection of [cell](#) ranges for [cell](#)-based [MRP](#) runs.

Fields

Model

Enter the model required.

Alternatively, use the prompt facility to select from the Select Model pop-up.

Press Enter to run the report. A message is displayed if the report is printed successfully. Select **Exit (F3)** to leave the task.

Chapter 6 Exclusivity Checking

Exclusivity Checking

This task is carried out within Application Manager. Access to Application Manager is usually restricted to system managers and implementation project managers who require a comprehensive understanding of its implications. The options regarding [MRP](#) exclusivity are described here. Refer to the Application Manager product guide for further details.

It is the usual practice not to allow the submission of a planning run when other tasks are active. This requirement for exclusive use of the applications can be too restrictive and may be relaxed, but it is still necessary to provide exclusion of specific tasks.

MRP Exclusivity Checking Maintenance Window

To display this window, access the [MRP](#) task definitions within Application Manager.

Use this window to set the required flexibility for the submission of a planning run, by defining those individual tasks which, when active, will prevent the planning run being submitted.

Removing the Initial Return Code for Option value of CC switches off the general exclusivity checking that prevents [MRP](#) from being submitted when other, possibly conflicting, tasks are running.

In order to prevent [MRP](#) from being run when certain specific tasks are running, it is possible to [set up](#) each one individually. This is done by selecting **Task Exclusivity (F20)** from the window.

Functions

Task Exclusivity (F20)

Use this in order to prevent [MRP](#) from being run when certain specific tasks are running.

Select **Task Exclusivity (F20)** to display the Maintain Task Exclusivity window.

Maintain Task Exclusivity Window

To display this window, select **Task Exclusivity (F20)** on the [MRP](#) Exclusivity Checking Maintenance window.

Use this window to set the exclusivity checking for the environment code and version of the task being maintained.

The example below shows that two exclusivity checks have been defined against the [MRP](#) Run task in the blank environment, version A2. This will prevent running [MRP](#) when the [Low Level Code](#) task is live in either the Base or Advanced versions of Manufacturing.

A specific exclusion record is created for each of the tasks defined. It takes the form AA EEE VV nnnn, where

AA is the application, (MR)

EEE is the environment (as specified by the user)

VV is the version number (as specified by the user)

nnnn is the task number (7020 for MR, if the standard task codes are used).

Functions

Add (F8)

Use this to create a task, which may then be set to be exclusive.

Note: *It is recommended that the creation of individual task exclusivity records be considered for each of the Application Manager tasks that are invoked by the menu options listed below.*

Order Entry (OE)

Menu OEP

Option	Task	Description
1	1010	Order Entry (transcriptional)
2	1020	Order Entry (conversational)
3	1050	Order Amend (transcriptional)
4	1060	Order Amend (conversational)
5	1070	Suspended Order Release
6	1150	Commission Details
7	1040	Order Cancellation
8	1030	Manual Allocation by Order
9	1140	Manual Allocation by Item
10	1080	Interactive Confirm Despatch

Option	Task	Description
11	1090	Fast Batch Confirm Despatch
12	1100	Credit Notes
13	1110	Invoices
14	1120	Credit Notes (Stock Update)
15	1130	Invoices (Stock Update)
16	1470	Despatches Awaiting POD
17	1180	Release Held Invoices
20	1400	Maintain Self Bill Invoice
21	1410	Automatic Match
22	1420	Manual Match
23	1450	Delete Self Bill Invoice

Menu OEM

Option	Task	Description
2	2020	Maintain Customers
3	2050	Maintain Depot Profiles
4	2060	Maintain Price/Discount Profiles
5	2070	Maintain Price Lists
6	2080	Maintain Discount Lists
7	2090	Create New Price List
8	0075	Create New Discount List
9	2150	Forms Length Overrides
10	2290	Maintain Delivery Adjustment Reason Codes
11	2010	Maintain Sales Restrictions
12	1175	Maintain Pick List Sequence
13	3710	Maintain Customer Items

Menu OER

Option	Task	Description
1	3010	Order Acknowledgments
2	3020	Picking Notes
3	3025	Despatch Note Reprint
4	3030	Invoices/Credit Notes
5	3040	Invoice/Credit Reprint
6	3080	Rental Invoice Generation
7	3830	Pro-forma Invoice Reprint
10	3100	Batch Allocation
11	3110	Order Pricing
12	3120	Picking Note Cancellation
13	3130	Day End Processing
14	3160	Confirmation of Despatch
15	3170	Invoice Posting
16	3380	Auto POD

Advanced Order Entry (AO)

Menu AOP

Option	Task	Description
1	1010	Order Entry
2	1020	Order Amend

Purchase Management (PM)

Menu PMP

Option	Task	Description
41	1210	Order Entry
42	1220	Order Amendment

43	1230	Goods Receiving
44	1240	Returns and Adjustments
45	1250	Transfer Goods Location
46	1260	Match Invoice to Receipts
47	1270	Invoice Match Stand-alone
48	1345	Landed Costs

Menu PMM

Option	Task	Description
3	1340	Item Supplier Profile

Advanced Customer [Scheduling](#) (AC)

Menu ACP

Option	Task	Description
1	2010	Process New Schedules
2	2020	Process EDI Error Transactions
3	2030	Schedule Maintenance
11	7000	Receive Schedules

Select **Previous (F12)** to return to the [MRP](#) Exclusivity Checking Maintenance window.

Appendix A Glossary

Active Production Order

This is a production order, which has associated work-in-progress.

Activity Types

These are user definitions of activities to be reported and are linked to a System21 reporting type. There are system-dependent activity types that are mandatory for the system to function; and user-defined activity types which may be defined to suit user requirements. The associated reporting type defines how the activity will affect updates to the database.

Actual Down Time

See Down Time.

AFI

Acronym for Advanced Financial Integrator

Allocated Stock

This is the quantity of an item which has been allocated to customer orders, production orders or schedules. It is usually expressed as a balance at item and stockroom level.

Allocations

This is the reservation of inventory for consumption in a production order or schedule. The material can be issued to any order, but this reservation enables the application to calculate available quantities.

Amended Standard Production Orders

Production orders, which are based on a standard route and only differ in detail

Amortised Fixed Costs

This is the method of spreading fixed production costs over a designated batch size to ascertain the effect on unit product costs of the economies of scale production. See also Fixed Costs.

Archived Production Orders

These are production orders which have been saved in an archive file and removed from the live order database. They are available for detailed enquiry.

Available

This is the quantity calculated by Planning to represent current availability on a given day. It is equal to:

Previous period available + supply - demand

Available Stock

This is the quantity calculated by subtracting allocations from the physical stock balance. It represents uncommitted inventory, which may be used to satisfy production demand.

Average Cost

This is a costing method employed by Inventory Management, whereby the weighted average unit cost of an item is recalculated every time a stock receipt is made.

Average Usage

This is the average usage per week/period of an item in a stockroom. The weeks or periods included in this calculation are defined by the usage profile.

Backflush

The automatic generation of standard material issues based on production quantities reported

Backflush Item

An item that is designated to be issued automatically in production recording

Backschedule

The calculation of operation and order start dates from the due date, using the lead time elements of the operations

Balance

This may be used either to signify a database record holding summary information, such as a stockroom balance, or a single summary quantity field on such a record, such as allocated stock.

Base Edition

System21 Production is available in two editions, Base and Extended. The Base edition delivers functionality equivalent to that which was available in Version 2.0. The Extended edition provides additional function, notably scheduled, or repetitive, production and process industry features such as co-products and potency.

Batch Balancing

This is a method of ensuring that the correct quantity and potency mix of materials is used in a production batch.

Bill of Material

This is the definition of the inputs that are required to make a product. It is also known as a Product Structure, Recipe or Formula.

BOM

Acronym for Bill of Material

Booking

Work-in-progress reporting

Booking History

A record of all material and production transactions posted during the progress of a production order or production schedule

Bottleneck

This term is generally used to refer to a position on a production line, where the production flow is constrained in some way. This can lead to build-ups of work and potentially have an adverse effect on the efficiency of a line or plant, and ultimately on profitability.

Bucket

In MPS and MRP, the period of time for which supply and demand are summarised for presentation

Bucketless

This describes the MPS/MRP review process, which balances supply and demand on the date it is scheduled, rather than accumulating it into greater time periods.

Budget Capacity

This is the capacity of a work station that is compared with its load. It represents the capacity you expect to obtain from a work station. This can be 100% of stated capacity or a factor above or below 100% (see Standard Capacity).

By-product

This is a product produced incidentally by a process which is primarily for the production of other products. It may have financial value, which will be deducted from the total costs of the mainstream product and will also be treated as a negative cost, displayed in the Relief Cost Element field.

Cancelled Production Order

A production order which has been aborted and cannot be reopened

Capacity

The amount of time that a work station is available for work in a given period

Capacity Planning

This is the activity of calculating work station capacity requirements by comparison of duration for planned work with the capacity available for the planning period. The work schedule or the capacity may then be adjusted to obtain a balanced work flow.

Capacity Planning Run

This is the main function of the Capacity Requirements Planning application. This process calculates the work station capacity load that is required to achieve a particular production schedule according to scheduling rules.

Capacity Requirement

The time required at a work station by a particular piece of work or production schedule

Cell

A group of stockrooms that are related for the purpose of material requirements planning

Cellular Planning

A planning method by which the demand and supply of materials are identified and satisfied at cell level rather than model level

Change Management

See Engineering Change Management.

Co-products

These are items that are necessarily produced together as a result of a production process. They share the burden of the cost of production.

Company Profile

A collection of control parameters specific to a Production company

Completed Production Order

These are production orders which have been completed. They cannot have bookings made against them. They may be reopened for further processing.

Component

Any item that is used in the production of another item (see Input)

Component Location Reference

A method whereby components may be categorised by their location and position within an assembly, structure or process

Confirmed Production Order

A production order with a firm commitment to produce an item, which cannot be changed in date or quantity except by explicit planner intervention

Cost

This is a value associated with an item in a stockroom, or a movement. It is usually a value related to a single item (a unit cost), but may refer to a quantity of items (a movement cost or value).

Cost Apportionment Method

This is the method used to calculate the proportion of production costs that are applied to each item, when co-products are produced from a process.

Cost Centre

This is a functional or organisational area defined for the purposes of defining production costs. Each cost centre defines standard rates for labour, work station, set up and overheads. A cost centre is assigned to a work station and is used to calculate all standard production costs associated with that work station.

Cost Elements

The following cost elements are available to analyse costs:

- Relief [costs](#)
- Direct material
- Packaging
- Utility
- Labour
- [Set up](#)
- Machine
- Subcontract
- Overhead 1

- Overhead 2 (fixed)
- Overhead 2 (variable)
- User defined 1-4
- Shrinkage

Cost Relief Apportionment

The method used to calculate any By-product Relief Costs that are applied to co-product costs in a co-product process

Cost Roll-up

The method of generating product costs by calculating and accumulating costs of materials and operations required at each level of manufacture

Costing Method

This refers to the method used to establish a cost for stock movements or stock balances. The methods available are latest, average, standard and FIFO (First In First Out).

Costing Route

This is the route designated for an item to calculate its unit cost within a stockroom. A unit cost may be calculated for each stockroom in which an item is stocked by designating a specific production route as a cost route.

Count Point

An operation at which WIP inventory is counted or reported

Count Reporting Policy

This policy determines the method by which production quantities are recorded during booking. This may be total quantity or start and end quantity.

Creation Date

The date on which a production order is entered

Crew Size

The standard number of operatives scheduled to work on an operation, either as direct labour or set up labour

CRP

Acronym for Capacity Requirements Planning

Cumulative Lead Time

This is the amount of time required to produce an item from scratch. It is based on a full explosion of the bills of material of the item and its sub-assemblies and includes the purchasing lead time of raw materials.

Current Cost

This is a category of cost. The application generates values for current and standard cost control. Current cost may be considered as the proposed standard cost for the next accounting period. See Standard Cost.

Current Date in Planning

This is the datum point of an MPS/MRP plan. The start date is determined by subtracting Overdue Days from this date. The Time Fence date is calculated from this date by adding the frozen Lead Time.

Customer Schedule

This is the forecast of a customer's expected delivery requirements. They can be at different statuses in different time periods.

Customer Shelf Life

This is the amount of time an item must have left in its life when it is delivered to the customer. If an item is lot controlled, this time will be deducted from the Expiry Date to calculate the Last Available Date.

Delivery Area

This is information which is used to identify the location to which items should be moved. It can be found on the Picking List.

Delivery Days Basis

This parameter is only pertinent to items which are not lot, batch or serial controlled. It allows delivery lead time to be taken into account during planning, and may be calculated using calendar days or working days. For lot-controlled items, the Release Lead Time is used.

Delivery Lead Time

The delivery lead time value expressed in terms of the Delivery Days Basis

Delivery Point

This is the exact position to which items should be moved within the Delivery Area. It can be found on Picking List.

Demand

The forecast or actual requirement for an item

Demand Policy

This is the policy that controls the comparison of sales forecasts with sales orders, customer schedules and dependent demand to arrive at the demand to drive MPS or MRP.

The demand policy can be any one of the following:

- No forecast
- [Independent demand](#) only
- Dependent and [independent demand](#)
- Dependent [demand](#)
- Explode forecasts to [inputs](#)
- Make to forecast only
- Total [demand](#)

Dependent Demand

Demand for an item, which is derived from the manufacture of a parent

Descriptions File

This is a file maintained within Inventory Management that defines a number of parameter codes and their descriptions.

Discrete Manufacturing

This is a production control method where individual pieces of work are identifiable. Usually, production orders are used to manage this.

Down Time

This is the amount of time that a work station is out of action. The application provides the facility to record both planned and actual down time.

DRP

Acronym for Distribution Requirements Planning

Duration Calculation Basis

This is the method by which the duration of an operation is calculated for scheduling purposes. It can be set at Company Profile, Work Station or Route Operation level.

The duration calculation basis can be any one of the following:

- [Set up time](#) only
- [Machine time](#) plus [set up time](#)
- Direct [labour time](#) plus [set up time](#)
- [Machine time](#) plus direct [labour time](#) plus [set up time](#)
- Greater of [machine time](#)
- Direct [labour time](#) plus [set up time](#)

Economic Order Quantity

This is an optimum quantity of an item to be produced by a process route or supplied on an order. It may be entered for each process route and may be used as the basis of apportioning fixed costs for an item.

Effectivity

This is a method of controlling product input configurations. The effectivity of an input is the time period when it can be used in an assembly. The application uses an effective start date and an effective finish date to control input configurations. The system will ignore the item outside the effectivity dates.

Efficiency

The ratio of standard to actual performance

Efficiency Variance

The difference between standard and actual performance in quantity and cost terms

End Date (Planning)

This is the last date to be considered by an MPS or MRP run. It can be entered or calculated as current date plus item cumulative lead time. It can be extended by setting a number of safety days.

Engineering Change Management

This is an integrated module that controls and audits, via change requests, the addition and deletion and amendment of:

- Items
- [Route operations](#)
- [Inputs](#) and [outputs](#)
- Production order [route](#) maintenance
- Issue of unplanned materials
- Issue of [substitute](#) materials.

It is used to record and monitor these changes and who made them.

Equivalent Physical Quantity

This is used where item lots have variable **potency**. For an item lot with non-**standard potency**, it is the equivalent quantity of the item at standard potency. It is calculated as:

Physical Quantity x Actual Potency/Standard Potency

Exception Events

These are transactions that are likely to cause a change in the **supply** and **demand** status of an item.

Expiry Date

The Expiry Date is calculated as **Lot Creation Date + Shelf Life**. It represents the last date on which the item can be used. The item is still in stock but is deemed to be frozen after this date.

Extended Edition

System21 Production is available in two editions, Base and Extended. The **Base edition** delivers functionality equivalent to that which was available in Version 2.0. The Extended edition provides additional function, notably **scheduled**, or repetitive, production and process industry features such as **co-products** and **potency**.

FIFO

This is an acronym for First In First Out - one of the **costing methods** available in the Inventory Management application. Using this method, each stock receipt is valued at actual **cost**, and issues are valued using these receipt batch costs on a First In First Out basis.

Filler Item

An item that is used to make up the required physical of a production batch, but which has no effect on the properties of the item produced (see Balancing Quantity)

Finished Goods Receipt

The receipt of a quantity of a production item into an Inventory stockroom, as a result of a production order or schedule

Firm Planned Production Order

A production order which remains under the control of the planner in terms of timing and quantity and is not recommended for change by Planning functions, unless Planning Filters are set to allow this

Firming Period

The period for which firm work station schedules have been created

First Available Date

For a lot controlled item, this is equal to the Creation Date + Release Lead Time (Days). It is the first date the item can be used.

Fixed Cost

This is an element of item cost that does not vary with the volume of production.

Fixed elements of costs are:

- [Set up](#)
- Fixed overhead
- Fixed user-defined [costs](#)

Fixed Order Quantity

This is an ordering policy used by MPS and MRP to control suggested replenishment orders. It is used to generate suggested supplies of a predefined size.

Fixed Quantity Per

An input to a Bill of Material, whose requirement will not vary with batch size

Floor Stock

Floor stock is inventory, which is issued to a designated floor stock location on the shop floor, rather than being issued directly for immediate consumption. Floor stock locations can be logical or physical stockrooms. Floor stock is consumed as it is used at a particular operation.

Floor Stock Location

This is a logical or physical stockroom where items with a Material Control Policy of issue to floor stock are issued and consumed.

Flow Route

This is a route where the individual operations are dependent on each other. Changes to schedules on flow routes for one operation result in changes to the whole route.

Formula

See Bill of Material.

Frozen Stock

This is the quantity of an item which is designated as frozen and thus is not available for issue or allocation. It is expressed as a balance quantity at item and stockroom level, or item and lot level.

Generated Demand

See Dependent Demand.

Gross Requirement

The total demand for an item in a given time period before stock on-hand and supplies are netted

GT Family

This is the Group Technology code, is a user-defined classification which may be used as a selection parameter both on a Selective MRP run and MPS and MRP reports.

Held Inventory Tracking

This is a regimen imposed by the system to force entry of a reference code and description each time a WIP quantity is booked as Held. This reference may be for the whole booked quantity or specific to one or more items in the total quantity. Any further movements of Held WIP Inventory, for example, transfer or scrap, necessitate the specification of the Held Inventory Reference.

Held WIP Inventory

This is WIP inventory which is not available to progress to the next operation until released from held status. This may be because it is awaiting quality control inspection or rework.

In Transit

This is the quantity of an item that is currently in transit between two stockrooms. It is expressed as a balance quantity at the target item stockroom.

Indented Bill of Material

This is a multi-level explosion of an assembly or sub-assembly, showing all the levels of inputs, each of which is displayed indented one position from its immediate parent.

Indented Cost Roll-up

A method of simulating the cost of an assembly or sub-assembly with reference to its Bill of Material and manufacturing operations at all levels, and then rolling up the costs of all its inputs and operations.

Indented Where-Used

This is the inverse of the indented Bill of Material, and shows the parents of an input, each parent indented one position from its immediate children. The analysis is multi-level, and identifies the parents, grandparents, great grandparents, and so on, of an item.

Independent Demand

Demand for an item originating from sales orders or forecasts, that is, direct demand for the item itself

Ingredient

Any item which is used in the production of another item (see Input)

Input

This refers to any material, sub-component, sub-assembly or ingredient, specified on a bill of material. It is the standard term of reference to any material input.

Input Reference

This is the key used to access Component Location Reference information. It can also be used as a reference field in its own right (see Component Location Reference).

Input Reference Text

This holds additional text information relating to input references on input items and routes. It is used in conjunction with Component Location Reference.

Input Route

The mechanism describing the way that input items are identified and used on Bills of Material

Input Shrinkage

The planned or anticipated percentage of a quantity of material that will be unusable when it is issued to the production process

Input Where-used

The identification of where an input is used in assemblies and sub-assemblies

Inventory Audit Record

When a revaluation of Inventory takes place during a transfer of standard costs from Production, a control record is created for each stockroom revaluation.

Item Group Minor

Inventory Management classification used in Production Forecasting to define the product family to which an item belongs

Item Schedule

The planned production of an item expressed as quantities on Due Dates

Item Stockroom

This is the highest level at which costs and inventory balances are held. The item/stockroom record also defines stock management rules for an item in a stockroom used within Inventory Management.

Item Type

This provides a general classification of an item within the Production system. It may be:

- Made (manufactured/produced)
- Bought out
- Phantom
- Reusable tool
- Consumable tool
- Gauge
- Purchased

Just-in-Time

This is a scheduling and material management philosophy that relies on efficiently organised plants, educated and committed employees, and co-operative suppliers. Its objective is to reduce stock holding to a minimum and optimise the flow of production, synchronised to market demand, thus reducing lead times and increasing customer service. It is often abbreviated to JIT.

Key Ingredient

This is a specific ingredient input on a route that is used to control the lot characteristics of the finished product. Only one key ingredient per route may be defined.

Labour Time

The length of time required by an operation in terms of labour

LAD

Acronym for Last Available Date

Last Available Date

For a lot-controlled item, this is equal to the Expiry Date minus Customer Shelf Life. It represents the last date on which the item can be used. It is deemed to be frozen after this date.

Latest Cost

This is one of the Costing Methods available in the Inventory Management application. Using this method, each stock receipt is valued at actual cost and all issues are valued at this cost. In addition, total inventory is valued at this cost.

Lead Time

This is the amount of time required to produce or procure an item. For production items it is derived from the sum of the lead times of the individual operations required to produce the item and any sub-assemblies. It also relates to procurement times for purchased items. See also Production and Cumulative Lead Times.

Load

The capacity requirement on a work station in terms of time arising from an operation scheduled at that work station

Location Reference

See Component Location Reference.

Logical Stockroom

This is a stockroom which does not physically exist but is used as a reference for the recording of WIP inventory, phantom items or floor stock. Recordings may be made to physical stockrooms if they exist; logical stockrooms are simply an alternative.

Lot Balancing Policy

For lot-controlled items, an item may be defined such that its potency will determine the actual physical quantity to be issued.

Lot Control

This refers to a level of stock control lower than item and stockroom, also referred to as batch control, for which a group of items received into stock is given a code. Issues from the group require the classification of this code for audit tracking purposes.

Lot Traceability

Where stock control is specified at batch or lot level, this refers to the ability to trace the movement of stock at this detailed level.

Low Level Code

This is the lowest point in bills of material or production orders at which an item exists. It indicates the maximum level at which the item resides. It is used by MRP to determine when to plan the item in the fully exploded product sequence.

Machine Time

The length of time consumed by an operation in terms of machine work

Master Production Schedule

MPS calculates and balances demand and supply for master scheduled items, and generates a production schedule with suggested dates and quantities.

Material Control Policy

This parameter defines the method of item issues to production. This may be: formal issue, backflush or floor stock issue.

Material Requirements Planning

MRP calculates and balances demand and supply for purchased materials and lower level manufactured items and generates a suggested schedule for production and purchases, with suggested dates and quantities for actions.

Material Type

This parameter is used to determine an item's material type.

It may be:

- Direct material
- Packaging or utility

Maximum Capacity

The theoretical capacity of a work station in hours when working at its peak rate

Maximum Capacity Factor

This factor may be applied to a shift profile to allow calculation of the maximum number of hours available at a work station, if, for example, the work station consists of several machines or multiple operators. For example, if the work station has a standard shift profile which defines 8 working hours per day, applying a factor of 3 would indicate that 3 x 8 (24) hours are available.

Maximum Order Quantity

This is a value set for an item to control the suggested supply batch sizes suggested by MPS and MRP. It is an advisory parameter, and does not restrict the size of the suggested batch, but a warning is shown on the plan reports when a batch size exceeds it.

Maximum Stock

This is the preferred maximum stock balance of an item in a stockroom. It may be set manually for each item

Minimum Order Quantity

This is a control parameter set for an item to manage the suggested supply batch sizes recommended by MPS and MRP. It ensures that a supply is never less than the defined minimum order value.

Move Days

This is the length of time required to transport work to a given work station to perform an operation. It is an element of inter-operation time.

Movement Type

This refers to the classification of movements by type of transaction, for example, sundry receipts, customer order issues.

MPS

Acronym for Master Production Scheduling

MPS Item

This is an item which is under the scheduling and planning control of Master Production Scheduling. It is typically an end product, critical sub-assembly, or key material.

MRP

Acronym for Material Requirements Planning

Multiple Order Quantity

This is a control parameter set for an item to control the suggested supply batch sizes recommended by MPS and MRP. It defines the increments that are applied to a batch to meet a demand quantity. It sets a defined batch quantity and the ruling that a demand quantity must be supplied in whole batches of the set quantity. For example:

Demand = 110

Multiple order quantity = 20

Required = $110/20 = 5.5$ (which would convert to 6 batches)

Net Change

This is an MRP planning method, which is driven by exception conditions in the supply and demand status of an item (cf. Regenerative).

Net Demand

Net demand equals gross demand less available stock, adjusted by demand policy parameters.

Net Requirements

The difference between net demand due on a day and the total suggested supplies planned to be available on that day, adjusted by pre-set Order Policy parameters

Non-Standard Production Orders

These are production orders that are not based on a standard production route, but are created by the user to represent non-standard production operations, resources or input requirements.

On Order

This is the quantity of an item for which outstanding purchase or production orders exist. It is expressed as a balance quantity at item/stockroom level.

On-Hand Quantity

This is the quantity shown in Inventory as being physically in stock. For WIP inventory it is calculated as the sum of the Available plus Subcontractor plus Held balances.

Operation

A stage in the production route of an item

Operation Costs

These are the costs specific to individual production stages. In the Extended edition of the software, costs can be held at route and operation level as well as item level.

Operational Shrinkage

This is the percentage loss of work-in-progress as a result of performing an operation.

Order Policy

Order policy is used by MPS and MRP when building a suggested schedule.

Policies may be:

- Discrete
- Discrete above minimum
- Fixed quantity
- Number of days [supply](#)
- Multiples above minimum

Order Release

This is the point at which a production order is made available for processing on the shop floor. Materials may be allocated and issued at this point.

Order Status

This identifies the stage that a production order has reached.

Possible statuses are:

- Suggested
- Planned
- Confirmed
- Released
- Active
- Cancelled
- Completed

Organisational Model

The organisational model is a control mechanism based on a view of production resources. The model enables the setting of important default values, and the definition of certain procedures and policy issues, which will be implemented at resource group level. To use this facility, work stations must be defined to an organisational model.

Output

This is an item produced as a result of a manufacturing process. It can be a single product, a co-product, by-product, waste or an unplanned product.

Overdue Days (Planning)

This indicates the number of days of overdue supply and demand to be considered in MPS and MRP runs.

Overhead Rate

This is the rate per hour or percentage rate applied to absorb production overhead costs into the item unit cost. It is specified on Cost Centres together with an Overhead Recovery Method.

Overhead Recovery Methods

Different recovery methods are available based on production costs, process time, material inputs or outputs in terms of values or quantities.

Overlapped Operations

An operation is defined as an overlapped operation if the next operation can begin before completion of the full quantity at the operation.

For example, if 100 items are to be made at operation 10 in batches of 10 but operation 20 can start when 5 batches have been completed at operation 10, then an overlap situation occurs and operation 10 is defined as overlapped. This will be taken into account by planning and scheduling functions.

Overload

The condition where a work station has more work scheduled to be performed than it has available time in a given period

Parameter File

This contains system- and user-defined codes which set control parameters or allow the amendment of standard code descriptions.

Phantom Item

This represents a collection of inputs, which are collectively linked together via a 'phantom' item number. This is an item which is not physically stocked but which may be referred to as a generic route input, and will trigger the planning of its component parts via a phantom explosion.

Phantom Operation

A phantom Bill of Material is provided with a pseudo operation to link its inputs together on a route. This is a phantom operation, and it has no operational impact, although a work station may be assigned to the operation for the purpose of calculating material overheads when the phantom is introduced.

Physical Stock

This is the total quantity of an item in a stockroom. It is expressed as a balance quantity at item/stockroom level and also at item stockroom lot level.

Pick List

This is a document detailing the inputs required to be picked for a particular operation on an order or production schedule. It is also referred to as a pulling list.

Planned Available

The quantity calculated to be available at any point in time if MRP or recommendations are implemented

Planned Down Time

See Down Time.

Planned Material Scrap Rate

This is another way of expressing input shrinkage.

Planned Production Order

This is a production order that is not yet confirmed, but represents an intention to generate a supply. It does not have input and operation details, and is based on a standard production route.

Planner

A logical grouping of items for the purpose of planning

Planning Filter

This determines the sensitivity of MPS and MRP rescheduling logic when balancing supply and demand.

Planning Horizon

The end date of an item planning run in MPS or MRP

Planning Model

This is a method of defining a view of supply and demand for planning purposes. It is defined in terms of stockrooms. Multiple planning models may be defined to produce differing views of the production environment. One particular model must be defined as that from which MPS or MRP suggestions may be confirmed to production.

Planning Route

This is the route designated for an item to be used in the planning of its input materials and scheduled manufacturing dates and times in MPS and MRP.

Planning Type

The planning category of an item, MPS controlled or MRP controlled

Potency

A percentage defining the strength of an item in an inventory lot

Primary Co-product

The dominant item in a set of process group co-products, which is used to drive the planning for that group of outputs

Primary Process Group

For a co-product, which can be produced in a number of manufacturing process groups, this is the process group to be used as the preferred group in its costing calculation.

Primary Stockroom

This is the default stockroom for issuing and receipt of an item, when defining a route. On costing routes, the issuing stockroom for an input must be its primary stockroom.

Priority

This is the relative importance of an order in the work flow. It is used to control the sequence of jobs queuing at work stations.

Process Group Type

The parameter that indicates whether or not the item is a process group in which multiple co-products may be defined

Process Route

This is a definition of the processes, that is, operational stages, and materials required to produce an item or set of items. It may also be referred to as a production route.

Process Yield

This is the yield of a process route. It is calculated as the ratio of inputs to the route to outputs from the route.

Product Family

This is the grouping of related items for forecasting and planning purposes. Group codes are defined on the Inventory Management, Descriptions File, and entered against items in the Inventory Management Product Group Minor field.

Production Calendar

This is the definition of the production environment in terms of working days, non-working days, holidays and shutdown periods.

Production calendars, once defined may be assigned to:

- [Company profile](#)
- [Work stations](#)
- [MPS/MRP](#) planning profiles

Production Lead Time

This is the amount of manufacturing time required to produce an item from its immediate inputs and operations. No reference is made to the lead time of its inputs.

Production Schedule

The plan which contains the sequence and timings of items and operations to achieve the planned production output

Production Sequence (Major)

An item parameter, which controls the sequence in which items are planned in MPS and MRP

Production Sequence (Minor)

An item parameter which controls the sequence in which item operations are performed, recognising the need to make products in a preferred sequence due to, for example, colour change or set up costs

Quantity Per

This is the standard quantity of an input that is required to make its standard parent lot size.

Quantity Reporting Policy

This policy determines how a WIP inventory quantity booked is interpreted. The quantity recorded may represent the total quantity inclusive or exclusive of scrap and held values.

Queue Time

This is the length of time that a job will wait, on average, at a work station after arrival before it is worked upon. It is an element of inter-operation time, and should be reduced wherever possible.

Re-order Point

This is the quantity of an item in a stockroom which, when reached, should trigger a re-order action. It may be set manually. This Inventory value is used as the safety stock value when using cellular planning. In non-cellular planning, safety stock is taken from the production item master file.

Recipe

See Bill of Material.

Recommended Supply Orders

Suggested replenishments generated by MPS and MRP to support defined inventory stocking policies and to meet outstanding demand

Regenerative

An MRP planning method in which every MRP controlled item is re-planned, regardless of its demand and supply status

Release Lead Time

This is the time set against a lot controlled item to represent a standard delay between its manufacture or purchase date and its availability for further use or despatch. This lead time is expressed in its Release Lead Time Unit.

Release Lead Time Unit

This indicates the unit in which the Release Lead Time is measured.

It may be:

- Days
- Weeks
- Months
- Years

Released Lead Time Policy

This parameter is pertinent to lot controlled items and allows a set time delay to be taken into account during planning.

Released Production Order

This is a production order which has been released to the production process, that is, the shop floor. Inputs may be allocated and issued to it, and production activities may be booked against it. Any bookings of material or production will automatically change its status to Active.

Repetitive Manufacturing

This is the style of manufacturing in which high volumes of similar products are produced. Typically, production orders are *not* used in these environments but daily production is scheduled against work stations by item and quantity.

Reporting Profile

Although MPS and MRP calculate supply and demand on a daily basis, information pertaining to the production plan may be bucketed, that is, grouped into time slots, in accordance with a reporting profile defined for each planning model. Usually, this requires the grouping of data into small time periods at the start of the plan then longer time periods as the plan moves out into future periods.

Reporting Type

On a process route this indicates whether an operation is a count point for WIP inventory, or a backflush (non-count) operation. The last operation must be a count point.

They are a part of standard processing rules and transactions, which control the effects of booking production.

Resources

These are the facilities which contribute to the production of items.

Within the Production system, these comprise:

- [Cost centres](#)
- [Work stations](#)
- [Work centres](#)
- [Production calendars](#)
- [Shift profiles](#)
- Labour grades
- Operators
- Crews
- Subcontractors

Revision Level

Indicates the current revision level of a route/structure

Rework

This is work necessary to correct a sub-standard item rejected during or after its manufacture.

Rough Cut Capacity Planning

This is a method of testing the feasibility of an MPS plan by comparing the planned capacity requirements, that is, the load, with available capacity at the required production resources at the times required. This may be completed at early planning stages to highlight bottleneck or overload situations before firming or progressing the plan.

Rough Cut Route

This is the summary bill of capacity used in Rough Cut Capacity Planning, that is, a route or structure that may be set up purely for the purposes of rough cut capacity planning and may be an abridged version of the usual planning route.

Route

A definition of the operational stages involved in producing an item, sequenced in order of manufacture, and specifying the inputs required in terms of materials and resources

Route Code

This is the identification code representing an item structure and production method. There can be different routes created for an item. A preferred planning and cost route can be defined.

Route/Structure

This defines both the route, that is, the production stages, and material requirements, that is, the Bill of Materials required to produce an item.

Run Time

The length of time required by an operation

Safety Lead Time (Planning)

This is used to set an end date beyond the cumulative lead time of an item. The end date is calculated as item horizon plus safety lead time.

Safety Stock

The desired level of stockholding for an item to support a customer service or availability policy

Sales Forecast

This is a statement of the anticipated market demand for a product. It can be compared with actual sales orders, in MPS or MRP calculations to determine the net demand to be met by production. This is dependent upon the Demand Policy code set for the item.

Schedule

See Production Schedule.

Schedule Control

An environment in which item/work station schedules are used in preference to production orders - usually in a high volume, repetitive form of production

Schedule Controlled Item

This is an item that is schedule and not production order controlled in MPS and MRP processes. A production order can be raised if required.

Scheduled Receipt

This is a planned supply in MPS/MRP: it may be a released or active production or purchase order or a suggested or confirmed schedule.

Scheduling

The process of calculating and suggesting due dates, quantities and action dates for the supply of an item to meet required demand quantities and dates

Seasonal Profile

This is a method used to spread forecasts using indices for each forecast period and entering a total figure to spread. It can be used to speedily determine forecast values which display seasonal fluctuations.

Serial Number Control

A form of lot control, which maintains single, uniquely identified (serialised) units

Set Up

This is the activity of preparing machines or processes for production. Set up time forms part of the lead time of an operation.

Set Up Time

This is the duration of the set up for a work station. It is expressed as a labour time.

Shelf Life

The life of an item expressed in its Shelf Life Unit

Shelf Life Unit

This indicates the unit in which an item's shelf life is measured.

It may be:

- Days
- Weeks
- Months
- Years
- Unlimited

Shift Length

The duration of an individual working shift for a work station

Shift Profiles

These describe the pattern of shifts in a day. Shift profiles use effectivity dates to reflect planned changes in patterns. A default shift profile may be assigned to a work station, or a shift profile assigned to each working day within a week at a work station. The shift profile defines the number of productive hours available on a working day.

Shipper Number

A number assigned to each shipment of items to or from a subcontractor if Shipper Tracking is in use

Shipper Tracking

A method of tracking materials or WIP inventory to or from subcontractors

Shrinkage (Material)

The planning factor applied to an input on a route to reflect expected loss

Shrinkage (Operation)

This is the planning factor applied to an operation to reflect expected losses. Scheduling uses the factor to inflate the standard times to make the required lot size.

Shrinkage Cost

This is the amount of item unit cost attributable to operational or material shrinkage in the production process. It is held by Cost Element and can optionally be consolidated into the item cost elements. A shrinkage element can be configured to display the total shrinkage cost.

Simulated Cost

A function which projects product costs by applying variables to the cost structure to ascertain likely future costs, or by changing inputs to ascertain the cost impact of the changes

Single Level Enquiry

A one level explosion of a bill of material and route and which costs the inputs and operation processes required to make the parent item

Smoothing Policy

A planning policy which smoothes sale forecast demand to provide a level production schedule

Specification Ref

This refers to the way in which an item is specified.

Standard Capacity

The daily capacity in hours of a work station when operating at its normal rate, and normal shift patterns

Standard Capacity Factor

This may be applied to a shift profile to determine the standard number of hours available at a work station. In situations where the work station comprises multiple machines or personnel, the factor will represent the number of machines and people at that work station. For example, for a shift profile of 10 hours at a work station where 2 machines operate, a capacity factor of 2 would be entered, to indicate a standard capacity of 20 hours.

Standard Costs

This is a costing method available in Production and Inventory. Standard costs are calculated for items based on standard cost rates and operation times and the standard costs of inputs. They form the yardstick for performance measurement in a given period.

Standard Efficiency

This is the percentage of the standard capacity of a work station which you expect to achieve under normal operational circumstances. This percentage may be used in capacity planning enquiries and reports.

Standard Lot Size

Standard batch size in terms of which input quantities and operation times are expressed in a route/structure

Standard Potency

This is the standard strength of an item expressed as a percentage. It applies to lot-controlled items only.

Standard Production Orders

Production orders which are based on a standard route to obtain input requirements and operation details

Start Date

The scheduled release date of a production or purchase order or schedule

Start Date (Planning)

This is the first date considered by MPS and MRP Demand and Supply prior to this date is ignored. It is the Current Date less Overdue days set for the planning run.

Stock Forecast

A forecast used in MPS and MRP to plan variable levels of inventory availability to maintain desired customer service levels over and above standard safety stock.

Stock Monitor

This is an Inventory Management function, which maintains the integrity of lot-controlled stock availability. It determines whether a lot is available or has passed its Last Available Date or Expiry Date. All lots are frozen when the Last Available Date is passed.

Stock Run-out Policy

This controls the planning of requirements of an item based on its stock balance, rather than effective dates.

The available policies are:

- Use up stock and do not re-plan
- Use up stock and then use a nominated replacement item or items

Subcontract Operation

This is work on the production of an item that is carried out by another manufacturer. It entails sending materials or WIP, which are worked on by the subcontractor before being returned for further operations, or quality inspection or receipt into stock.

Subcontractor Stockroom

This is a logical stockroom, which holds all subcontractor material balances. Subcontractor WIP inventory balances are held as balances at operations in the associated work station WIP location.

Substitute

This is an item which has been designated as an allowable replacement for another item. It may be issued in whole or part to a production order, if there is insufficient stock of the primary item.

Substitution Policy

This is defined on a route/structure input item definition, indicating whether it is permissible to use a substitute item if there is a stock shortage of the primary item.

Suggested Production Order

An MPS or MRP recommendation to create a production order to satisfy a shortage identified by the planning process

Suggested Purchase

An MPS or MRP recommendation to create a purchase order to satisfy a shortage identified by the planning process

Supply

The planned or scheduled receipt of item quantity from a purchase order or production order or a production schedule item

Target Yield

Desired yield of a route

This Level

The final level of manufacture for an item with a multi level route/structure, as opposed to lower levels of manufacture such as sub-assemblies

Time Basis Code

This is the code indicating how operation times are expressed on a route.

Codes are:

- Time per lot
- Time each
- [Quantity per](#) hour
- Fixed time
- Time per 1000
- Time per 100
- Time per fixed batch

Time Booking Policy

This parameter is set on the Organisational Model to control the time booking format in Production reporting. It may be in decimal hours or hours and minutes. This policy is set only if the Time Reporting Policy is set to elapsed time.

Time Fence

This is the period between the current date and the time fence date. During this time fence, the schedule is fixed and no recommendations are made by MPS or MRP to change existing production or suggest new production.

Time Fence Days (Planning)

The number of days that are added to the Current Date to calculate the Time Fence Date

Time Fence Policy

Parameter set at item level indicating whether shortages occurring within the time fence should be ignored, or satisfied on the Time Fence Date

Time Reporting Policy

This parameter is set on the organisational model to control the format in which operator and work station times at an operation are entered. It may be set for entry as elapsed time or as work start time and stop time.

Time Units

These are the units in which operation times are expressed. They are defined in the company profile and can be in hours or minutes.

Total Shelf Life

This is the life of an item lot. The shelf life is added to the Creation Date to calculate the Expiry Date.

Transaction Manager

This is the function that processes production and WIP inventory transactions, generates movement records and updates balances. It runs in its own subsystem and may be started and stopped. It must be running in order to keep balances and transaction details up to date during production bookings.

Transaction Number

Each production booking entered on the system is allocated a system transaction number which may be accessed and displayed for subsequent reference in enquiries and reports.

Transaction Type

These are System21 transaction codes, which represent a particular balance update or movement generation. The transaction type calls a program, which ultimately updates the database.

Trial Kit

A method of simulating input allocation to a production order or route to assess availability to meet the requirements (also known as Material Availability Enquiry)

Trigger

This is the mechanism used to drive Net Change MRP. Item Triggers are created when transactions are recorded for unplanned events.

Triggers may be generated through:

- Maintenance changes
- Sales, purchase or production orders
- [Set up](#) changes
- Stock issues and receipts
- [MPS/MRP schedule](#) amendments

Trigger Tolerance

This is the percentage (above or below) of safety stock which, if breached by the projected available stock, will cause a net change trigger to be written for the item.

Unit Cost

The amortised cost of a single unit of an item

Unplanned Issue

Issue of inputs to a production order, which has not been previously allocated

Unplanned Receipt

Receipt into inventory of an item or items not expected at the booking operation, i.e., not standard on the route, or order.

Usage

The quantity of an item issued from a stockroom in a given period

Usage Profile

A user defined profile which specifies the pattern of periods to be included in the calculation of average usage

Utilisation

The extent to which the capacity of a work station is expended by actual work performed

Value/Usage

This is the value/usage setting for an item in Inventory. It positions the item in a matrix of value/usage. It is a selection criterion for selective MRP.

Variance

A difference between the standard cost or volume of a process and the actual recorded cost or volume

Waste Product

An output from a process route which does not have any intrinsic worth or saleable value and which may incur a cost in its disposal or shortage

WIP

Acronym for Work-in-progress (also known as Work-in-process)

WIP Inventory

Work-in-progress inventory, transparent to Inventory Management, but accessible through enquiries in Production WIP Inventory Control

WIP Location

A WIP location is a stockroom that has been logically associated with one or more work stations as the stockroom to hold WIP inventory balances produced at count point operations.

Work Centre

This is a collection of work stations that have been grouped together for capacity requirements analysis purposes. Work centres are not used in planning or work station scheduling.

Work Station

The standard production unit or facility for which capacity requirements are measured

Work Station Schedule

A daily work plan for a work station, containing item and order quantities and duration of set up and operating hours

Work-in-progress

This is the value of work currently underway in the factory in terms of the material issued, and the operations performed. For a given order or schedule, it is calculated as the value of material and work input less the value of receipts made into stock. Work-in-progress (WIP) can be valued at standard or current cost.

Yield Item

This is an item that is sensitive to yield either as an [input](#) or an [output](#). Yield is the ratio of total quantity of outputs compared to the total quantity of inputs.